

GPN	Manufacturer	MPN	Description	Lead Time	NCNR
<a href="#">7004014</a>	Rahi	ADB0036	CYCL, RJ45 DB9F ADAPTER ADB0036	56	No
<a href="#">7003903</a>	Enconnex	ECX-C19L620-8FT	POWER CORD L6-20P TO C19 8FT	56	No
<a href="#">1063891</a>	Enconnex	ECX-C19L620-15FT	Assy, Cord, Pwr, 20A, 250VAC, NEMA L6-20P x IEC 320/C19, 14-3, SJT Insulation, Blk, 15 ft, for use with L6-20R outlets wired with standard Line-to-Line power	56	No
<a href="#">7003763</a>	Feller	12123231401	POWER CORD_16A 250V_COMMANDO(60309 32A)TO C19_4.5M (15FT) BL	56	No
<a href="#">1045575</a>	Commscope	FD-8-2U-A-1.5M	Kit, FD panel, Includes One (1) FD Panel, 20 (Twenty) MPO Patchcords, 1.5m (Supplier Item: FD-8-2U-A-1.5M)	49	Yes
<a href="#">7022412</a>	Panduit	WMPSE	Cable manager, Front and Rear, 1RU, 19" (1.7" x 8.9" x 19")	56	No
<a href="#">7001645</a>	Luxor	AVJ42	no description	42	No
<a href="#">1034025</a>	LEATHERMAN TOOL GROUP INC.	831551	Tool, 17x Tools, w/ Leather Box, 4 in Closed Length, Needle Nose Plier, Regular plier, Wire Stripper, 420HC Knife, Serrated Knife, Can/Bottle Opener, Wood/Metal File, Screwdriver, Stainless Steel	56	No
<a href="#">1033309</a>	Server Tech	STV-GO4588G	PDU, Switched, C20 Input/Inlet, 16 x C13 Outlets, 208-230V, 20A, 50/60Hz, 1.8in W x 49.5in H x 2.3in D, RoHS, Auto-Flip Display, LED Input Current Monitoring, Hot-Swap Network Card, Star Multi-Linking	42	No
<a href="#">1040484</a>	DOU YEE ENTERPRISES	DY3650-650-2S-12.50X17.50IN-SL	Packaging, Bag, ESD Static Shielding, 12.5in W x 17.5in L, 10mm Seal, pack of 4000 bags	77	No
<a href="#">7075022</a>	NEWPORT SPECTRA PHYSICS BV	F-IRC4-S	Sensor Card, IR, 700-1600nm, 1in x 1.5in	56	No
<a href="#">1034383</a>	Server Tech	SEV-GO4588G	PDU, Rack,Switched Link, LED InputCurrent Monitoring, Hot-SwapNetwork Card, Star Multi-Linking, Auto-Flip Display,208V, 20A, 16xIEC60320/C13 Outlets, 49.5in Tx 1.75in W x 2.25in D, RoHS	119	No
<a href="#">901241</a>	Server Tech	PTCORD L1	Servertech - Locking IEC 60320/C19 - L6-20P (20A Twist-Lock) 10ft (3m), 12 AWG, cULus	56	No
<a href="#">7130230</a>	ZPE	NSC-T48-STND-DAC	Console Server, Hydra, ZPE NodeGrid, Ports: 48 Serial & 2 Ethernet, Dual AC, 1RU, 17x12.3x1.7 in. (Avocent Cyclades Replacement) (Supplier Item: NSC-T48-STND-DAC)	119	No
<a href="#">7103486</a>	Server Tech	KIT-0030	Cable Retention Clip, Wire, C13 Receptacle, C14 Plug, 1U Wide, Set of 8	56	No
<a href="#">7001322</a>	AMP	1-853400-0	Amp White Dot Crimpers	56	No
<a href="#">7130833</a>	Google	7130833	Bundle, Diagcable, Contains USB to Rj45 Cable, Network Adapter, RJ45 to DB9F Adapter, Apple USB to Ethernet Cable Cover	49	No
<a href="#">7130790</a>	Brother	PT-E500	Labeling System, PT-E500, Handheld/PC Connectable, Laminating Thermal Transfer, Automatic Tape Cutter, w/ QWERTY Keyboard, 180dpi	42	No
<a href="#">7001769</a>	C2G	4624	Cable Stripper	56	No
<a href="#">7105122</a>	Hisco	125-132	Kit, Cart, ESD-Safe, 18x24x36in, 3x Shelves-18x24in, 4x Posts-36in, 2x Swivel Casters-5in dia, 2x Swivel Braking Casters-5in dia, 3x Inlay Mats-18x24in/Blue, 1x Split Sleeves 4/Pk	70	No
<a href="#">1045083</a>	Server Tech	C1W08HC-0ABA2BAC	Servertech: Switched PRO1, 1U, 8 x IEC C13 Outlets, Input Amp Meter, 120/208-240 20A and 230V 16A Rating w/ IEC C20 Inlet, (2) Temperature/Humidity Sensor Capable, Breaker Branch Circuit Protection (Input power cord ordered separately) Features: 60C, Auto-flip LED, High Retention Outlets, Locking Outlets, Reverse Sequencing Shipping Weight: 10 lbs. Shipping Dims: 20 x 12 x 7 in.	77	No
<a href="#">1027649</a>	Bosch Security Systems Inc.	PS31-2A	Tool, Drill/Driver, Cordless, 2-Speed, 20+1 Clutch Setting, LED Light, 0.38in Single Sleeve Chuck	56	No
<a href="#">7037623</a>	Server Tech	ROLLOVER	Network Adapter, Rollover, RJ45, Male/Female	56	No
<a href="#">7038151</a>	Panduit	RGRKCBNJY	Kit, Rack Grounding, 19in Rack, Includes Grounding Jumper 6 AWG x 96in, Busbar, HTAP, RoHS	56	No
<a href="#">7096238</a>	MagLite	SP32016	Flashlight, LED, Mini, 84 Lumens, Adjustable Beam, Water Resistent, Batteries Included, Black	56	No
<a href="#">7016397</a>	Rahi	0100-1-002-01	10-32 Rack Screws (100)	56	No
<a href="#">7038155</a>	Panduit	PPF2S-S25-V69	Cable Tie Mount, Flat Pan-Post Standoff, 5.42in Length, Flame Retardant Nylon 6/6, Natural Color, Indoor, Package of Qty 5, RoHS	56	No

GPN	Manufacturer	MPN	Description	Lead Time	NCNR
<a href="#">7122565</a>	Server Tech	KIT-MBVPT-1B	Kit, Mounting Bracket, w/ 2x M5 Nut plate, w/ 4x M4X6mm Screws, w/ 4x M5x10mm Screws, w/4 M5 Washer	56	No
<a href="#">1056799</a>	Uline	H-6833	Table, Assembly, Steel, 60in L x 30in W, Adjustable Height, Heavy-Duty / 12 Gauge Welded Steel Top, 2,000 Pound Capacity	56	No
<a href="#">901252</a>	Cable Exchange	C5E-XXX-10	Cord, Patch, CAT5e, 568b, UTP, Booted, Yellow, 10FT	42	No
<a href="#">7003890</a>	C2G	20941	PWR CORD, C13R TO C14, 1.0M (3'), STRAIT	56	No
<a href="#">1054893</a>	Server Tech	BDL-C1S10SA-0ABA2B4-EUGN	ServerTech, - PRO1, PDU, Smart Master, 1U, 12A, 100-240V Inlet, 6x IEC 60320/C13 Outlets, 4x CX Outlets, 10/100 Mbps Ethernet, RS-232 Serial RJ- 45 Connector, 1.75in H x 17.2in Wide x 7in D, EU, RoHS (Supplier Item: BDL- C1S10SA-0ABA2B4-EUGN)	49	No
<a href="#">1059145</a>	Rahi	RSI-KIT-001	Kit, w/ Table, w/ ESD Mat	56	No
<a href="#">7007427</a>	Chatsworth Products Inc	40605-001	Modular Plug, CAT 5e, RJ45, 26-23 AWG, 8-Position, Unshielded, Round Solid Stranded, MP-5EU-1, Thermoplastic Housing w/ Au-plated, RoHS, Box of 100 pc..	56	No
<a href="#">7141525</a>	Server Tech	BDL-GOOG-MLAB-EU	Bundle, System, PDU, PRO2, Incl 2x Switched PDU w/PIPS IEC 60320 10A/16A@ 240V C13/C19 Outlets w/Circuit Breakers, 2xIEC 60309 2P+E 3m DetachPwrCord, 2x Brkt &Button Mounting Kits, w/RJ-45 to RJ-45 Conn, 2x4PAC Sensor, Bluetooth, EU	56	No
<a href="#">7001340</a>	GRAINGER	1W985	Folding Chairs	56	No
<a href="#">7026019</a>	Kord King	GO07026019	CORD, POWER, L6-30P-C19, 15FT, 12/3 AWG, UL	119	No
<a href="#">7097392</a>	AFOP	740-0175-006-B	Adapter, LC, Duplex, Ceramic Sleeve, Standard Cutout, Blue, 740 Series, 100 pcs	56	No
<a href="#">1053628</a>	World Cord Sets	2019-J-180	Cord, Power, 12AWG, C20 to C19, 15ft, Black	84	No
<a href="#">1086907</a>	Server Tech	C1X08HC-0ABA2BAC	PDU, Switched, 1U, 20A, 208V, 8 x IEC 60320/C13 Outlets, IEC 60320/C20 Inlet, 10/100 Mbps w/ RJ-45, Link	77	No
<a href="#">7135806</a>	Fibertronics Inc	MTL-SM-12-MS	Cable Tester, Loopback, Standard, Fiber Optic, Standard, MTP/MPO, SM, 9/125um, Male, for use on MPO w/ Pins Config 1-2/ 3- 4/5-6/7-8/9-10/11 to 12	42	No
<a href="#">1069390</a>	Server Tech	BDL-C1M15HN-DQJN5BC3-013-US	Bundle - 2x, PDU, Servertech, 2RU, Input IEC 60309 460C9W, 10ft cord, 208V, 60A, 3PH, Output 12xC19 3xC13 , Metered, North America, Colored Outlets, w/ 19in, 21in, 23in Brackets	63	No
<a href="#">7005060</a>	Optimark FiberOptics	F1-0700	Cleotop-S Tape Refill/Blue	56	No
<a href="#">7001793</a>	ACT	AL-08-18-0-C	8" Cable Tie BLK 18lb (100pk)	56	No
<a href="#">1065280</a>	Server Tech	KIT-CX13	Clip, Retention, Power Cord, Plastic (Supplier Item: KIT-CX13)	56	No
<a href="#">7004332</a>	AFOP	754-1115-4LE01	ATTENUATORS, FIXED OPTICAL, LC, 15DB	56	No
<a href="#">7004333</a>	AFOP	754-1118-4LE01	ATTENUATORS, FIXED OPTICAL, LC, 18DB	56	No
<a href="#">7004334</a>	AFOP	754-1120-4LE01	ATTENUATORS, FIXED OPTICAL, LC, 20DB	56	No
<a href="#">7134727</a>	Server Tech	STV-6501K	PDU, Switched, Circuit Breakers, Master CDU, 32A, 2P +PE Blue Plug, H05VV-F 4.0mmx 4.0mm 3m Cord, 220-240V, 50/60Hz,IEC 60309	42	No
<a href="#">7004320</a>	AFOP	754-1102-4SE00	ATTENUATORS, FIXED OPTICAL, SC, 2DB	56	No
<a href="#">7004322</a>	AFOP	754-1108-4SE00	ATTENUATORS, FIXED OPTICAL, SC, 8DB	56	No
<a href="#">1032206</a>	Rahi	RS-FIT-221-1/2-CR	Tubing, Heat Shrink, Flexible, Polyolefin, Black, 1/2in x 4ft	56	No
<a href="#">7017202</a>	AFOP	754-1101-4LE01	Attenuators, Single Mode, Fixed Optical, 1dB, 50 dB Min, LC/PC, 1310 nm / 1550 nm, Short Type, 754 Series	56	No
<a href="#">7017203</a>	AFOP	754-1101-4SE00	Attenuators, Single Mode, Fixed Optical, 1dB, 50 dB Min, SC/PC, 1310 nm / 1550 nm, Standard, 754 Se	56	No
<a href="#">1069362</a>	Server Tech	BDL-C2W36TE-GPAE2M99-GN	Bundle - 2x, PDU, Servertech, 0RU, Input IEC 60309 532C6S, 3m cord, 400/230V, 32A, 3PH, Output 18xCX 18xC13, Switched Master + Switched Link, Global, w/ Brackets + Accessories (Supplier Item: BDL-C2W36TE-GPAE2M99- GN)	56	No
<a href="#">1112296</a>	Chick Packaging	BAGSTRATO16X24	ESD Bag 16in x 24in General Purpose	42	No
<a href="#">7054544</a>	Timbercon	AL-975-04-02404	Loopback, Optical, LC/APC, SM 9um, 4dB+/-1dB, atten, 1310nm DFB laser, Green Shell, Armadillo	56	No

GPN	Manufacturer	MPN	Description	Lead Time	NCNR
<a href="#">1069387</a>	Server Tech	BDL-C2W36TE-DQME2M99-GN	Bundle - 2x, PDU, Servertech, 0RU, Input IEC 60309 460C9W, 10ft cord, 208V, 60A, 3PH, Output 18xCX 18xC13, Switched Master + Switched Link, North America, w/ Brackets + Accessories	42	No
<a href="#">1094178</a>	RACK RULER	404RACKRULER	Tape, Measuring, f/ Rack Unit, Measures up to 10 feet or 68U, Metal Tape Material Housed in Plastic w/ a Belt Clip & Tape Stop	56	No
<a href="#">7022974</a>	Electri-Cord Mfg Co	80.00021	Ground Cable, 6AWG, 84", Dual Hole/Ring Terminal	56	No
<a href="#">7132799</a>	Cable rack	18243	Media Converter, Singlemode to Ethernet, 1000BASE-T, 10/100/1000 Mbps, 10Km, 2 Ports, RJ45, 5VDC, 2A, IEEE 802.3 Compliant, 5.5x4.3x1.5in, Incl. 100-240VAC, 50Hz, w/ Auto switching PSU, Copper Fiber, Black	56	No
<a href="#">7001464</a>	C2G	2943	Cables To Go- Serial Adapter RJ45/DB9F- Black	56	No
<a href="#">7045040</a>	Rahi	80.00026	Ground Cable, 6AWG, 144", THHN, w/ 90Deg. Lug (2x Holes @0.25in Dia./ 0.63in Spacing), To Blunt End, Green, Custom	56	No
<a href="#">7087973</a>	Werner	PT7404-4C	Ladder, Platform, 4ft, Non-Conductive Fiberglass, With Casters, Type IA Duty Rating, 10ft Reach Height, 300lbs Load Capacity USA ONLY	84	No
<a href="#">7073632</a>	G&J Hall	MC1M	Tool, Multicut Step Drills, 4 to 12 x 1mm, Hall	56	No
<a href="#">7015052</a>	Minkels	MFM0011	M5 BOLT (100 pieces)	56	No
<a href="#">7122974</a>	Universal Electric Corporation	GMFDDCT5GHE28-X-3P60-5W-4	Fused Disconnect, 60A, T5G System, 5-Wire, 240V, 3-Pole, 20ft Drop Cord, E28 Enclosure, Isolated Ground, Bussmann TCF Fuses, 200kAIC	42	No
<a href="#">7054957</a>	SCANDIC SPRINGS INC.	7054957	CLIP, RETENTION, AC, C19-PLUG	56	No
<a href="#">7038156</a>	Rahi	PP1S-S12-X	Cable Tie Mount, 90?? Standoff, 2.0in Height, Nylon 6/6, Natural Color, Indoor, Package of Qty 10, RoHS. PP1S-S12-X	56	No
<a href="#">7133769</a>	Minkels	A1DM.81ME-M8	Earthing, Earthrail, Copper, 20x5x2000 mm, 81ME, w/ two M8 holes for lugs, Special	56	No
<a href="#">1112969</a>	DeWalt	DW2503	Tool, Set, 20Pcs, Rapid Load, Quick Change, 1/4in Hex Shank	56	No
<a href="#">7054008</a>	Shaxon	PEUL-10	Cord, Power, 18AWG, 10A, 250V, C13 to C14, 10ft, Black	56	No
<a href="#">1069364</a>	Server Tech	BDL-C1M15HN-GPJN5BC3-013-GL	Bundle - 2x, PDU, Servertech, 2RU, Input IEC 60309 532C6S, 3m Cord, 400/230V, 32A, 3PH, Output 12xC19 3xC13 , Metered, Global, Colored Outlets, w/ 19in, 21in, 23in Brackets	63	No
<a href="#">7015054</a>	Minkels	MFM0004	Cage Nuts M6 (100 pieces)	56	No
<a href="#">7038154</a>		PP2S-S12-X	Cable Tie Mount, 90?? Standoff, 4.6in Height, Nylon 6/6, Natural Color, Indoor, Package of Qty 10, RoHS	56	No
<a href="#">7048282</a>	FASTENAL	58655	07048282 - Tubing, Heat Shrink, Heavy Wall Adh Lined, Polyol	56	No
<a href="#">7060249</a>	Minkels	MER0107	Grounding Bar, Vertical, Copper, 20mm x 5mm x 2000mm/ 81ME	56	No
<a href="#">7087555</a>	Thomas&Betts	256-30695-1298	Lug, Two Hole, Long Barrel, #14-10 AWG, 1/4 Bolt Size, 5/8in OC, Copper, 1.89in Length	56	No
<a href="#">7011647</a>	GE Power Electronics Inc.	CC848844828	4 AWG, 5ft Load Grounding Cable	56	No
<a href="#">7015464</a>	Rahi	G3X4BL6	Wiring Duct, Wide Slot , 3" x 4" x 6'	56	No
<a href="#">7010393</a>	Rahi	13017BLUE	Stak-N-Store Bin, Load Capacity 75 Lb, Blue. 13017BLUE	56	No
<a href="#">7051893</a>	Rahi	80.00123	Ground Cable, 6AWG, 144", THHN, E/W 2HL, 1/4"HL, 5/8" OC, Straight Lug, Blunt End, Custom	56	No
<a href="#">7018901</a>	GRAINGER	4HY63	Key Storage Lock 5401D, Master Lock	56	No
<a href="#">7007425</a>	Stanley-Proto Industrial	354-814	Metric Socket Set, 14 Piece 1/4in Drive	56	No
<a href="#">7087974</a>	Werner	PT7406-4C	Ladder, Platform, 6ft, Non-Conductive Fiberglass, With Casters, Type IA Duty Rating, 12ft Reach Height, 300lbs Load Capacity USA ONLY	49	No
<a href="#">7140129</a>	Tripp Lite	P018-010	Cable, Power, 14AWG, 250V, 15A, Extension Cord, IEC-320-C14 to IEC-320-C15, Black, 10ft	56	No
<a href="#">7001554</a>	Tripp Lite	P002-002	2ft. Power Adapter Cord IEC-320-C14 to Nema 5-15R	56	No
<a href="#">7001564</a>	Avery	5167	1/2"x1 3/4" Avery Labels For Rack Names (8000pk) office depot#297726	56	No
<a href="#">7001784</a>	FLUKE	T5-1000	EQP, FLUKE CLAMP METER	63	No
<a href="#">7004229</a>	Rack solutions	1USHL-116	RACK SHELF, 19	42	No
<a href="#">7004400</a>	Commscope	2-231652-1	07004400 - EQP, RJ45 CRIMP TOOL	56	Yes

GPN	Manufacturer	MPN	Description	Lead Time	NCNR
<a href="#">7004494</a>	Allen Tel Products	AT8X8RCSC-24	CAT5E (RJ45) MOD PLUG, (ICE CUBE), 500PK	56	No
<a href="#">7004875</a>	ADC TELECOMMUNICATIONS	FMT-DBS000000-A00B	FIBER MANAGEMENT TRAY -B, BULK SLACK STORAGE UP TO 32 CABLES, 1U	63	No
<a href="#">7005102</a>	Klein	65500	Socket Set 1/4" - 13PC	56	No
<a href="#">7005104</a>	Thomas&Betts	L-14-50-9-C	Fastener-Cable Tie • Cable Tie, 14in, 50lb Tensile Strength, Nylon 6.6, Natural Color, 4in Max Wire Bundle Dia, UL 94 V-2, 14.1Lx0.187W in, 100/Bag	56	No
<a href="#">7005291</a>	Pelican	1569	Pelican Case Lid Organizer	56	No
<a href="#">7005295</a>	Pelican	1560-000-110	Pelican 1560 - Black w/Foam	56	No
<a href="#">7006457</a>	Kord King	GO1022-RTA	PWR CORD C13R TO C14, 2.0M	56	No
<a href="#">7100951</a>	EXFO	FOA-98	Adapter, Connector, FOA, LC Type, for Power Meter Interface	42	Yes
<a href="#">7008072</a>	Fiber Instrument Sales Inc.	F1LCSCMF	Adapter, SC Male - SC Female	56	No
<a href="#">7008901</a>	Klein Tools Inc.	2100-7	Tool, Scissors, Electricians, Right Handed, 5-1/4in L, 1-7/8in Length of Cut, Blunt, Serrated	56	No
<a href="#">7013767</a>	Corning Cable Systems	754-1103-4LE01	ATTENUATORS, FIXED OPTICAL, LC, 3DB	56	No
<a href="#">7022345</a>	Plenaform	PF-27U-10	Blanking Panel, Scalable, 27U, 47.25"h x 19.25"w x 0.040"d, pk of 10	56	No
<a href="#">7024104</a>	Chatsworth Products Inc	30139-719	Cable Manager, Horizontal, 1U, 19in Rack Mount, Single-Sided, w/ Snap-on Cover, Textured Black Powd	56	No
<a href="#">7027926</a>	Panduit	MP588-C	Modular Plug, Cat5e, RJ-45, (Ice Cube), 8 Position, RoHS	56	No
<a href="#">7028614</a>	US Conec	9959	Cleaning Tool, Fiber Ports/Connectors, MPO, IBC HBM T Extended Nozzle Tip, RoHS	56	No
<a href="#">7048157</a>	Sanchem Inc.	NOOXID	Grease, Electrical, A-Special Compound, Rust/Corrosion Prevention, Non Toxic NSF Approved, 1oz, NO-OX-ID, 1.3	56	No
<a href="#">7048358</a>	King Fisher	KI9600XL-GE5	Meter, Optical Power, 600-1650nm Response, 5mm Ge Detector, +15dBm Damage Level, 124x81x25mm, 9600XL Series	49	No
<a href="#">7062510</a>	US Conec	9392	Cleaning Tool, SC, ST, FC, and E2000 Connectors w/ UPC and APC Polish, Brand IBC, 10pk	56	No
<a href="#">7066944</a>	Plenaform	PF-BR	Rivet, Snap, Square hole, Black, Tool-Free, Qty 50	56	No
<a href="#">7086174</a>	Corning Cable Systems	754-1107-4LE01	Attenuators, Single Mode, Fixed Optical, 7dB, 50 dB Min, LC/PC, 1310 nm / 1550 nm, Short Type, 754 Series	56	No
<a href="#">7086863</a>	SIEMON CO	PNL-BRSH-1	Panel, Brush Guarded, Cable Access, 19in, 1U, Black	56	No
<a href="#">7087565</a>	Brady	MFT-01-425	Cartridge, Label Maker, Flag Label, 1.180in W x 0.788in H, Permanent Polypropylene, Black On White, Brady BMP51/BMP53	56	No
<a href="#">7087566</a>	Brady	MC-500-422	Cartridge, Label Maker, Label, 25ft W x .500in H, Permanent Polyester, Black On White, Brady BMP51/BMP53/BMP41	56	No
<a href="#">7087975</a>	Louisville Ladder	FS1502	Ladder, Step, 2ft, Non-Conductive Fiberglass, Type IA Duty Rating, 3in Step Size, 300lbs Load Capacity USA ONLY	42	No
<a href="#">7091700</a>	TE Connectivity Ltd.	QUFB-48FDLCLSMHR	Blade, Fiber, 1/2 RU, 24 Port Duplex LC (48 Fiber), Singlemode LC-LC, Q3000	70	No
<a href="#">7096147</a>	Brady	MC-1500-595-WT-BK	Cartridge, Label Maker, Vinyl, 25ft W x 1.5in H, Black On White, Brady BMP51/BMP53	56	No
<a href="#">7096224</a>	Brother	PT-P700	Label Maker, PC-Connectable, PC and Mac, Thermal Transfer, 180 dpi, 18.1mm Max Print Height, 24mm Max Tape Width, P-Touch	56	No
<a href="#">7100215</a>	Brother	PT-P750W	Label Maker, w/Wireless Enabled Printing, 24mm Max Tape Width, w/ AC Power Adaptor, USB Cable	56	No
<a href="#">7101253</a>	Leviton	L7778	Strain-Relief Safety Grip, Wire Mesh, 1.25in NPT, 90-Deg, Male, Aluminum Body, Deluxe Cord Sealing, 1.125-1.250 Cord Range, Single/Double Weave	84	No
<a href="#">7103961</a>	Hisco	180-128	Workbench, Adjustable Height, ESD-Safe, 30in to 36in,1000lb Weight Capacity, 36in x 96in, Blue Frame and White Top	70	No
<a href="#">7107987</a>	Bradley	M-51-427	Cartridge, Label Maker, 1.0in W x 2.5in H, Self-Laminating Vinyl, Black on White/Clear, Brady BMP51/BMP53/BMP41, 1.1	56	No
<a href="#">7115596</a>	Optimark FiberOptics	14110710	Connector Cleaner, Fiber Optic, Cletop-S Type B Replacement Cartridge, with White Tape	56	No



GPN	Manufacturer	MPN	Description	Lead Time	NCNR
<a href="#">7133791</a>	EXFO	TK-2X-PRO-FTBX-88200NGE-100GE-40GE	Test Module, Exfo FTB-88200NGE, Power Blazer, Multi-Service, EtherSAM, 10M-to-100G, SFP, SFP+, CFP, QSFP28, QSFP+, 100G CFP4, SONET+SDH Software Mapping Package	42	Yes
<a href="#">7135805</a>	Fibertronics Inc	MTL-SM-12-FS	Cable Tester, Loopback, Standard, Fiber Optic, Standard, MTP/MPO, SM, 9/125um, Female, for use on MPO w/ Pins Config 1-2/ 3- 4/5-6/7-8/9-10/11 to 12	42	No
<a href="#">1027007</a>	Uline	H-6312	Cabinet, Storage, Electronic, w/ 2x Door, Keyless Lock Handle, 5x Total w/4x Adjustable Shelves, 22 Gauge Steel (Top,Header&Sill), Includes 4x AA Batteries, 36in W x 18in D x 78in H, Gray	42	No
<a href="#">1029507</a>	Klein Tools Inc.	1005	Tool, Wire and Cable Crimper, Uninsulated, 22 to10 AWG, 9-3/4 In L, Dipped Handle	56	No
<a href="#">1034015</a>	C2G	2945	Modular Adapter DB9M to RJ45, DB9M D-SUB 9 PIN Male Gold Flash Contacts, RJ45 Female Gold Plated 3mu,Plastic Hood,Grey color	56	No
<a href="#">1034507</a>	Zoro	170MN	Shear Cutter, Cutting Capacity 1/16 inch Copper, 5 inch Length	56	No
<a href="#">1036435</a>	AFL	8500-05-0002MZ	1.25 mm One-Click cleaner for LC (500+ cleans)	49	No
<a href="#">1044998</a>		THL-503-1088-000-3IN-FO-2AC	Label, Cable, Vinyl, White, Thermal Transfer, 1.20in x 1in Wire Flag, Irregular 1.200000 " x 1.750000, Matte Polypropylene w/ Acrylic Adhesive, 4000 Labels/Roll, Back Slitting/Notch, w/ Roll Form Release Liner	56	No
<a href="#">901242</a>	Tripp Lite	P004-006	Cable, Power Cord, 18AWG, SJT, 10A, 100-230V, IEC-320-C14 Male to IEC-320-C13 Female, Black, 6ft, RoHS,	56	No
<a href="#">7001557</a>	3M	HB903	Packing Tape Gun, Office Depot #887315	56	No
<a href="#">7001605</a>	Panduit	HLT2I-X0	Cable Tie, 8in, 40lb Tensile Strength, Nylon/Polyethylene, 1.91in Max Wire Bundle Dia, 8Lx0.5Wx0.1T (100 pack price )	56	No
<a href="#">7001786</a>	FLUKE	MT-8200-49A	Fluke Micromapper	56	No
<a href="#">7002154</a>	CSC - CommScope	C5E-YEL-50	50' yellow cat5 patch w/ approved rj45	56	No
<a href="#">7002155</a>	CSC - CommScope	C5E-BLK-50	50' black cat5 patch w/ approved rj45	56	No
<a href="#">7002196</a>	North State Fastener, Inc.	10FNKE13	NUT, KEP, 10-32 UNF, B.3, pack of 1000 pcs	56	No
<a href="#">7003117</a>	Klein Tools Inc.	6840268402	Wrenches, hex, set	56	No
<a href="#">901266</a>	Graybar	5ENP4P24-YL-P-BER-PV	boxes 1000' bulk cable round solid wire yellow; Berk tek hyper + cat5e PVC	365	No
<a href="#">7004328</a>	AFOP	754-1102-4LE01	ATTENUATORS, FIXED OPTICAL, LC, 2DB	56	No
<a href="#">7004415</a>	BURNDY	YAV2CL2TC14FX	CONNECTOR, COMPRESSION LUG, HY TYPE, 2 HOLE, 2 AWG	56	No
<a href="#">7004416</a>	Rackmount Solutions, Inc.	HW1032-50-CAGE	HDW, CAGE NUTS/BOLTS (BAG OF 50)	56	No
<a href="#">7004421</a>	BURNDY	YAV2CL2TC14FX90	CONNECTOR, COMPRESSION LUG, CU-HY TYPE, 90 DEG., #2	56	No
<a href="#">7004422</a>	BURNDY	YAV6CL2TC14FX	CONNECTOR, LUG, CU-HY LUG, 6STR-FLEX (2)1/4	56	No
<a href="#">7004440</a>	Brother	TC20	LBL,BROTHER LAMINATED TAPE, 12MM, FOR P-TOUCH, 2 PK	56	No
<a href="#">7005061</a>	Optimark FiberOptics	F16270S	Cletop-S Connector Cleaner - Type A	56	No
<a href="#">7005091</a>	TE Connectivity Ltd.	FGS-MEXP-E-A/B/F	Kit, Cable Management, Express Exit, 4in, Yellow, Includes Base/Base Cover/Mounting Hardware/Support Bracket/Exit Inserts, For 4in x 4in, 4in x 6in and 4in x 12in Fiber Management	56	No
<a href="#">7005093</a>	COATS AMERICAN,INC	44800-NAT	8oz Tube 9-Ply Waxed Lacing	56	No
<a href="#">7005098</a>	JONARD INDUSTRIES CORP	JIC-287	Metal Cable Sewing Needle	56	No
<a href="#">7005101</a>	Klein Tools Inc.	63050	Cable Cutter - High Leverage	56	No
<a href="#">7005103</a>	Graybar	L-12-50-9-C	Standard Cable Ties - Natural Nylon 14.5"	56	No
<a href="#">7005202</a>	Tyco	3-231652-0	Modular Plug Cat5 Tool & Die Set (white dot)	56	No
<a href="#">7005210</a>	Ind Tapes	2224	3M - Wrist Strap 10' - Adjustable	56	No
<a href="#">7005257</a>	Graybar	1506TSA	PeliLock - Small Combination Lock	56	No
<a href="#">7005272</a>	Chatsworth Products Inc	40609-001	Screw-PH 10-32/50 Pkg	56	No
<a href="#">7005276</a>	Metallics, Incorporated	TPK30	TamperPRF Bit Kit - 29-PC	56	No
<a href="#">7005303</a>	BURNDY	YA2CL2NT14	CONNECTOR, LUG, 2 HOLE, FOR 1/4" STUD, #2 AWG	56	No

GPN	Manufacturer	MPN	Description	Lead Time	NCNR
<a href="#">7005317</a>	AFOP	754-1105-4LE01	ATTENUATORS, FIXED OPTICAL, LC, 5DB	56	No
<a href="#">7005354</a>	Panduit	WMPFSE	PNL,HORIZ WIRE MGMT PANEL, 19"	56	No
<a href="#">7007304</a>	Telect / Amphenol	127240RC	FUSE, GMT, 20 AMP FUSE	56	No
<a href="#">7007335</a>	Graybar	FMT-GBS000000-A00B	FIBER MANAGEMENT TRAY -B, BULK SLACK STORAGE, 2U	84	No
<a href="#">7007353</a>	Anixter	WG334475	Generic USA ONLY	42	No
<a href="#">7007365</a>	CSC	1940	CAT5E (RJ45) MOD PLUG, (ICE CUBE), 50PK,	56	No
<a href="#">7007432</a>	Graybar	DC9310	DeWalt Lithium Ion/ Nicad Charger,120 Volt AC	56	No
<a href="#">7007437</a>	BURNDY	YAV2CL2NT14FX	CULUG-2FLEX-1/4x5/8-Narrow	56	No
<a href="#">7007440</a>	Panduit	HSTT50-48-5C	Tubing, Heat Shrink, Thin Wall, 0.50in Dia, Cross-linked Polyolefin, Clear, 1.2m L	56	No
<a href="#">7007564</a>	BURNDY	YA6C-2L	Lug, 6 AWG 1/4" 5/8" separated dual stud lug for inverter	56	No
<a href="#">7007984</a>	Anixter	CC848844547	4AWG, 10ft Power Wire Pair Standard Lug	56	No
<a href="#">7007985</a>	Anixter - ABB	CC848844555	4AWG, 5ft Wire Pair Standard Lug	56	No
<a href="#">7008001</a>	EXFO	GP-1008	EXFO 1.25mm adapter for FLS-241	84	No
<a href="#">7008071</a>	Fiber Instrument Sales Inc.	F1SCLCMF	Adapter, SC Male - LC Female, Single Mode	56	No
<a href="#">7008591</a>	Anixter	CC848844811	Bus Adapter (for landing multiple cables on 5/8" centers)	56	No
<a href="#">7008791</a>	EXFO	FLS-241-UNIV	EXFO Pocket Pal Visual Fault Locator (VFL), 2.5mm	42	No
<a href="#">7008931</a>	Radionics	CD1RS	FIRST AID KIT	56	No
<a href="#">7009429</a>	Chatsworth Products Inc	31440-700	Rack Panel Adapter (2pk), 6.96in H, 23in to 19in, Black, 4 RMU	56	No
<a href="#">7009438</a>	Juniper	XFP-10G-Z-OC192-LR2	Juniper, Dual Rate 10G pluggable transceiver for 10GE and OC192	56	No
<a href="#">7009640</a>	Tripp Lite	P047-010	Cord, Power, 14AWG, 15A, 250V, C19 to C14, 10ft, Black	56	No
<a href="#">7010084</a>	Graybar	FST-HS-48	Panels, Splice Tray for TFP	56	No
<a href="#">7010395</a>		FG409600 BLA	Extra Utility Cart, Number of Shelves 4, Length 40 3/8 Inches, Height 51 Inches, Black	42	No
<a href="#">7010780</a>	GE Power Electronics Inc.	407998186	20A LOAD BREAKER	56	No
<a href="#">7010782</a>	GE Power Electronics Inc.	407998145	5A LOAD BREAKER	42	No
<a href="#">7012347</a>	Minkels	MCM0127	Cable trays, sinked. 46U, 200mm wide	56	No
<a href="#">7012585</a>	Corning Cable Systems	CCH-CP24-A9	CCH PNL W/12 LC DUPLEX SM	42	No
<a href="#">7014471</a>	Fiber Instrument Sales Inc.	F10400	Fiber Cleaner Cletop Sticks - 2.5mm Diameter (5/Pack) SC/FC/ST	56	No
<a href="#">7015190</a>	Radionics	178-507	Radionics - Standard Cable Ties - Natural Nylon 14.5" (pack of 100)	42	No
<a href="#">7019907</a>	Makita Corporation	90272A827	Zinc-Pltd Stl Pan Head Phillips Machine Screw 10-32 Thread, 3/8" Length	56	No
<a href="#">7022332</a>	Plenaform	PF-TR	Screws, Thumb Panel, 10/32, pk of 50	112	No
<a href="#">7022346</a>	Plenaform	PF-12U-23	Blanking Panel, Scalable, 23", Pack of 12	56	No
<a href="#">7023212</a>	Alcatel Lucent	8DG59418AA	Alcatel Lucent (AlcaLu) 1830 PSS-32 Full Slot Blank	49	No
<a href="#">7023640</a>	GE Power Electronics Inc.	CC109149423	Assy, AC Rectifier, CP2725AC54TEZ, 2725W, 54V DC, RoHS	56	No
<a href="#">7023641</a>	Anixter - ABB	CC848895961	Cable, AC Input Power, 15 ft, #12 AWG, C19 To 6-20P, Tatooine, RoHS	56	No
<a href="#">7024128</a>	BURNDY	YA8CL-2TC14	Description -LUG, 8 AWG, 1/4" HL, 5/8" OC, Copper, 1/2" length, (100 per pack)	56	No
<a href="#">7024530</a>	BURNDY	YA4CL2TC14	Lug, 4AWG, 1/4" hole size, 5/8" spacing, .68" tongue width	56	No
<a href="#">7037402</a>	E-T-A Circuit Breakers	8340-G110-R1H1-A7H0-20A	Circuit Breaker, 20Amp, 8340-G1 Series, Single-Pole Protected, w/o Locating Pin, Hydraulic-Magnetic, Med. Delay (H1), Round Terminals, w/o Panel HW, w/o Aux. Contacts, w/ Rated Current Marking	56	No
<a href="#">7037407</a>	E-T-A Circuit Breakers	8340-G110-R1H1-A7H0-50A	Circuit Breaker, 50Amp, 8340-G1 Series, Single-Pole Protected, w/o Locating Pin, Hydraulic-Magnetic, Med. Delay (H1), Round Terminals, w/o Panel HW, w/o Aux. Contacts, w/ Rated Current Marking	112	No
<a href="#">7038149</a>	Geelers Inc. HUBBELL	YA6CL2TC1445	Lug, Compression Fit, 6 AWG, 2 Hole, 1/4in Dia, 5/8in Hole Spacing, 45deg Tongue, RoHS	56	No
<a href="#">7038152</a>	Panduit	CLRCVR3-1	Cover, Insulating, Clear, For Copper Compression HTAPS, RoHS	56	No

GPN	Manufacturer	MPN	Description	Lead Time	NCNR
<a href="#">7039432</a>	3M	MV10-10FLX	Connector, Locking Fork Terminal, For 12-10 AWG Wire, Stud Size 10, Vinyl Insulated, Yellow, Pack of Qty 50	56	No
<a href="#">7041940</a>	EXFO	RAC-SC-LC (UPC)	Adapter, Hybrid, Bulkhead, SC/UPC to LC/UPC (Male-Female, 9/125um)	42	Yes
<a href="#">7042661</a>	BURNDY	TMH262	Kit, Hardware, 2x Hex Bolts @ 1/4in-20 X 0.75in L, 4x Flat Washers, 2x Split Washers, 2x Hex Nuts, Durium Silicon Bronze, Type TMH, In Sealed Bag	56	No
<a href="#">7043030</a>	Graybar	25264878	Kit, Cable Management, 6ft Vertical Duct, 2inWx4inD, Slotted w/ 2in Spacing, w/ Removable Hinged Cover, FiberGuide	56	No
<a href="#">7045328</a>	Fiber Instrument Sales Inc.	9393	Cleaning Tool, LC Fiber/Connectors, 525-750 Dry cleanings per unit, Generic Brand	56	No
<a href="#">7045492</a>	Molex	74763-0025	Module, Loopback, QSFP/QSFP+, Electrical, Passive, Serial ID, 3.3V, 100ohms Impedance, 5dB, RoHS	112	No
<a href="#">7045704</a>	Brother	MK231BZ	Label, Tape, Cassette, 12mm x 8m, Black/White, Brother P-Touch	56	No
<a href="#">7045965</a>	Graybar	96049552	Rack Panel Adapter (2pk), 3.46"H, 23" to 19", Black, 2 RMU	56	No
<a href="#">7046337</a>	Minkels	MSP0307	Side Panel, 1000mm x 46U/81ME, Color RAL 7047, Varicon-M	63	No
<a href="#">7048125</a>	Graybar	LCDX8-14A-L	Lug, Flex Conductor, 2HL, #8 AWG, Stud HL Size 1/4in, Stud HL Spacing 0.63in, Std. Barrel w/Window Lug, Panduit Color Code Red, bag of 100 pcs	56	No
<a href="#">7048135</a>	Graybar	LCDX6-14A-L	Lug, Flex Conductor, 2HL, #6 AWG, Stud HL Size 1/4in, Stud HL Spacing 0.63in, Std. Barrel w/Window Lug, Panduit Color Code Blue, pack of 50 pcs	56	No
<a href="#">7048139</a>	Panduit	LCDX4-14A-L	Lug, Flex Conductor, 2HL, #4 AWG, Stud HL Size 1/4in, Stud HL Spacing 0.63in, Std. Barrel w/Window Lug, Panduit Color Code Gray	56	No
<a href="#">7048284</a>	FASTENAL	705396	Tubing, Heat Shrink, Thin Wall, Polyolefin, Black, 1/2" x 6", Wire Size 8 AWG - 6 AWG, 20Pc	56	No
<a href="#">7048287</a>	BURNDY	YCHC2TC2	Connector, Compression, C-Tap Copper Crimpit, Main 2-8 AWG, Tap1 2-8 AWG, Tap2 8-14 AWG, Brown	56	No
<a href="#">7048291</a>	BURNDY	YA6CLBOX	LUG, 6 AWG, 7/16in Strip Length, 1/4in 1 Hole, Tongue Angle Straight, Tongue Width 0.45in, Commercial Stranded Copper, Length Barrel Standard	56	No
<a href="#">7051707</a>	Geelers Inc.	E21006	Ladder, Step, Fibreglass, 5 Steps On Each Side, 1.76m, Twin Front, Pinch Resistant Side Lock, Non Conductive Rails	56	No
<a href="#">7057521</a>	Feller	4041-640-0-3001	Cord, Power, 14-3, 16A, 250V, C19 Straight x C20, 1M	56	No
<a href="#">7062854</a>	Bud INDUSTRIES INC	47956-18	Assy, Side Panel, 18 GA. Steel, w/ Screw/Nut Retainer, For 30in Bud Rack	56	No
<a href="#">7071484</a>	Bud INDUSTRIES INC	295	CAGE NUT, CLIP-ON, 10-32, ZINC PLATE	56	No
<a href="#">7072946</a>	Panduit	G2.5X3BL6	Duct, Wiring, Slotted, PVC, UL94 V-0, 2.75in W x 3.12in H x 6ft L, Blk, Panduct Type G	56	No
<a href="#">7076025</a>	Tyco	QUCH-4RU	Chassis, 4 RU, 7in x 19in x 15in, Accommodates 8 Blades, Q3800 Series	84	No
<a href="#">7076691</a>	Graybar	25393818	Fiber Termination Block, NGF, 192-Position, SM, MPO-LC, 16 Pigtails, Right Block Orientation, MPO Facing Back	56	No
<a href="#">7076693</a>	Tyco	NGFB-MPQL0K516	Fiber Termination Block, NGF, 192-Position, SM, MPO-LC, 16 Pigtails, Left Block Orientation, MPO Facing Back	63	No
<a href="#">7078169</a>	Panduit	SCS6-L	Butt Splice, SCS, Standard Barrel, #6 AWG, Blue, 0.31in. Barrel O.D., 1.75in L	56	No
<a href="#">7078891</a>	BURNDY	YA4C2TC38	Compression Terminal, Copper, 4 AWG, Straight, 2 Hole, Gray, 3/8 x 1	56	No
<a href="#">7078893</a>	Graybar	91011033	Compression Terminal, Copper, 2/0 AWG, Straight, 2 Hole, Black, 3/8	56	No
<a href="#">7080559</a>	Plenaform	PF-1-23	Blanking Panel, Scalable, 23in panels, For 1in o.c. Mounting Rails, Pack of 12 Panels	56	No
<a href="#">7081032</a>	GE Power Electronics Inc.	CC848844803	Bracket, 1U, 19in to 23in, Frame Mounting Adapter	42	No
<a href="#">7081811</a>	US Conec	7104	Tool, Cleaner, Fiber Arrays, MTP and Gen Full Description: Tool, Cleaner, Fiber Arrays, MTP and Generic MPO Connectors, IBC"	56	No
<a href="#">7082411</a>	Unirise USA, LLC	PWCD-L620PC19-20A-25F-BLK	Power Cord, NEMA, 250V, 20A, Locking L6-20M to IEC C19F, 25Ft, 12G, 3Wire, PVC Jacket, Blk	56	No

GPN	Manufacturer	MPN	Description	Lead Time	NCNR
<a href="#">7086176</a>	AFOP	754-1116-7LE01	Attenuators, Single Mode, Fixed Optical, 16dB, LC/PC, 1310 nm / 1550 nm, Short Type, 754 Series	56	No
<a href="#">7086425</a>	Conteg, spol. s r.o.	DP-RE-02	Bracket, Mounting Extension, 2U, 19in to 21in, DP-RE Series, No Hardware	56	No
<a href="#">7087498</a>	Graybar	YA8CL1BOX	Terminal, Straight Barrel, 8awg, 600v-35kv, 1 Pad Hole, 0.25in. Stud, 1.26in. Length, Copper, Color Code Red, HYLUG	56	No
<a href="#">7087499</a>	BURNDY	YA8CL2TC38	Terminal, Straight Barrel, 8awg, 600v-35kv, Dual Holes, 0.375in. Stud, 1.0in. Spacing, 2.52in. Length, Copper, Color Code Red, HYLUG	56	No
<a href="#">7087500</a>	Graybar	YAV6CL2TC10FX	Terminal, Straight Barrel, 6awg, 600v-35kv, Dual Holes, 0.21in. Stud, 0.625in. Spacing, 1.94in. Length, Copper, Color Code Blue, HYLUG	56	No
<a href="#">7087502</a>	BURNDY	YAV6CL2TC516FX	Terminal, Straight Barrel, 6awg, 600v-35kv, Dual Holes, 0.313in. Stud, 1.0in. Spacing, 2.5in. Length, Copper, Color Code Blue, HYLUG	56	No
<a href="#">7087511</a>	BURNDY	YAV2CL2TC38FX	Terminal, Straight Barrel, 2awg, 600v-35kv, Dual Holes, 0.375in. Stud, 1.0in. Spacing, 2.82in. Length, Copper, Color Code Brown, HYLUG	56	No
<a href="#">7087605</a>	TE Connectivity Ltd.	QUFB-48FDLCM4ASHR	Blade, Fiber, LC-MPO, 24 Duplex LC Ports (48 Fibers), OS2 Singlemode, A-A/ B-B (straight) wiring, Q3000	49	No
<a href="#">7088310</a>	Thomas&Betts	54852BEUB	Terminal, 90 degree Long Barrel, 6awg, 600v-35kv, Dual Holes, 0.25in Stud, 0.625in Spacing, Copper, Blue 24	56	No
<a href="#">7089179</a>	Vestil Manufacturing Corp.	HYD-10	Full Description: Lift, Hydraulic, Foot Pump, 880lb Capacity, Platform 24Lx23W in, 3.5in - 59in Lift Range, Vestil HYD-10	84	No
<a href="#">7089958</a>	Plenaform	PF-PR32	Rivet, Snap, for 10-32 holes, .19 Diameter, Nylon 66, UL94V-O, qty 50 pk, Black, Plenaform	56	No
<a href="#">7091472</a>	Panduit	PEB1	Bracket, Panel Extender, Converts 19in Horizontal Panels to 23in Panels, 1RU, Black	49	No
<a href="#">7091775</a>	Chatsworth Products Inc	13084-719	Storage Drawer, Lockable, 19in Rack-Mount, 4RU, Black	42	No
<a href="#">7095640</a>	Panduit	SRB19BLY	Bar, Strain Relief, 2in Offset, Standard Density, For 24x Cables, Black, w/ #12-24 & M6 Screws, SRB19BLY, RoHS	56	No
<a href="#">7096225</a>	Brother	PT-H500LI	Label Maker, Handheld, PC-Connectable, Rechargeable, 16-Character x 3 Line LCD display, Thermal Transfer, 180 dpi, QWERTY Keyboard, P-Touch	56	No
<a href="#">7096227</a>	Knipex	70 06 160	Pliers, Cutting, Diagonal Cutter, 160mm, Chrome Plated, Insulated Handles	56	No
<a href="#">7096236</a>	QEP Vitrex Company	TLT001	Tile Lifter, Larger Format Tiles, Vacuum Suction, Holds Up To 25kg	56	No
<a href="#">7096753</a>	Tripp Lite	P032-007	Cord, Power, 14AWG, 250v, C20 to C13, 7ft, Black	56	No
<a href="#">7096948</a>	Dalco Electronics	PWR-90JL-02BK-006F	Power Cord, IEC-60320-C20 Male to IEC-60320-C19 Female, 12AWG SJT, 20A, 250V, 6ft, Black	56	No
<a href="#">7098282</a>	Juniper	JPSU-650W-AC-AFO	Power Supply, AC, 650W, Front-to-Back Airflow (AFO), For EX4550/EX4600/QFX3500/QFX3600/QFX5100-24Q/48S/48T Switches, RoHS	56	No
<a href="#">7098493</a>	Chatsworth Products Inc	31410-700	Rack Panel Adapter (2pk), 1.71in H, 23in to 19in, Black, 1 RMU	56	No
<a href="#">7098701</a>	Corning Cable Systems	CCH-04U	Housing, Closet Connector, 4U, 19in/23in Rack, 7.0in H, 17.0in W, 12.0in D, Removable Front Door, Holds Up to 12 Panels	42	No
<a href="#">7100763</a>	EXFO	FOT-602X-23BL-FOA-54B-EI-EUI-91-VFL	Tester, Optical Loss, Handheld, High-Power Ge Detector, UPC w/ SC Connector Adaptor, 1310/1550nm Laser Source 9/125, 120VAC, FOT-602, VFL	56	Yes
<a href="#">7103603</a>	Minkels	A2XK.750-81ME-3-60-B	Set, Side Skirt Blind 2ea, w/ Cable Entry Holes, Round 60mm, 46U/2200mm x 750mm, 1ea Top Plate, RAL7047, Suitable for 21in Rack	56	No
<a href="#">7104724</a>	Bud INDUSTRIES INC	47956219BNNX-01	Bundle, Rack, BUD, 45RU, 4-Post, 84inH x 30inW x 36inD, 10-32 Rails, 19/23in Convertible (Preset at 19in), Top Gnd Point, Seismic, Steel, Blk, w/ 4x 5x14.5in Sound Blocks, 2x 19inW x 27U Plena	56	No
<a href="#">7115350</a>	EXFO	LFD-202-03	Handheld Tester, Live Fiber Detector, w/ Core Power Reading Display, w/ Additional 2mm & 1.6mm Heads	42	Yes
<a href="#">7115595</a>	Optimark FiberOptics	14110611	Connector Cleaner, Fiber Optic, Cletop-S Type B, White tape	56	No



GPN	Manufacturer	MPN	Description	Lead Time	NCNR
<a href="#">7116988</a>	Commscope	QUCH-BRKT192G	Kit, Bracket, Chassis, 192 Fiber, MPO Trunk Cables, 2x Max, Adjustable Left/Right and Top/Bottom, For Q3000 Chassis	56	Yes
<a href="#">7119918</a>	Tripp Lite	P036-010	Power Cord, Heavy Duty, C19 To C20, 12AWG, 20A, 250V, 10Ft, RoHS	56	No
<a href="#">7119991</a>	Cable Exchange	CAX-C20-C19L-12AWG-17FT	no desp	56	No
<a href="#">7120029</a>	Brother	PT-E550W	Labeling Kit, Handheld, Wireless, QWERTY keypad, Auto Cutter, Computer Connectivity, Backlit display	56	No
<a href="#">7120181</a>	Uline	S-2414RPW	Shipping Tag, #5, 4 3/4in x 2 3/8in, Pre-wired, Red, Qty 1,000/Cartron	56	No
<a href="#">7122456</a>	Cooper Bussmann	TCF50	Fuse, 50A, 600Vac/300Vdc, 200kA RMS Sym,Time-Delay, Dual-Element, 2.13in x 1.00in x 1.13in	56	No
<a href="#">7122480</a>	Bud INDUSTRIES INC	47956-47	Cover, 2/3 Top, Black Texture, 14 GA, Steel, 28in x22.64in, For Cabinet Rack	42	No
<a href="#">7122812</a>	EXFO	FIPT-400-LC-K-UPC	Kit, Adapter Tip, w/ 1x LC tip for Bulkhead Adapter (FIPT-400-LC), 1x Universal Patchcord tip for 1.25mm Ferrules (FIPT-400-U12M), Used for FIP-400 Series Fiber Inspection Probes	42	Yes
<a href="#">7123080</a>	Thomas&Betts	TBM45S	Crimp Tool, Manual, Lugs/Taps, #8-#2 Cu & #10-#6 Al Connectors, 54705-54727 C-Taps, Shure-Stake Ratchet, Orange/Black Handle, RoHS	42	No
<a href="#">7123211</a>	Universal Electric Corporation	FDDCT5GHE36-X-3P80-4W-4	Fused Disconnect, 20ft Drop Cord, T5G System size, E36 Enclosure, 4-Wire, 240V, 80A, 200kAIC, 3-Pole Bussmann CCP Fuses, Isolated Ground	49	No
<a href="#">7123763</a>	Leviton	4100C9W	Connector, Power, Female, Pin and Sleeve, IEC 60309, 250 VAC, Three Phase, 100 Amp, 3 Pole, 4 Wire, IP67, Valox 357, Blue	56	No
<a href="#">7125516</a>	EXFO	425B GOOGLE KIT	Kit, Fully Automated Wi-Fi Inspection Tool w/ Embedded Analysis, 1x Fiber Inspection Probe, 1x MTP/MPO APC & UPC Adapter Tip, 1x LC Angled Adapter Tip, 1x LC Adapter Tip Kit, 1x Belt Holster	42	Yes
<a href="#">7131835</a>	Fibertronics Inc	LB-LCSM1	Cable, Loopback, Molded, Fiber Optic, Dual, LC/UPC, SM, 9/125um, Insertion Loss=0.06dB (A)/0.14dB (B), Return Loss=55.7dB (A)/56.0dB (B), 2in (Cable Type: S09SX01CZNPY20), 1.25mm Outer Dia, Zi	42	No
<a href="#">7135294</a>	Uline	H-1238W	Floor Mat, Adhesive-Coated, Anti-Static, Anti-Microbial, White, 36in x 45in, 60 Sheets/Refill, w/ Polystyrene Frame	56	No
<a href="#">7135295</a>	Uline	H-1239W	Replacement, Pad, for Floor Mat w/ Polystyrene Frame, Adhesive-Coated, Anti-Static, Anti-Microbial, White, 36in x 45in	56	No
<a href="#">7135910</a>	Commscope	FGS-KTW2-K	Kit, Cable Management, 6ft Vertical Duct Full Description: Kit, Cable Management, 6ft Vertical Duct, 4x4 in, Slotted w/ 2in Spacing, w/ Removable Hinged Cover, FiberGuide, Yellow, RoHS	59	Yes
<a href="#">7136053</a>	Klein Tools Inc.	CL800	Meter, Digital, AC/DC Clamp, 1000V, 600A, CAT IV 600V, 1Hz - 500KHz, 0 to +40 C, 9.09x3.82x1.54in, True RMS,	56	No
<a href="#">7136099</a>	Graybar	PWCD-C15C20-15A-10F-BLK	Cable, Power Cord, IEC C15-C20, 14AWG, 250V AC, 15A, SJT, PVC, Black, 10feet	56	No
<a href="#">7136100</a>	Graybar	PWCD-PCEC15-15A-10F-BLK	Cord, Power, 14AWG, 250v, Commando (60309) to C15, 3M / 10ft, Black	56	No
<a href="#">7139759</a>	World Cord Sets	1413-H-060	Cable, Power Cord, 14AWG, H-060, 15A, 250V, IEC-60320-C13 Male to IEC-60320-C14 Female, Black, 5ft, RoHS	56	No
<a href="#">7139760</a>	World Cord Sets	1413-H-120	Cable, Power Cord, 14AWG, H-120, 15A, 250V, IEC-60320-C13 Male to IEC-60320-C14 Female, Black, 10ft, RoHS	56	No
<a href="#">7139761</a>	World Cord Sets	1415-H-060	Cable, Power Cord, 14AWG, H-060, 15A, 250V, IEC-60320-C15 Male to IEC-60320-C14 Female, Black, 5ft, RoHS	56	No
<a href="#">7139762</a>	World Cord Sets	1415-H-120	Cable, Power Cord, 14AWG, H-120, 15A, 250V, IEC-60320-C15 Male to IEC-60320-C14 Female, Black, 10ft, RoHS	56	No
<a href="#">7139763</a>	World Cord Sets	2015-H-060	Cable, Power Cord, 14AWG, H-060, 15A, 250V, IEC-60320-C15 Male to IEC-60320-C20 Female, Black, 5ft, RoHS	84	No
<a href="#">7139764</a>	World Cord Sets	2015-H-120	Cable, Power Cord, 14AWG, H-120, 15A, 250V, IEC-60320-C15 Male to IEC-60320-C20 Female, Black, 10ft, RoHS	56	No
<a href="#">7139765</a>	World Cord Sets	2019-J-060	Cable, Power Cord, 12AWG, J-060, 20A, 250V, IEC-60320-C19 Male to IEC-60320-C20 Female, Black, 5ft, RoHS	56	No

GPN	Manufacturer	MPN	Description	Lead Time	NCNR
<a href="#">7139766</a>	World Cord Sets	2019-J-120	Cable, Power Cord, 12AWG, J-120, 20A, 250V, IEC-60320-C19 Male to IEC-60320-C20 Female, Black, 10ft, RoHS	56	No
<a href="#">7139797</a>	Commscope	FGS-MEXP-G-A/B/F	Kit, Cable Management, Express Exit, 6in, Includes Base/Base Cover/Mounting Hardware/Support Bracket/Exit Inserts, For 4in x 4in, 4in x 6in, and 4in x 12in Fiber Management	49	Yes
<a href="#">7139978</a>	Mouser Electronics	517-301034BK/REEL	Tubing, Heat Shrink, 3/4in, 200ft, Polyolefin, Black, RoHS	56	No
<a href="#">7140217</a>	Server Tech	PTCORD-L3	PWR CORD, C19 TO BS4343/CEE17, 10'	56	No
<a href="#">7141595</a>	Global Industrial Equipment	184812BL	Bin, Stackable, Plastic, Load Capacity 30lbs, 5.5x5x10.88in, Blue, AkroBin 30230 Model, Pack of 12p	56	No
<a href="#">7142232</a>	Fiberstore	LPM-SM-LC	Fiber Loopback, LC/UPC Duplex, Single Mode 9/125, PVC, Yellow	56	No
<a href="#">7142252</a>	Fiberstore	LPM-SM-SC	Fiber Loopback, SC/UPC Duplex, Single Mode 9/125, PVC, Yellow	56	No
<a href="#">1020976</a>	StarTech.com Ltd.	CABSHELF	Shelf, Rack Mount, 2U, Fixed, Black, Steel, 44.2lb Capacity, Ext Dims: 15.7 D x 3.5 H x 19in W, includes 4x M6 Cage Nuts & 4x M6 Screws	56	No
<a href="#">1021048</a>	DeWalt	DWA2PH2-5	Full Description: Bit Tip, Max Fit, Size 2, 2in L, Philips Head, Magnetic, w/ Screw Lock System, S2 Modified Steel, For Drill/Drivers, Pack of 5	56	No
<a href="#">1021051</a>	DeWalt	DWA6PH2-1	Bit Tip, Max Fit, Size 2, 6in L, Philips Head, Magnetic, w/screw Lock System, S2 Modified Steel, For Drill/Drivers	56	No
<a href="#">1021190</a>		S-15323	Foam Sheets, Perforated, Anti-Static, 24in W x 24in H x 1in D, Pack of 12, Urethane	56	No
<a href="#">1021385</a>	FLUKE	115	1021385 - Multimeter, General Purpose, Digital Display, 600mV, 6A, 99.9Hz, 6.57in x 3.31in x 1.82in, Yellow	56	No
<a href="#">1022293</a>	Cisco	QSFP-100G-CWDM4-S	Optical Module, Transceiver, QSFP28, CWDM4, 100GBASE, LC, SM, 2km, RoHS, Cisco QSFP-100G-CWDM4-S	56	No
<a href="#">1023582</a>	Panduit	LCC10-14BW-L	Lug, Two-Hole, 10 AWG Wire, Stud HL Size 1/4in, 0.25in Stud, Long Barrel w/ Window Lug, Copper, QTY 1= 50 PCS	56	No
<a href="#">1023642</a>	All-Vac Industries	PTP-316	Tool, Tile Puller, Perforated, T-Handle, Steel, Red	56	No
<a href="#">1023905</a>	Commscope	QUCH-2RU192LUM100M	Chassis, Fiber Termination Panel, w/ IFC Cable (100m), 192 LC/UPC Ports, MPO Far End Connector, SM, 2RU, 19in Rack Mount, Black Powder Coated, Q3000 Series, RoHS	48	Yes
<a href="#">1025244</a>	Cable Exchange	CAX-C20C21-20A-6FT	no desp	56	No
<a href="#">1025311</a>	Cable Exchange	CAX-C20C21-20A-10FT	Cable, Power, IEC 60320 C20 TO C21, 10ft, Black, REV1	56	No
<a href="#">1026574</a>	Cooper B Line	SBHB119K	Kit, Rack Grounding, 19in Rack, Includes, 2x White Insulators, 20x #12-24 x 1/2in Zinc-Plated Screws, 4x #12-24 x 5/8in Zinc-Plated Screws & Flat Washers, 2x Ground Labels, 1x Horizontal Ground Copper Busbar, for 2- or 4-Post Racks	56	No
<a href="#">1029388</a>	Brother	TZe-231	Label, Laminated, 12mm wide, Black on White, P-Touch, TZe, 8m Length	56	No
<a href="#">1029392</a>	Brother	TZe-251	Label, Laminated, 24mm wide, Black on White, P-Touch, TZe, 8m Length	56	No
<a href="#">1030178</a>	Global Industrial Equipment	WB493312GY	Cabinet, Storage, Double Doors, Cupboard Style, 4-Shelf, Key locking handles, 36W x78H x24in D, Steel construction, Gray color USA ONLY	49	No
<a href="#">1031160</a>	Jameco	FIT-221-3/8-CL103-VP	Tubing, Heat Shrink, No Cracking, 2:1 Shrink Ratio	56	No
<a href="#">1032325</a>	Server Tech	PTCORD-D8	Locking IEC 60320/C19 - Locking IEC 60320/C20 6ft (1.8m), 12 AWG, cULus	42	No
<a href="#">1033422</a>	Ciena Corporation	186-1032-900	Filler, Slot Filler Module, For Waveserver Ai	56	No
<a href="#">1033926</a>	EXFO	FOT-602X-GOOGLE Kit	Kit, Tester, Optical Loss Test Set, Ge Detector Range +26 to -55dBm, Visual Fault Locator, Adapters, Soft Carrying Case, AC Charger, Rechargeable Battery, Shoulder Strap	63	Yes
<a href="#">1034003</a>	Commscope	1693609	Designation Card, Makrofol Polycarbonate PCVE 6000, 2.95x0.585x0.010 in	56	Yes
<a href="#">1034004</a>	TE Connectivity Ltd.	1682330	Cover, Snap On, Quareo, 3.167x0.75 in, F/N 001	56	No
<a href="#">1037437</a>	Stayonline	PFC1414C1924	Power Cord, IEC 60320 C14 to IEC 60320 C19, 14AWG, 15Amp, 250 Volts, PVC, Black, 2 Foot	56	No
<a href="#">1039041</a>	Linksys	WRT3200ACM	Router, Wireless, 2.4 and 5 GHz, 256 MB Flash Memo	56	No
<a href="#">1040034</a>	Klein Tools Inc.	44133	Tool, Utility Knife, 7", 440A Stainless Steel, Rubber Handle, Orange/Black, 0.47 lb	56	No

GPN	Manufacturer	MPN	Description	Lead Time	NCNR
<a href="#">1040035</a>	Makita Corporation	DF012DSE	Tool Kit, 1/4 Hex Driver-Drill, 7.2V, Li-ion, 2-Speed, Cordless, Built-In LED, Auto-Stop Clutch, w/ Battery	56	No
<a href="#">1040036</a>	Tripp Lite	U209-006-RJ45-X	Serial Rollover Cable, USB Type A (Male) to RJ45 (Male), 6 ft, Gray, For Cisco RJ45 Ports	56	No
<a href="#">1040039</a>	Stanley-Proto Industrial Tools	J220G	Tool, Needle-Nose Pliers, 6-5/8 in, Diamond Serrated Jaws, Plastisol Grip, 0.35 lbs	56	No
<a href="#">1040043</a>	AFL	8500-10-0017MZ	Cletox Cassette Cleaner, Replacement Tape Type S, White, 130 x 75 x 40 mm	42	No
<a href="#">1040059</a>	Tripp Lite	T100-001	Crimping Tool, w/ Cable Stripper, For RJ11/RJ12/RJ45 Modular Plugs, 8.26 x 3.15 x 1.81 in, 0.75 lbs	56	No
<a href="#">1040167</a>	Cable Exchange	CAX-MTP-OM3-QSFP-LB	Loopback, Optical, QSFP, 12F OM3, MTP (Female)	56	No
<a href="#">1040222</a>	3M	391-1010	Earplugs, Yellow/Red, 33 dB Noise Reduction Rating, Polyurethane, w/ Dispenser Refill, 500/Pack	42	No
<a href="#">1040480</a>	Wiha	32092	Screwdriver Set, 6 pcs, 1.35 Lbs., Phillips/Slotted Sizes 3.5/4.5/6.5 mm, CVM Steel, w/ cushion grip handle, RoHS	56	No
<a href="#">1040695</a>	Graybar	26069046	Safety Glasses, Tour-Guard, Impact Protection, Integrated Sideshields, Over-the Glass Coverage, Medium Size, Polycarbonate Lens, Clear	56	No
<a href="#">1040896</a>	Robert Bosch GmbH	EasyDrill 1200	Tool, Drill/Driver, Cordless, 2-Speed, 15+1 Torque Setting, Keyless chuck, w/ Lithium Ion Battery, Charger, Case, 12V, 1.5Ah, Green(EU Specific)	49	No
<a href="#">1041077</a>	Klein Tools Inc.	5139	Bag, Tool holder, Canvas, w/ Brass Zipper, 12.5 x 4.25 x 7 in, 86g, Natural	56	No
<a href="#">1041733</a>	Tripp Lite	UNIPLUGINT	Connector, Multi-international Power Plug, For IEC 320 C14 Input, C13 Receptacle	56	No
<a href="#">1043789</a>	DXRacer	OH/RW106/NB	Chair, Gaming, Black Nylon Base, Adjustable Seat Flexibility, 180lb Weight Capacity, 14.25in x 11.5in W x 18in D, Black and Blue	56	No
<a href="#">1043794</a>	Labels Direct, Inc.	LD305TT3P	Label, Blank, White, Wound Out, Thermal Transfer, Permanent Adhesive, Label Dimension 3in x 0.5in	56	No
<a href="#">1046399</a>	TR Fastenings Ltd	P-06B-G	Cable, CEE7/7 to IEC 60320 C13, YP-22, PVC, Black, 6ft	35	No
<a href="#">1047202</a>	Hubbell	HBL460C9W	Connector, Pin and Sleeve, 3 Phase, 250V, 60A, Watertight IEC, 3-Pole, 4-Wire, Rynite SST35 Cover, Standard, Polycarbonate Sealing Disk, Nickel Plated Brass Cover Screw	42	No
<a href="#">1051149</a>	Atrix International, Inc	VACOMEGASLFH	Vacuum, Omega Supreme Plus HEPA Electronic 120V/628W, 99 CFM, w/ OF612HE HEPA, Power Cord, ESD Safe Crevice Tool/Brush, Gooseneck Tool, 6ft Hose, Filter Plug, Shoulder Strap, 1 ID x 1.25 OD in	56	No
<a href="#">1051170</a>	Panduit	NCMHF1	Cable Manager, 1RU, Front Only, 19in, (1.72in x 3.74in x 19in), Panduit (True 19in Width, No Side Gaps)	56	No
<a href="#">1052247</a>	Quiktron Inc.	2306-6489-01	Cord, Power, 12AWG, 250v, C20 to C21, 1ft, Black	42	No
<a href="#">1052250</a>	Quiktron Inc.	2306-6489-18IN	C20 To C21 Power Cord, 20A, 18 Inch	56	No
<a href="#">1052252</a>	Quiktron Inc.	2306-6489-02	Cord, Power, 12AWG, 250v, C20 to C21, 2ft, Black	56	No
<a href="#">1053396</a>	Quiktron Inc.	2306-4903-09IN	Cord, Power, 14AWG, 250V, C13 to C14, 9in, Black	42	No
<a href="#">1053398</a>	Quiktron Inc.	2306-4903-01	Cord, Power, 14AWG, 250V, C13 to C14, 1ft, Black	56	No
<a href="#">1053399</a>	Quiktron Inc.	2306-4903-18IN	Cord, Power, 14AWG, 250V, C13 to C14, 18in, Black	56	No
<a href="#">1053400</a>	Quiktron Inc.	2306-4903-02	Cord, Power, 14AWG, 250V, C13 to C14, 2ft, Black	49	No
<a href="#">1053631</a>	Anixter	2019-J-196	Cord, Power, 250V, 20A, C20 to C19, 16.4ft, Black	56	No
<a href="#">1053632</a>	Anixter	2021-J-036	Cord, Power, 12AWG, 250V, 20A, C20 to C21, 3ft, IEC60320	56	No
<a href="#">1053633</a>	Anixter - World cord set	2021-J-048	Cord, Power, 12AWG, 250V, 20A, C20 to C21, 4ft, IEC60320	56	No
<a href="#">1054073</a>	SK Hand Tool, LLC	385	Adapter, 1/4in F - 3/8in M Drive	56	No
<a href="#">1054894</a>	Server Tech	BDL-C1S10SA-0ABA2B4-USGN	ServerTech-PDU, ServerTech, PRO1, PDU, Smart Master, 1U, 12A, 100-240V Inlet, 6x IEC 60320/C13 Outlets, 4x CX Outlets, 10/100 Mbps Ethernet, RS-232 Serial RJ-45 Connector, 1.75in H x 17.2in Wide x 7in D, US, RoHS; PTCORD L1, C20-NEMA	49	No
<a href="#">1054961</a>	Quiktron Inc.	2306-6489-30IN	Legrand- Cord, Power, 12AWG, 250V, 20A, IEC C20 to IEC C21, 3-Wire SJT Jacket, 30in, Black	56	No
<a href="#">1054964</a>	Quiktron Inc.	2306-6489-42IN	Cord, Power, 12AWG, 250V, 20A, IEC C20 to IEC C21, 3-Wire SJT Jacket, 42in, Black	112	No
<a href="#">1054966</a>	Quiktron Inc.	2306-6489-05	Cord, Power, 12AWG, 250V, 20A, IEC C20 to IEC C21, 3-Wire SJT Jacket, 5ft, Black	56	No

GPN	Manufacturer	MPN	Description	Lead Time	NCNR
<a href="#">1054967</a>	Quiktron Inc.	2306-6489-12	Cord, Power, 12AWG, 250V, 20A, IEC C20 to IEC C21, 3-Wire SJT Jacket, 12ft, Black	56	No
<a href="#">1055206</a>	Anixter - World cord set	2021-J-180	Cord, Power, 12AWG, 250V, 20A, C20 to C21, 15ft, Black	56	No
<a href="#">1055634</a>	Graybar	AJWMPMPBN-JYZM016	Cable, Trunk, Pre-Terminated, MPO Female to MPO Female, TeraSPEED, InstaPatch LL, 192-Fiber Loose Tube, LSZH/Riser, Yellow Jacket Color, 16m, RoHS	56	Yes
<a href="#">1055680</a>	Commscope	AJWMPMPBN-JYZM025	Cable, Trunk, Pre-Terminated, MPO Female to MPO Female, TeraSPEED, InstaPatch LL, 192-Fiber Loose Tube, LSZH/Riser, Yellow Jacket Color, 25m, RoHS	56	Yes
<a href="#">1055826</a>	Brady	BMP51-KIT-LS	Label Printer, Single Color Printing, Thermal Transfer, 300 dpi, Qwerty Keyboard, Multi-Line Print, BMP51, 110-240V, w/Software Package, 262 x 91 x 152 mm	63	No
<a href="#">1059593</a>	CAULFIELD	D22155	Pallet Jack, Hand Pallet Truck, 1150mm x 540mm, EMEA	112	No
<a href="#">1063867</a>	Anixter	46-EZIBLANK-21	Blanking Panel for 21in ETSI racks, Pack of 10x 10-SU Panels (Black)	70	No
<a href="#">1064285</a>	Graybar	AC24VS	Wrench, Adjustable, Chrome Plated, 4in	56	No
<a href="#">1064654</a>	E+I Engineering Group	BUCK-IMPB-TOB-EMEA-008	Tap Off Box, 1No. 63A Three Phase iMPB, w/ 1No. Quadripole Pole ABB S800 MCB, W/ 1NO. IEC60309 Connector IP67 3-Pole 5 Wire (TP+N+E), C/W 1.5M Drop Cord	49	No
<a href="#">1065806</a>	Brother	TZe-241	Description: Label, Tape, Cassette, 18mm W x 8m L, Black/White, Adhesive-Laminated, Brother P-Touch Location: Amsterdam(NL)	56	No
<a href="#">1068755</a>	Commscope	HCD1-2BDDL0A250M	EHD Series, Fiber Patch Panel, 144-Port, 2 RU, 250 m Cable Stub, Black, 3.5 H x 19 W x 18.34 D in.	63	Yes
<a href="#">1069360</a>	Server Tech	C2W36TE-GPAE2M99	PDU, Servertech, 0RU, Input IEC 60309 532C6S, 3m cord, 400/230V, 32A, 3PH, Output 18xCX 18xC13, Switched Master, Global, w/ Brackets	42	No
<a href="#">1069381</a>	Server Tech	BDL-STV-GO1006G/AA	Bundle - 2x, PDU, Servertech, 2RU, Input IEC 60309 532C6S, 3m cord, 400/230V, 32A, 3PH, Output 6xC20, Basic, Global, Shallow, w/ Ikea Slim Brackets	49	No
<a href="#">1069382</a>	Server Tech	C2W36TE-DQME2M99	PDU, Servertech, 0RU, Input IEC 60309 460C9W, 10ft cord, 208V, 60A, 3PH, Output 18xCX 18xC13, Switched Master, North America, w/ Brackets	49	No
<a href="#">1069393</a>	Server Tech	BDL-STV-GO1006D/AA	Bundle - 2x, PDU, Servertech, 2RU, Input IEC 60309 460C9W, 10ft cord, 208V, 60A, 3PH, Output 6xC19, Basic, North America, Shallow, w/ Ikea Slim Brackets	63	No
<a href="#">1070225</a>	BURNDY	YS4CFXLTKITC	Splice, 8-Die, Hysplice, 4Awg, 600v-35kv, Dual Holes, Tin-Electro Plated, 0.74in Length, Copper, Gray	56	No
<a href="#">1070227</a>	BURNDY	YSR4CFX10CLTKITC	Splice, Reducer, 8-Die, HyReducer, 4Awg Barrel A, 10Awg Barrel B, 600v-35kv, Dual Holes, Tin-Electro Plated, 0.74in Length, Copper, Gray	56	No
<a href="#">1073137</a>	Leviton	40989-ACT	Tool, Crimp, Built-in Cutter & Stripper, Steel, Accommodates EZ-RJ45 Plugs & Standard RJ-45 & RJ-11 Plugs, 8.50in Length	56	No
<a href="#">1080464</a>	BURNDY	LCD10-10AF-L	Lug, 2 Hole, 90 Degree, 10 AWG, M5 Stud Hole, 16mm Hole Spacing, Tin-Plated Copper, RoHS	56	No
<a href="#">1082170</a>	BURNDY	LCD6-14BH-L	Lug, Cu, Std Barrel w/ Window, Two-Hole, 0.25in Stud, 6AWG, 0.75in Spacing, 45Deg Torque, Electro-Sn, pack of 100 pcs	49	No
<a href="#">1082302</a>	E+I Engineering Group	BUCK-IMPB-TOB-NA-017	Tap Off Box, E And I Engineering Group Busway, 50A, 3 Phase iMPB, W/ 2 Triple Pole With Non-Indicating Fuses, W/ 2 of 4 Wire Dual Drop, 4 Feet Power Cords	42	No
<a href="#">1083017</a>	TOTAL CABLE SOLUTIONS INC.	PWR-90JL-02BK-002F	Full Description: Cable, Power, C19/C20, 12AWG x 3 Core, 20A, 250V, SJT Jacket, Black, w/ Label, 2ft LG	49	No
<a href="#">1083019</a>	TOTAL CABLE SOLUTIONS INC.	PWR-34VL-12BK-009IN	Cable, Power, C13/C14, 18AWG x 3 Core, 10A, 250V, SVT Flexible Jacket, Black, w/ Label, 9.7in LG	56	No
<a href="#">1083020</a>	TOTAL CABLE SOLUTIONS INC.	PWR-34VL-12BK-018IN	Full Description: Cable, Power, C13/C14, 18AWG x 3 Core, 10A, 250V, SVT Flexible Jacket, Black, w/ Label, 18in LG	56	No
<a href="#">1083021</a>	TOTAL CABLE SOLUTIONS INC.	PWR-34VL-12BK-002F	Cable, Power, C13/C14, 18AWG x 3 Core, 10A, 250V, SVT Flexible Jacket, Black, w/ Label, 2ft LG	56	No
<a href="#">1083022</a>	TOTAL CABLE SOLUTIONS INC.	PWR-34VL-12BK-002.5F	Cable, Power, C13/C14, 18AWG x 3 Core, 10A, 250V, SVT Flexible Jacket, Black, w/ Label, 2.5ft LG	56	No



GPN	Manufacturer	MPN	Description	Lead Time	NCNR
<a href="#">1083023</a>	TOTAL CABLE SOLUTIONS INC.	PWR-34VL-12BK-003F	Cable, Power, C13/C14, 18AWG x 3 Core, 10A, 250V, SVT Flexible Jacket, Black, w/ Label, 3ft LG	56	No
<a href="#">1083024</a>	TOTAL CABLE SOLUTIONS INC.	PWR-34VL-12BK-003.5F	Cable, Power, C13/C14, 18AWG x 3 Core, 10A, 250V, SVT Flexible Jacket, Black, w/ Label, 3.5ft LG	56	No
<a href="#">1083025</a>	TOTAL CABLE SOLUTIONS INC.	PWR-34VL-12BK-004F	Cable, Power, C13/C14, 18AWG x 3 Core, 10A, 250V, SVT Flexible Jacket, Black, w/ Label, 4ft LG	56	No
<a href="#">1083026</a>	TOTAL CABLE SOLUTIONS INC.	PWR-34VL-12BK-004.5F	Cable, Power, C13/C14, 18AWG x 3 Core, 10A, 250V, SVT Flexible Jacket, Black, w/ Label, 4.5ft LG	56	No
<a href="#">1083027</a>	TOTAL CABLE SOLUTIONS INC.	PWR-34VL-12BK-005F	Cable, Power, C13/C14, 18AWG x 3 Core, 10A, 250V, SVT Flexible Jacket, Black, w/ Label, 5ft LG	56	No
<a href="#">1083028</a>	TOTAL CABLE SOLUTIONS INC.	PWR-34VL-12BK-006F	Cable, Power, C13/C14, 18AWG x 3 Core, 10A, 250V, SVT Flexible Jacket, Black, w/ Label, 6ft LG	56	No
<a href="#">1083764</a>	Pelican	1560NF	Case, Protector, Watertight, Crushproof, Dustproof, 2 Level Pick N Pluck, 19.9in L x 15in W x 9in D, Polyurethane Wheels, SS Bearings, No Foam	56	No
<a href="#">1083776</a>	Graybar	015600-4050-000	Divider Set, Padded, for Use with 1560 Protector Case	56	No
<a href="#">1084014</a>	Graybar	PNL-TBLNK010-1S	Thermal Blanking, Panel, SnapFit, 19 Inch Rack, 1U, Square Holes, Black, Plastic, Package Of 10	42	No
<a href="#">1084522</a>	Server Tech	BDL-C2S36TS-DCBA2S555-GN	ServerTech - Bundle - 2x, PDU, Servertech, 0RU, Input L15-30 3P+E, 10ft cord, 208/120V, 30A, 3PH, Output 15xCX 21xC13, Smart Master and Smart Link, North America, w/ Brackets and Accessories	63	No
<a href="#">1084525</a>	Server Tech	BDL-C1S36TS-GNPD2T555-GN	ServerTech - Bundle - 2x, PDU, Servertech, 0RU, Input IEC 60309 516C6 3P +N+E, 3m cord, 400/230V, 16A, 3PH, Output 15xCX 21xC14, Smart Master + Smart Link, Global, w/ Brackets and Accessories	63	No
<a href="#">1084591</a>	Graybar	PF-TRB-100	Plenaform- Screw, Thumb, 10/32 Threaded, Black 100/PK	49	No
<a href="#">1084592</a>	Graybar	PF-PUNCH	Tool, Chad Remover, 19in, PlanaFill	56	No
<a href="#">1091963</a>	Graybar	C5E-YEL-10FT	Cable, Network, Cat5e, Yellow, 10ft	56	No
<a href="#">1093560</a>		LAR-HYV-32884-G	Crate, Wood, Elvis 2xMetal Ramp Hinge, Felt Lining, 46x48x93.5in External, 36x28x84 Internal	56	No
<a href="#">1094767</a>	Uline	H-6469	First Aid Kit, Class A, Assorted Bandages, Antiseptic Wipes, Burn Cream, CRP Protector, Eye Pads, OSHA Compliant	56	No
<a href="#">1103152</a>	World Cord Sets	1421-H-072	Cable, Power Cord, 14AWG, 250V, 15A, C14 to C21, 6ft, Black	49	No
<a href="#">7018008</a>	Schneider Electric	AP9877	Cord, Power, 12-3, 16A, 250V, C19 Straight x C20, 2M	56	No
<a href="#">1105296</a>	World Cord Sets	2021-J-072	Cord, Power, 12AWG, 250V, 20A, C20 to C21, 6ft, Black	56	No
<a href="#">1105297</a>	World Cord Sets	2021-J-096	Cord, Power, 12AWG, 250V, 20A, C20 to C21, 8ft, Black	56	No
<a href="#">1105891</a>	Uline	507-6	Wrench, Adjustable, Extra Capacity, 6-Inch, 23.8mm Jaw Capacity, 161.9mm Length, Chrome	56	No
<a href="#">1106113</a>	Uline	S-3748	Bag, Static Shielding, 16 x 24 inch, QTY1 = Carton of 100 bags	56	No
<a href="#">1106591</a>	Wagner Spraytech Inc.	Furno 300	Heat Gun, Handheld, 1200W/1100DegF High, 550W/750DegF Low, 2-Speed Fan, 120VAC, Metal Nozzle	56	No
<a href="#">1106968</a>	Amphenol	125GMT10	Panel, Fuse, GMT, 125A, 48VDC, Dual-Feed, 10/10 Panel, Horizontal Inputs, Output Terminal Blocks	112	No
<a href="#">1112362</a>	BURNDY	YAEV10	Terminal, Nylon Insulated, Ring Lug for Wire Size, 12-10 AWG (8-10 AWG STUD)	56	No
<a href="#">1114107</a>	TW Cable, LLC	KIT1-DEG1-8MXN	Kit, Cable, Fiber, SM Jumper, LC-UPC to LC-UPC, Uniboot Flexboot, 26In-47In Length	49	No
<a href="#">1114108</a>	TW Cable, LLC	KIT2-DEG9-16MXN	Kit, Cable, Fiber, SM Jumper, LC-UPC to LC-UPC, Uniboot Flexboot, 23In-44In Length	56	No
<a href="#">1114109</a>	TW Cable, LLC	KIT3-DEG-R1-MPO	Kit, Cable, Fiber, MPO-Elite to MPO-Elite, KeyUp-KeyDown, 12F, Uniboot Flexboot, 24In-79In Length	56	No
<a href="#">1114111</a>	TW Cable, LLC	KIT4-GLSILA	Kit, Cable, Assembly, SM Jumper, LC-UPC to LC-UPC, Uniboot Flexboot, 8In-13In Length	56	No
<a href="#">1114112</a>	TW Cable, LLC	KIT5-GLSDEG	Kit, Cable, Assembly, SM Jumper, LC-UPC to LC-UPC, Uniboot Flexboot, 8In-16In Length	56	No
<a href="#">1114113</a>	TW Cable, LLC	KIT6-DEG1-8MXN	Kit, Cable, Assembly, SM Jumper, LC-UPC to LC-UPC, Uniboot Flexboot, 26In-36In Length	56	No
<a href="#">1114114</a>	TW Cable, LLC	KIT7-DEG9-16MXN	Kit, Cable, Assembly, SM Jumper, LC-UPC to LC-UPC, Uniboot Flexboot, 23In-44In Length	56	No

GPN	Manufacturer	MPN	Description	Lead Time	NCNR
<a href="#">1114115</a>	TW Cable, LLC	KIT8-DEG-R1-MPO	Kit, Cable, Assembly, Fiber, MPO-Elite to MPO-Elite, KeyUp- KeyDown, 12F,Uniboot Flexboot, 24In-79In Length	42	No
<a href="#">1114626</a>	Enconnex	ECX-C14C15-G315BK14-P-3F	C14 C15 Power Cords 3 FeetECX-C14C15-G315BK14-P-3F	56	No
<a href="#">1115643</a>	Rahi	GC98MF	Adapter, Modular, DB9 Male to RJ45 Female	42	No
<a href="#">1116190</a>	Enconnex	ECX-C14C15-G315BK14-P-2F	ECX-C14C15-G315BK14-P-2F	84	No
<a href="#">1116258</a>	Graybar	LBP-10R90	Cable Management, Lace Bar, 10in Offset, 90 Deg Round Bend, Horizontal, Steel,Black Powder Coating, 10D x 0.4H x 19W In	56	No
<a href="#">86015531</a>	CALIENT Technologies, Inc.	CT-S320-2S-LU0-48TR-01-00	Switch Unit, Photonic, Optical Circuit, 320 Ports All-Optical (Tx/Rx Pairs), SMF, LC/UPC Connectors, 45W, -48VDC, +5 to -20dbm DR, Ports: Dual Gb Ethernet/Serial Console/Ext Alarm Contact, w/3D MEMS Design, Rear Mount Power, S320	56	Yes
<a href="#">901264</a>	Cable Exchange	C5E-YEL-30	30' yellow cat5 patch w/ approved rj45	42	No
<a href="#">7039429</a>	Zones	406645770	Wire, Stranded, Copper, 10 AWG, 600VAC, Nylon-Jacketed PVC Insulation, Type THHN, KS-22641, Red, 100ft Spool	56	No
<a href="#">7039430</a>	Anixter	406645762	Wire, Stranded, Copper, 10 AWG, 600VAC, Nylon-Jacketed PVC Insulation, Type THHN, KS-22641, Black, 100ft Spool	56	No
<a href="#">7096228</a>	WEA TOOLS LTD.	5059295001	07096228 - Screwdriver Set, 17 Piece, Pouch With 89mm Bits,	56	No
<a href="#">901223</a>	AFOP	754-1104-4LE01	LC Fixed Optical Attenuator; 4db Level	56	No
<a href="#">1052405</a>	Commscope	FD-8-1U-A-1.0M	Description: Kit, Includes 1 x FD Panel and 10 x MPO Patchcords, Panel for 1-RU, with 10 singlemode MPO-8 and 40 duplex shuttered LC ports, Method A, Panel 19x11.5x1.75 in., Patchcord 1m , RoHS	56	Yes
<a href="#">7020045</a>	Rahi	WMPHF2E	Cable Manager, Horizontal, 19" wire manager, front only, 2U. WMPHF2E	56	No
<a href="#">900555</a>	Gruber Industries	34-208000-GRU1K	Cable Manager, Gruber Model 34-208000, 1 U	42	No
<a href="#">901262</a>	Cable Exchange	C5E-BLK-30	30' black cat5 patch w/ approved rj45	42	No
<a href="#">30001354</a>	AFOP	750-LLL5-U0005	LC/UPC-LC/UPC JUMPER SM SX 1.6MM JACKETED 0.5M	42	No
<a href="#">30001619</a>	AFOP	751-JJ54-0G00A	Cable, Fiber, Cord, SM, BIF, LC-LC-DX, UPC, 1.6mm Zipcord, OFNR, 0.5m	42	No
<a href="#">1043332</a>	E+I Engineering Group	BUCK-IMPB-TOB-NA-006	Tap Off Box, Plug-In, E and I Engineering Group Busway, 250VAC, 60A Three Phase iMPB, 2x 3-Pole 50A Bussmann Cubefuses, 2x 3-Pole 4-Wire Connector, 2x 20Ft Drop Cord	56	No
<a href="#">1048811</a>	Stayonline	S2121	Power Cord, IEC60320 C14 Male to IEC60320 C15 Female, 3- Wire, 250V, 15Amps, 14AWG, PVC, Black, SJT Jacket, 3 Feet, RoHS	84	No
<a href="#">1049280</a>	C2G	29967	6ft 16 AWG 250 Volt Computer Power Extension Cord (IEC320C14 to IEC320C13) (TAA Compliant)	49	No
<a href="#">7076018</a>		QUCH-2RU	Chassis, 2 RU, 2.35in x 19in x 15in, Accommodates 4 Blades, Q3400 Series	49	No
<a href="#">7006513</a>		VR.75X25BK	SUP, VELCRO 3/4" ONE WRAP, 25YD ROLL	56	No
<a href="#">1024040</a>	NorthState Manufacturing Inc.	1024040	Tool, Fiber Dust Prevention Cap Removal Tool, Plastic, 24 H x 75 W x 62mm L, NO SPEC	49	No
<a href="#">1122039</a>	Bud INDUSTRIES INC	48791-2-19-BNTX-01	Network Rack, BUD INDUSTRIES 28 in x 36 in x 84 in (711 mm x 914 mm x 2133 mm) Imperial Threaded Rack with Top Panel Only	56	No
<a href="#">7100688</a>		TK2098	Description - Kit, Optical Light Source, Kingfisher, w/ 1x KI9812A Light Source (850-1300nm, LED, PC), 1x OPT701 50 & 62.5um Filters, 1x OPT046 SC/SC & 1x OPT076 SC/LC Adapters, 1x Orvac 12FMTPLC- 40G-1.5M MTP-8xLC Fiber Cord, 1x Pouch	49	No
<a href="#">1042384</a>		CCH-04U-U8A9	Assembly, Includes QTY 1 Corning CCH-04U Panel/QTY 12 CCH-CP24-A9 24 Strand LC SMF Bulkheads	42	No
<a href="#">1045587</a>	Commscope	FD-8-2U-A-2.0M	Kit, FD panel, Includes One (1) FD Panel, 20 (Twenty) MPO Patchcords, 2m	42	Yes

GPN	Manufacturer	MPN	Description	Lead Time	NCNR
<a href="#">7014467</a>		258381	Sharpie Pro-blk, pack of 12	56	No
<a href="#">1025719</a>	AFL	OPM4-32-0900PR	Power Meter, Optical, 850/1300/1310/1490/1550nm Response, Ge Detector, +6 to -60dBm Range, Handheld, 5.5x3.2x1.5in, w/2x AA Batteries, Protective Rubber Boot, Carry Case, NOYES OPM4 Series, OPM4-2D 850-1550 W/ 8800-00-0209	49	No
<a href="#">1020861</a>	Milwaukee	8975-6	Tool, Heat Gun, Dual Temperature, 570 & 1000 deg F, 11.6A, 120VAC, 7.25x10.5x3 in	56	No
<a href="#">7004112</a>		407998251	CIRCUIT BREAKER, 80 AMP	42	No
<a href="#">1042193</a>		PCH-04U-U8A9	Corning Cable -Assembly, Includes QTY 1 Corning PCH-04U Panel/QTY 12 CCH-CP24-A9 24 Strand LC SMF Bulkheads	49	No
<a href="#">1053630</a>	World Cord Sets	2019-J-240	Cord, Power, 250V, 20A, C20 to C19, 20ft, Black	56	No
<a href="#">1045576</a>	Commscope	FD-8-2U-A-2.5M	Kit, FD panel, Includes One (1) FD Panel, 20 (Twenty) MPO Patchcords, 2.5m'	49	Yes
<a href="#">1051119</a>	WERA TOOLS LTD.	5003473001	Tool, Screwdriver, 6-1/16in, Slotted/Phillips, Insulated, Multi-Bit 6 in 1, Bit Storage in Handle, w/ Pouch, RoHS	56	No
<a href="#">7005237</a>		AW-6	Wrench 6" - Chrome	56	No
<a href="#">1119130</a>	Minkels	A000N-000004-000-1	Decorative screws with washer ( black) M6 (100 pieces)	49	No
<a href="#">7115590</a>		150032047	Module, Controller, Galaxy Pulsar Edge, Model CP841A_3C3R_S, w/ Security Features Update, 10/100BASE-T Port, RS232 Port, Monitoring I/Os, LCD Display, For J2007001 Family CPL Shelves	84	No
<a href="#">1049281</a>	C2G	29966	Cord, Power,16AWG, 250v, C14 to C13, 3ft, Black	56	No
<a href="#">1052406</a>	Commscope	FD-8-1U-A-1.5M	Kit, Includes 1 x FD Panel and 10 x MPO Patchcords, Panel for 1-RU, with 10 singlemode MPO-8 and 40 duplex shuttered LC ports, Method A, Panel 19x11.5x1.75 in., Patchcord 5 foot , RoHS	42	Yes
<a href="#">7004108</a>	GE Power Electronics Inc.	108992070	Micro BDFB Circuit Breaker Panel	56	No
<a href="#">7076017</a>		QUCH-1RU	Chassis, 1 RU, 1.75in x 19in x 15in, Accommodates 2 Blades, Q3200 Series	84	No
<a href="#">7022975</a>	Panduit	PK10-10R-L	Lugs, 600V, 150C, Kynar Insulated, Yellow Stripe, Tin Plated, Bag of 50	49	No
<a href="#">7100303</a>		N044-000-R	Cable Tester, Network Continuity, Tests Cat5e or Cat6 Cable, Coax Cable & Phone Cable Connections, Includes 2 tests units, 2 BNC/F Coax Adapters,1 Coax Terminator, Carry Pouch	42	No
<a href="#">7013757</a>		PCH-01U	Pretium® Connector Housing, 1 RU	42	No
<a href="#">16000894-01</a>	GE Power Electronics Inc.	850038451	Cable, DC Pair, 2AWG, 5ft	42	No
<a href="#">7005275</a>	Kord King	GO07005275	Cord, Power, 14/3 SJT-B-I C14 To C19, 6'	42	No
<a href="#">7009012</a>		PCH-04U	Pretium Connector Housing, 12 Panel Capacity, 4 Units High	42	No
<a href="#">7082330</a>		407405778	Power Wire, Class B, Cotton Braided, 600V RHH, 2 AWG, Green, 100ft Spool	56	No
<a href="#">1056445</a>		SPFC1414C1519	Power Cord, IEC 60320 C14 to IEC 60320 C15, 14AWG, 15Amp, 250 Volts, PVC, Black, 1.5 Feet	56	No
<a href="#">30001239-002</a>	SDGI	71-112960013-002	Cable, Fiber, Cord, SM, BIF, LC-LC-DX, UPC, 1.6mm Zipcord, OFNR, 2m	56	Yes
<a href="#">30001239-020</a>	SDGI	71-112960013-020	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord,Yellow OFNR,20m(Supplier Item:71-112960013-020)	56	Yes
<a href="#">30001239-040</a>	SDGI	71-112960013-040	Cable, Fiber, Cord, SM, BIF, LC-LC-DX, UPC, 1.6mm Zipcord, OFNR, 40m	56	Yes
<a href="#">30001455-002</a>	TR Mfg	SMP-BIF-MTFD002LCU	Cable, Fiber, SM, BIF, QSFP 8-Fiber, MTP12-Elite, APC Polish, F-Key Up to 4-LC-DX, 0.75M Fanout, 3.0mm round OFNP to 1.6mm Zipcord, OFNR, 2M	56	Yes
<a href="#">30002446-005</a>	SDGI	71-112960158-005	Cable, Fiber, Cord, SM, BIF, LC-LC-DX, UPC, 1.6mm dia, Zipcord, Blue OFNR, 5m	56	Yes

GPN	Manufacturer	MPN	Description	Lead Time	NCNR
<a href="#">30001066-001</a>	SDGI	71-111960165-001	Cable, Patch, Fiber, SM, LC-LC-SX, 1.6mm, 1m(Supplier Item:71-111960165-001)	56	Yes
<a href="#">30001066-002</a>	SDGI	71-111960165-002	Cable, Patch, Fiber, SM, LC-LC-SX, 1.6mm, 2m(Supplier Item:71-111960165-002)	56	Yes
<a href="#">30001239-001</a>	SDGI	71-112960013-001	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord,Yellow OFNR,1m(Supplier Item:71-112960013-001)	56	Yes
<a href="#">30001239-003</a>	SDGI	71-112960013-003	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord,Yellow OFNR,3m(Supplier Item:71-112960013-003)	56	Yes
<a href="#">30001239-004</a>	SDGI	71-112960013-004	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord,Yellow OFNR,4m(Supplier Item:71-112960013-004)	56	Yes
<a href="#">30001239-005</a>	SDGI	71-112960013-005	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord,Yellow OFNR,5m(Supplier Item:71-112960013-005)	56	Yes
<a href="#">30001239-006</a>	SDGI	71-112960013-006	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord,Yellow OFNR,6m(Supplier Item:71-112960013-006)	56	Yes
<a href="#">30001239-007</a>	SDGI	71-112960013-007	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord,Yellow OFNR,7m(Supplier Item:71-112960013-007)	56	Yes
<a href="#">30001239-008</a>	SDGI	71-112960013-008	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord,Yellow OFNR,8m(Supplier Item:71-112960013-008)	56	Yes
<a href="#">30001239-009</a>	SDGI	71-112960013-009	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord,Yellow OFNR,9m(Supplier Item:71-112960013-009)	56	Yes
<a href="#">30001239-010</a>	SDGI	71-112960013-010	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord,Yellow OFNR,10m(Supplier Item:71-112960013-010)	56	Yes
<a href="#">30001239-011</a>	SDGI	71-112960013-011	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord,Yellow OFNR,11m(Supplier Item:71-112960013-011)	56	Yes
<a href="#">30001239-012</a>	SDGI	71-112960013-012	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord,Yellow OFNR,12m(Supplier Item:71-112960013-012)	56	Yes
<a href="#">30001239-013</a>	SDGI	71-112960013-013	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord,Yellow OFNR,13m(Supplier Item:71-112960013-013)	56	Yes
<a href="#">30001239-014</a>	SDGI	71-112960013-014	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord,Yellow OFNR,14m(Supplier Item:71-112960013-014)	56	Yes
<a href="#">30001239-015</a>	SDGI	71-112960013-015	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord,Yellow OFNR,15m(Supplier Item:71-112960013-015)	56	Yes
<a href="#">30001239-016</a>	SDGI	71-112960013-016	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord,Yellow OFNR,16m(Supplier Item:71-112960013-016)	56	Yes
<a href="#">30001239-017</a>	SDGI	71-112960013-017	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord,Yellow OFNR,17m(Supplier Item:71-112960013-017)	56	Yes
<a href="#">30001239-018</a>	SDGI	71-112960013-018	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord,Yellow OFNR,18m(Supplier Item:71-112960013-018)	56	Yes
<a href="#">30001239-019</a>	SDGI	71-112960013-019	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord,Yellow OFNR,19m(Supplier Item:71-112960013-019)	56	Yes
<a href="#">30001239-021</a>	SDGI	71-112960013-021	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord,Yellow OFNR,21m(Supplier Item:71-112960013-021)	56	Yes
<a href="#">30001239-022</a>	SDGI	71-112960013-022	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord,Yellow OFNR,22m(Supplier Item:71-112960013-022)	56	Yes
<a href="#">30001239-023</a>	SDGI	71-112960013-023	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord,Yellow OFNR,23m(Supplier Item:71-112960013-023)	56	Yes
<a href="#">30001239-024</a>	SDGI	71-112960013-024	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord,Yellow OFNR,24m(Supplier Item:71-112960013-024)	56	Yes



GPN	Manufacturer	MPN	Description	Lead Time	NCNR
<a href="#">30001239-025</a>	SDGI	71-112960013-025	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord, Yellow OFNR,25m(Supplier Item:71-112960013-025)	56	Yes
<a href="#">30001239-026</a>	SDGI	71-112960013-026	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord, Yellow OFNR,26m(Supplier Item:71-112960013-026)	56	Yes
<a href="#">30001239-027</a>	SDGI	71-112960013-027	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord, Yellow OFNR,27m(Supplier Item:71-112960013-027)	56	Yes
<a href="#">30001239-028</a>	SDGI	71-112960013-028	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord, Yellow OFNR,28m(Supplier Item:71-112960013-028)	56	Yes
<a href="#">30001239-030</a>	SDGI	71-112960013-030	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord, Yellow OFNR,30m(Supplier Item:71-112960013-030)	56	Yes
<a href="#">30001239-032</a>	SDGI	71-112960013-032	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord, Yellow OFNR,32m(Supplier Item:71-112960013-032)	56	Yes
<a href="#">30001239-033</a>	SDGI	71-112960013-033	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord, Yellow OFNR,33m(Supplier Item:71-112960013-033)	56	Yes
<a href="#">30001239-034</a>	SDGI	71-112960013-034	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord, Yellow OFNR,34m(Supplier Item:71-112960013-034)	56	Yes
<a href="#">30001239-036</a>	SDGI	71-112960013-036	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord, Yellow OFNR,36m(Supplier Item:71-112960013-036)	56	Yes
<a href="#">30001240-004</a>	SDGI	71-122960128-004	Cable,Fiber,Cord,SM,BIF,LC-SC-DX,UPC,1.6mm Zipcord,OFNR,4m(Supplier Item:71-122960128-004)	56	Yes
<a href="#">30001240-005</a>	SDGI	71-122960128-005	Cable,Fiber,Cord,SM,BIF,LC-SC-DX,UPC,1.6mm Zipcord,OFNR,5m(Supplier Item:71-122960128-005)	56	Yes
<a href="#">30001240-006</a>	SDGI	71-122960128-006	Cable,Fiber,Cord,SM,BIF,LC-SC-DX,UPC,1.6mm Zipcord,OFNR,6m(Supplier Item:71-122960128-006)	56	Yes
<a href="#">30001240-007</a>	SDGI	71-122960128-007	Cable,Fiber,Cord,SM,BIF,LC-SC-DX,UPC,1.6mm Zipcord,OFNR,7m(Supplier Item:71-122960128-007)	56	Yes
<a href="#">30001240-008</a>	SDGI	71-122960128-008	Cable,Fiber,Cord,SM,BIF,LC-SC-DX,UPC,1.6mm Zipcord,OFNR,8m(Supplier Item:71-122960128-008)	56	Yes
<a href="#">30001240-009</a>	SDGI	71-122960128-009	Cable,Fiber,Cord,SM,BIF,LC-SC-DX,UPC,1.6mm Zipcord,OFNR,9m(Supplier Item:71-122960128-009)	56	Yes
<a href="#">30001240-010</a>	SDGI	71-122960128-010	Cable,Fiber,Cord,SM,BIF,LC-SC-DX,UPC,1.6mm Zipcord,OFNR,10m(Supplier Item:71-122960128-010)	56	Yes
<a href="#">30001240-012</a>	SDGI	71-122960128-012	Cable,Fiber,Cord,SM,BIF,LC-SC-DX,UPC,1.6mm Zipcord,OFNR,12m(Supplier Item:71-122960128-012)	56	Yes
<a href="#">30001240-014</a>	SDGI	71-122960128-014	Cable,Fiber,Cord,SM,BIF,LC-SC-DX,UPC,1.6mm Zipcord,OFNR,14m(Supplier Item:71-122960128-014)	56	Yes
<a href="#">30001240-015</a>	SDGI	71-122960128-015	Cable,Fiber,Cord,SM,BIF,LC-SC-DX,UPC,1.6mm Zipcord,OFNR,15m(Supplier Item:71-122960128-015)	56	Yes
<a href="#">30001240-016</a>	SDGI	71-122960128-016	Cable,Fiber,Cord,SM,BIF,LC-SC-DX,UPC,1.6mm Zipcord,OFNR,16m(Supplier Item:71-122960128-016)	56	Yes
<a href="#">30001240-018</a>	SDGI	71-122960128-018	Cable,Fiber,Cord,SM,BIF,LC-SC-DX,UPC,1.6mm Zipcord,OFNR,18m(Supplier Item:71-122960128-018)	56	Yes
<a href="#">30001240-020</a>	SDGI	71-122960128-020	Cable,Fiber,Cord,SM,BIF,LC-SC-DX,UPC,1.6mm Zipcord,OFNR,20m(Supplier Item:71-122960128-020)	56	Yes
<a href="#">30001240-022</a>	SDGI	71-122960128-022	Cable,Fiber,Cord,SM,BIF,LC-SC-DX,UPC,1.6mm Zipcord,OFNR,22m(Supplier Item:71-122960128-022)	56	Yes
<a href="#">30001240-024</a>	SDGI	71-122960128-024	Cable,Fiber,Cord,SM,BIF,LC-SC-DX,UPC,1.6mm Zipcord,OFNR,24m(Supplier Item:71-122960128-024)	56	Yes
<a href="#">30001240-026</a>	SDGI	71-122960128-026	Cable,Fiber,Cord,SM,BIF,LC-SC-DX,UPC,1.6mm Zipcord,OFNR,26m(Supplier Item:71-122960128-026)	56	Yes
<a href="#">30002416-002</a>	SDGI	71-111960166-002	Cable, Fiber, Cord, SM, BIF, LC-LC-SX, UPC, 1.6mm dia, Blue OFNR, 2m(Supplier Item:71-111960166-002)	56	Yes
<a href="#">30002446-003</a>	SDGI	71-112960158-003	Cable, Fiber, Cord, SM, BIF, LC-LC-DX, UPC, 1.6mm dia, Zipcord, Blue OFNR, 3m	56	Yes

GPN	Manufacturer	MPN	Description	Lead Time	NCNR
<a href="#">30002446-010</a>	SDGI	71-112960158-010	Cable, Fiber, Cord, SM, BIF, LC-LC-DX, UPC, 1.6mm dia, Zipcord, Blue OFNR, 10m	56	Yes
<a href="#">30001239-031</a>	SDGI	71-112960013-031	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord,Yellow OFNR,31m(Supplier Item:71-112960013-031)	56	Yes
<a href="#">30001239-035</a>	SDGI	71-112960013-035	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord,Yellow OFNR,35m(Supplier Item:71-112960013-035)	56	Yes
<a href="#">30001239-038</a>	SDGI	71-112960013-038	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord,Yellow OFNR,38m(Supplier Item:71-112960013-038)	56	Yes
<a href="#">30002446-007</a>	SDGI	71-112960158-007	Cable, Fiber, Cord, SM, BIF, LC-LC-DX, UPC, 1.6mm dia, Zipcord, Blue OFNR, 7m(Supplier Item:71-112960158-007)	56	Yes
<a href="#">30001239-029</a>	SDGI	71-112960013-029	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord,Yellow OFNR,29m(Supplier Item:71-112960013-029)	56	Yes
<a href="#">30001240-002</a>	SDGI	71-122960128-002	Cable,Fiber,Cord,SM,BIF,LC-SC-DX,UPC,1.6mm Zipcord,OFNR,2m(Supplier Item:71-122960128-002)	56	Yes
<a href="#">30001240-003</a>	SDGI	71-122960128-003	Cable,Fiber,Cord,SM,BIF,LC-SC-DX,UPC,1.6mm Zipcord,OFNR,3m(Supplier Item:71-122960128-003)	56	Yes
<a href="#">30001240-028</a>	SDGI	71-122960128-028	Cable,Fiber,Cord,SM,BIF,LC-SC-DX,UPC,1.6mm Zipcord,OFNR,28m(Supplier Item:71-122960128-028)	56	Yes
<a href="#">30001240-030</a>	SDGI	71-122960128-030	Cable,Fiber,Cord,SM,BIF,LC-SC-DX,UPC,1.6mm Zipcord,OFNR,30m(Supplier Item:71-122960128-030)	56	Yes
<a href="#">30002446-002</a>	SDGI	71-112960158-002	Cable, Fiber, Cord, SM, BIF, LC-LC-DX, UPC, 1.6mm dia, Zipcord, Blue OFNR, 2m(Supplier Item:71-112960158-002)	56	Yes
<a href="#">30002446-012</a>	SDGI	71-112960158-012	Cable, Fiber, Cord, SM, BIF, LC-LC-DX, UPC, 1.6mm dia, Zipcord, Blue OFNR, 12m(Supplier Item:71-112960158-012)	56	Yes
<a href="#">30002446-015</a>	SDGI	71-112960158-015	Cable, Fiber, Cord, SM, BIF, LC-LC-DX, UPC, 1.6mm dia, Zipcord, Blue OFNR, 15m(Supplier Item:71-112960158-015)	56	Yes
<a href="#">30002446-025</a>	SDGI	71-112960158-025	Cable, Fiber, Cord, SM, BIF, LC-LC-DX, UPC, 1.6mm dia, Zipcord, Blue OFNR, 25m(Supplier Item:71-112960158-025)	56	Yes
<a href="#">30002446-020</a>	SDGI	71-112960158-020	Cable, Fiber, Cord, SM, BIF, LC-LC-DX, UPC, 1.6mm dia, Zipcord, Blue OFNR, 20m	56	Yes
<a href="#">30002446-030</a>	SDGI	71-112960158-030	Cable, Fiber, Cord, SM, BIF, LC-LC-DX, UPC, 1.6mm dia, Zipcord, Blue OFNR, 30m	56	Yes
<a href="#">30001066-005</a>	SDGI	71-111960165-005	Cable, Patch, Fiber, SM, LC-LC-SX, 1.6mm, 5m(Supplier Item:71-111960165-005)	56	Yes
<a href="#">30001066-008</a>	SDGI	71-111960165-008	Cable, Patch, Fiber, SM, LC-LC-SX, 1.6mm, 8m(Supplier Item:71-111960165-008)	56	Yes
<a href="#">30001066-012</a>	SDGI	71-111960165-012	Cable, Patch, Fiber, SM, LC-LC-SX, 1.6mm, 12m(Supplier Item:71-111960165-012)	56	Yes
<a href="#">30001239-042</a>	SDGI	71-112960013-042	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord,Yellow OFNR,42m(Supplier Item:71-112960013-042)	56	Yes
<a href="#">30001239-044</a>	SDGI	71-112960013-044	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord,Yellow OFNR,44m(Supplier Item:71-112960013-044)	56	Yes
<a href="#">30001239-046</a>	SDGI	71-112960013-046	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord,Yellow OFNR,46m(Supplier Item:71-112960013-046)	56	Yes
<a href="#">30001239-050</a>	SDGI	71-112960013-050	Cable, Fiber, Cord, SM, BIF, LC-LC-DX, UPC, 1.6mm Zipcord, OFNR, 50m	56	Yes
<a href="#">30001239-045</a>	SDGI	71-112960013-045	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord,Yellow OFNR,45m(Supplier Item:71-112960013-045)	56	Yes
<a href="#">30001239-048</a>	SDGI	71-112960013-048	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord,Yellow OFNR,48m(Supplier Item:71-112960013-048)	56	Yes
<a href="#">30001239-052</a>	SDGI	71-112960013-052	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord,Yellow OFNR,52m(Supplier Item:71-112960013-052)	56	Yes

GPN	Manufacturer	MPN	Description	Lead Time	NCNR
<a href="#">30001239-054</a>	SDGI	71-112960013-054	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord,Yellow OFNR,54m(Supplier Item:71-112960013-054)	56	Yes
<a href="#">30001239-056</a>	SDGI	71-112960013-056	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord,Yellow OFNR,56m(Supplier Item:71-112960013-056)	56	Yes
<a href="#">30001240-001</a>	SDGI	71-122960128-001	Cable,Fiber,Cord,SM,BIF,LC-SC-DX,UPC,1.6mm Zipcord,OFNR,1m(Supplier Item:71-122960128-001)	56	Yes
<a href="#">30001239-060</a>	SDGI	71-112960013-060	Cable, Fiber, Cord, SM, BIF, LC-LC-DX, UPC, 1.6mm Zipcord, OFNR, 60m	56	Yes
<a href="#">30001239-080</a>	SDGI	71-112960013-080	Cable, Fiber, Cord, SM, BIF, LC-LC-DX, UPC, 1.6mm Zipcord, OFNR, 80m	56	Yes
<a href="#">30001239-037</a>	SDGI	71-112960013-037	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord,Yellow OFNR,37m(Supplier Item:71-112960013-037)	56	Yes
<a href="#">30001239-064</a>	SDGI	71-112960013-064	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord,Yellow OFNR,64m(Supplier Item:71-112960013-064)	56	Yes
<a href="#">30001239-072</a>	SDGI	71-112960013-072	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord,Yellow OFNR,72m(Supplier Item:71-112960013-072)	56	Yes
<a href="#">30001239-076</a>	SDGI	71-112960013-076	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord,Yellow OFNR,76m(Supplier Item:71-112960013-076)	56	Yes
<a href="#">30001240-032</a>	SDGI	71-122960128-032	Cable,Fiber,Cord,SM,BIF,LC-SC-DX,UPC,1.6mm Zipcord,OFNR,32m(Supplier Item:71-122960128-032)	56	Yes
<a href="#">30001240-034</a>	SDGI	71-122960128-034	Cable,Fiber,Cord,SM,BIF,LC-SC-DX,UPC,1.6mm Zipcord,OFNR,34m(Supplier Item:71-122960128-034)	56	Yes
<a href="#">30002446-004</a>	SDGI	71-112960158-004	Cable, Fiber, Cord, SM, BIF, LC-LC-DX, UPC, 1.6mm dia, Zipcord, Blue OFNR, 4m(Supplier Item:71-112960158-004)	56	Yes
<a href="#">30002449-008</a>	SDGI	71-122960168-008	Cable, Fiber, Cord, SM, BIF, LC-SC-DX, UPC, 1.6mm dia, Zipcord, Blue OFNR, 8m(Supplier Item:71-122960168-008)	56	Yes
<a href="#">30002449-010</a>	SDGI	71-122960168-010	Cable, Fiber, Cord, SM, BIF, LC-SC-DX, UPC, 1.6mm dia, Zipcord, Blue OFNR, 8m(Supplier Item:71-122960168-010)	56	Yes
<a href="#">30002449-015</a>	SDGI	71-122960168-015	Cable, Fiber, Cord, SM, BIF, LC-SC-DX, UPC, 1.6mm dia, Zipcord, Blue OFNR, 8m(Supplier Item:71-122960168-015)	56	Yes
<a href="#">30002449-020</a>	SDGI	71-122960168-020	Cable, Fiber, Cord, SM, BIF, LC-SC-DX, UPC, 1.6mm dia, Zipcord, Blue OFNR, 8m(Supplier Item:71-122960168-020)	56	Yes
<a href="#">30002449-030</a>	SDGI	71-122960168-030	Cable, Fiber, Cord, SM, BIF, LC-SC-DX, UPC, 1.6mm dia, Zipcord, Blue OFNR, 8m(Supplier Item:71-122960168-030)	56	Yes
<a href="#">1110410</a>	Graybar	5390.18	Cord, Power, 14AWG, 250v, Commando (60309) to C15, 4.5M / 15ft, Black	56	No
<a href="#">1121181</a>		BDL-STV-GO3003G-GN	Bundle, ServerTech BDL-STV-GO3003G-GN - 230/400 32A & 240/415V Wye30A IEC 60309 3P+N+G / (3) x IEC 330R6 Global Rating: ? 32A @230V L-N ;North America Rating: ? 24A @240V L-N - Includes (1) STV-GO3003G/GA(Primary)	49	No
<a href="#">1091109</a>		910-10034-06	Network, Rack, Elvis, 45U, Black Powder Coating, with Top Air Dam, Side Air Dam	42	No
<a href="#">7018804</a>		16821659	Rack, BUD, 45 RU, 84inH x 30inW x 36inD, 10/32 rails, 19/23 Convertible, Seismic Zone 4, w/ HW Kit 50x 10/32 Screws, Ganging HW, 50ft x 1/2in Roll of Velcro, 2x 27-RU Plenafill Panels	49	No
<a href="#">30001239-039</a>	SDGI	71-112960013-039	Cable, Fiber, Cord, SM, BIF, LC-LC-DX, UPC, 1.6mm Zipcord, OFNR, 39m	56	Yes
<a href="#">30001239-070</a>	SDGI	71-112960013-070	Cable, Fiber, Cord, SM, BIF, LC-LC-DX, UPC, 1.6mm Zipcord, OFNR, 70m	56	Yes
<a href="#">30002617-112</a>		751-JJBC-AG112	30002617-112	56	No
<a href="#">30002618-016</a>	AFOP	751-JJBD-AG016	Cable, Fiber, 32-Bundle, 64-Fiber, SM, BIF, LC-LC-DX/UPC, Expando/Self Closing Wrap, ZipCord, Fanout (3.33m, 2xOD1.6mm), Yellow OFNR, 016m	56	No

GPN	Manufacturer	MPN	Description	Lead Time	NCNR
<a href="#">901224</a>		754-1104-4SE00	754-1104-4SE00 Line Description: SC Fixed Optical Attenuator; 4db Level Full Description: SC Fixed Optical Attenuator; 4db Level	56	No
<a href="#">901226</a>		754-1106-4SE00	SC Fixed Optical Attenuator; 6db Level	56	No
<a href="#">1070095</a>		CBMDCT5GHE92-X-(2)320C6S-4-LN [CN] [AN]	n/a	56	No
<a href="#">1025021</a>	Vander-Bend	1025021	BRACKET, GROUND, ESD (FORMERLY 07130852)	56	No
<a href="#">1032489</a>	E+I Engineering Group	BUCK-IMPB-TOB-NA-004-001	Tap Off Box, Plug-In, E and I Engineering Group Busway, 208V, 20A Single Phase 3 Wire iMPB, 4 - Hubbell L6-20 Receptacles w/ 4 No. 2 Pole Non-Indicating Bussmann Cube Fuses, Phasing AB-BC-CA-AB, 17.99in x 9.15in x 4.84in	56	No
<a href="#">1032494</a>	E+I Engineering Group	BUCK-IMPB-TOB-NA-004-002	Tap Off Box, Plug-In, E and I Engineering Group Busway, 208V, 20A Single Phase 3 Wire iMPB, 4 - Hubbell L6-20 Receptacles w/ 4 No. 2 Pole Non-Indicating Bussmann Cube Fuses, Phasing BC-CA-AB-BC, 17.99in x 9.15in x 4.84in	56	No
<a href="#">1032497</a>	E+I Engineering Group	BUCK-IMPB-TOB-NA-004-003	Tap Off Box, Plug-In, E and I Engineering Group Busway, 208V, 20A Single Phase 3 Wire iMPB, 4 - Hubbell L6-20 Receptacles w/ 4 No. 2 Pole Non-Indicating Bussmann Cube Fuses, Phasing CA-AB-BC-CA, 17.99in x 9.15in x 4.84in	56	No
<a href="#">1032816</a>	E+I Engineering Group	BUCK-IMPB-TOB-NA-008	Tap-Off Box, Busway, iMPB, 3 No, 3-Pole, 80A Rating, V2 5Bar, Case Earth Interlock, 1x 100A Bussman Cubefuse, 1x Hubbell 3ft Drop Cord, 4-Wire Receptacle + HBL4100C9W Connector, 9.15in W x 11.97in L x 4.84in D, Powerbar	56	No
<a href="#">1033489</a>		SP330	Printer Ribbon, Resin, Thermal Transfer, Black, 4.33in x 1476ft, 1in Core ID, 6.2 Microns Thk, For Industrial Printers & Polyester Labels	56	No
<a href="#">1039964</a>		DCF680N2	Tool, Kit, Screwdriver, Cordless, w/ Charger/2x 8V max. Li-ion Battery/Kit Bag, Variable speed 0-430	56	No
<a href="#">1045573</a>	Commscope	FD-8-2U-A-1.0M	Commscope FD panel kit. Includes One (1) FD panel and 20 (twenty), 1.0 meter MPO patchcords	56	Yes
<a href="#">1045577</a>	Commscope	FD-8-2U-A-3.0M	Commscope - Kit, FD panel, Includes One (1) FD Panel, 20 (Twenty) MPO Patchcords, 3m	56	Yes
<a href="#">1047211</a>	E+I Engineering Group	BUCK-IMPB-TOB-NA-015	Tap Off Box, Plug-In, E and I Engineering Group Busway, 250VAC, 60A Three Phase iMPB, 3x 3-Pole, w/ Non-indicating Bussmann Cube Fuse, 4ft 4-Wire Type W Drop Cord with Hubbell Connector	56	No
<a href="#">1047269</a>		100972-10RU-BK	Pending	56	No
<a href="#">1050249</a>		29935	Cord, Power, 16AWG, 250v, C14 to NEMA 5-15, 2ft, Black	56	No
<a href="#">1052407</a>	Commscope	FD-8-1U-A-2.0M	Kit, Includes 1x FD Panel and 10 x MPO Patchcords, Panel for 1-RU, with 10 singlemode MPO-8 and 40 duplex shuttered LC ports, Method A, Panel 19x11.5x1.75 in., Patchcord 2m , RoHS	56	Yes
<a href="#">1053999</a>	Innovative Metal Industries Inc	100972-7RU-BK	RACK-INSIDE-RACK, 7U OUTSIDE 5U INSIDE SPACE, BLACK	56	No
<a href="#">1054000</a>	Innovative Metal Industries Inc	100972-12RU-BK	RACK-INSIDE-RACK 12U OUTSIDE, 10U INSIDE SPACE, BLACK	56	No



GPN	Manufacturer	MPN	Description	Lead Time	NCNR
<a href="#">1064646</a>	Universal Electric Corporation	GMCBDCT5GE92-X-532C6S-4-ABB	Tap Box, Starline, 415Y/240 System Volts, 240 Load Volts, 32A, 532C6S, 6in Cord, 10kAIC, 3-Pole ABB S200M Breaker, Isolated Ground, Pin & Sleeve Spashproof Connector Body	56	No
<a href="#">1098127</a>	Finisar	FTLC1157RGPL	Optic Module, Transceiver, QSFP28, 103.1Gb/s, 100G CWDM4, 4x25Gb/s CWDM transmitter, Gen 3, Duplex LC Receptacles, 0 to 70C, 2KM, RoHS-6, FTLC1157RGPL	56	No
<a href="#">1107122</a>		31090	Fastener, Hook & Loop, One-Wrap, Velcro, 1/2in W, 25 Yards L, Nylon, Black	56	No
<a href="#">1112725</a>	Global Industrial Equipment	WBB1845743	Cone, 3-Sided, w/ Dry Erase Decal, 6in W x 5in H, 10in Dia, Polypropylene, Orange	56	No
<a href="#">1122271</a>	Rahi	1583A 010U1000	CBL,BULK CAT5E, BLACK 1000FT (300M)	56	No
<a href="#">1122273</a>	Rahi	1583A 005U1000	CBL,BULK CAT5E, Green 1000FT (300M)	56	No
<a href="#">1122274</a>	Rahi	1583A 004U1000	CBL,BULK CAT5E, Yellow, 1000FT (300M)	56	No
<a href="#">1123668</a>	EXFO	TK-4-PRO-S1-128G	Tester, Platform, Traffic, High Speed, Multi-Service, Powerblazer, TK-4, 128Gb Flash Memory	56	Yes
<a href="#">7001792</a>		L-14-50-0-C	Cable Tie 14-1/2" Black 50lb, Qty 100/Pkg	56	No
<a href="#">7003764</a>		1623231401	Assy, IRE-Cord, Power, H05VVF3G1.5, IEC-60309, 16A 230V 2p3wplug, IEC-320 C19, 15 ft	56	No
<a href="#">7004109</a>		407998244	DC BRKR 70 AMP	56	No
<a href="#">7004111</a>		407998202	CIRCUIT BREAKER, 30 AMP	56	No
<a href="#">7004157</a>		FIT-221B-1/2	TUBING, HEAT-SHRINK, 1/2", 150ft	56	No
<a href="#">7004329</a>		754-1108-4LE01	ATTENUATORS, FIXED OPTICAL, LC, 8DB	56	No
<a href="#">7004330</a>		754-1110-4LE01	ATTENUATORS, FIXED OPTICAL, LC, 10DB	56	No
<a href="#">7004331</a>		754-1112-4LE01	ATTENUATORS, FIXED OPTICAL, LC, 12DB	56	No
<a href="#">7005356</a>		407998277	CIRCUIT BREAKER, 100 AMP	56	No
<a href="#">7006394</a>		SN55	Needle Nose Plier	56	No
<a href="#">7007996</a>		407998152	CIRCUIT BREAKER, 10 AMP	56	No
<a href="#">7010776</a>		407998236	60A LOAD BREAKER	56	No
<a href="#">7010777</a>		407998228	50A LOAD BREAKER	56	No
<a href="#">7010779</a>		407998194	25A LOAD BREAKER	56	No
<a href="#">7023071</a>	Graybar	2306-5509-015	Cord, Power, 14AWG, 250v, Commando (60309) to C13, 4.5M / 15ft, Black	56	No
<a href="#">7038158</a>		2080170210	Washer, Lock, External Tooth, #10, Steel, Zinc Plate w/Gold Chromate, Bag of Qty 100	56	No
<a href="#">7038160</a>		2080170410	Washer, Lock, External Tooth, 1/4in, Steel, Zinc Plate w/Gold Chromate, Bag of Qty 100	56	No
<a href="#">7043232</a>		560	Vulcanized Cellulose Fiber, Fish Paper, Electrical Insulation, .01Thk x 10 x 24in, Black, RoHS	56	No
<a href="#">7048145</a>		THHN-6-19 RED	Wire, Conductor Stranding 19/.0372, Copper, 6AWG, Max Temp 90 Deg C, 75A, 600V, Red, 100ft Spool	56	No
<a href="#">7048146</a>		THHN-6-19 BLACK	Wire, Conductor Stranding 19/.0372, Copper, 6AWG, Max Temp 90 Deg C, 75A, 600V, Black, 100ft Spool	56	No
<a href="#">7054474</a>		95023838	Terminal Lug, 300VAC, 12-10 AWG, #6 Stud, PIDG Rectangular Tongue, Yellow Ring, Closed Barrel, 100/PK	56	No
<a href="#">7067350</a>		2/01C02	Wire, 2 AWG, 600VAC, UL 1283, UL/CSA 105C, Red, Spool of 100ft	56	No
<a href="#">7067352</a>		2/01C01	Wire, 2 AWG, 600VAC, UL 1283, UL/CSA 105C, Black, Spool of 100ft	56	No

GPN	Manufacturer	MPN	Description	Lead Time	NCNR
<a href="#">7073717</a>		C2.5BL6	Cover, Duct, Wire, PVC 2.5in W x 6ft L, Snap On, Blk, Panduit	56	No
<a href="#">7076026</a>		QUFB-192FMPOSMHR	Chassis Blade, Singlemode, MPO to MPO, 16 MPO Ports w/ 12 Fibers, Compatible Q3000/Q4000 Chassis, Quareo	56	No
<a href="#">7076027</a>		QUFB-48FDLCMSMHR	Chassis Blade, Singlemode, LC to MPO, 24 Duplex LC Ports, 48 Fibers Distributed from 2ea 12 Fiber MPO Connectors, Compatible Q3000/Q4000 Chassis, Quareo	56	No
<a href="#">7078242</a>		1933352-3	Kit, Cable Support Bar, 1RU, 12in, Blk	56	No
<a href="#">7078904</a>	FASTENAL	710599	Heat Shrink, 1/4In x 6In, 18-10 AWG, Adhesive Lined, Black, 1-Piece	56	No
<a href="#">7081476</a>		408213486	Circuit Breaker, 40A Load	56	No
<a href="#">7082331</a>		407405661	Power Wire, Class B, Cotton Braided, 600V RHH, 6 AWG, Red, 100ft Spool	56	No
<a href="#">7082332</a>		407405695	Power Wire, Class B, Cotton Braided, 600V RHH, 6 AWG, Black, 100ft Spool	56	No
<a href="#">7082333</a>		407405653	Power Wire, Class B, Cotton Braided, 600V RHH, 6 AWG, Green, 100ft Spool	56	No
<a href="#">7091136</a>	Unirise USA, LLC	PWCD-C13C14-13A-03F-BLK	Cable, Power, 16AWG SJT, 100-250V, 13A, Extension Cord, IEC 60320 C13 to C14, w/ 3 Conductor PC/Mon, Black, 3ft	56	No
<a href="#">7100687</a>	Orvac Electronics	TK2096	Kit, Optical Power Meter, Kingfisher, w/ 1x KI9600XL-Ge5 Power Meter w/ 5mm Ge Detector (600-1650nm), Includes Adapters: 1x OPT224 Univ 1.25mm, 1x OPT225 Univ 2.5mm, 1x OPT226A LC, 1x OPT227 MTP/MPO	56	No
<a href="#">7103490</a>		740-0195-006	Adapter, LC Simplex, 740 Series, Ceramic Sleeve, Standard Cutout, Blue Body, 100pcs per Box	56	No
<a href="#">7116065</a>	TR Mfg	CB-SR-241207	Cable, SM Standard Y-Cable, 24-Fiber MTP To two 12-fiber MTP, Custom Routing, 2ft FANOUT, 7M	56	Yes
<a href="#">7117408</a>	Tenere Westminster Colorado	7117408	Kit, Assy, Shield, EMI, Front, Pegasus, UTP, US non-YAWN only	56	No
<a href="#">7125236</a>	Tenere Westminster Colorado	7125236	Kit, U-Shelf, Installation, Rack, UTP	56	No
<a href="#">7126931</a>	Tenere Westminster Colorado	7126931	Bracket, Support, Rear, Rack, UTP	56	No
<a href="#">7134073</a>		407405570	Power Wire, Class B, Cotton Braided, 600V RHH, 10 AWG, Green, 100ft Spool, RoHS	56	No
<a href="#">7134078</a>		5698800000000000	Power Wire, Class B, Cotton Braided, 600V RHH, 8 AWG, Green, 100ft Spool, RoHS	56	No
<a href="#">7138777</a>		6-569278-3	Modular Plug, CAT 5e, RJ45, 26-23 AWG, 8-Position, Unshielded, Round Solid Stranded, MP-5EU-1, Thermoplastic Housing w/ Au-plated, RoHS, Box of 100 pc..	56	No
<a href="#">7141520</a>		CFP2-QSFP28-A000	Transceiver, 100 Gb/s, CFP-2 Port Adapter to QSFP-28, Compatible with MSA Standard QSFP28 transceivers, 0 to +70C, RoHS	56	No
<a href="#">7141543</a>		SPP5110ZR-GL	Optical Module, Transceiver, SFP+ MSA Compliant, 10Gbps, Multi-Protocol, 1550nm, SM, LC, 80km, 0 to 70 Tc, RoHS, GR-253/T1.105.03 ANSI, Sumitomo SPP5110ZR-GL	56	No
<a href="#">1043994-01</a>	M.C. Dean, Inc.	MCD-ISURMLS7501	iStar Ultra GCM board + 2U 75W Power Supply	56	No
<a href="#">16000361-01</a>	GE Power Electronics Inc.	850027374	Assy, Cable, Power, DC Output, 4AWG, 600V, Stranded MTW, Terminated, 2 Hole Lug, 1/4in Hole Dia on 5/8in Centers, 1x Cable w/Red Jacket, 1x Cable w/Black Jacket, 3ft	56	No
<a href="#">16000897-01</a>		850038452	Cable, DC Output, 2AWG, 5/8in C-C, 10ft	56	No