

GPN	Description	Lead Time	NCNR
7004014	CYCL, RJ45 DB9F ADAPTER ADB0036	56	No
7003903	POWER CORD L6-20P TO C19 8FT	56	No
1063891	Assy, Cord, Pwr, 20A, 250VAC, NEMA L6-20P x IEC 320/C19, 14-3, SJT Insulation, Blk, 15 ft, for use with L6-20R outlets wired with standard Line-to-Line power	56	No
7003763	POWER CORD_16A 250V_COMMANDO(60309 32A)TO C19_4.5M (15FT) BL	56	No
7022412	Cable manager, Front and Rear, 1RU, 19" (1.7" x 8.9" x 19")	56	No
7001645	no description	42	No
1034025	Tool, 17x Tools, w/ Leather Box, 4 in Closed Length, Needle Nose Plier, Regular plier, Wire Stripper, 420HC Knife, Serrated Knife, Can/Bottle Opener, Wood/Metal File, Screwdriver, Stainless Steel	56	No
1033309	PDU, Switched, C20 Input/Inlet, 16 x C13 Outlets, 208-230V, 20A, 50/60Hz, 1.8in W x 49.5in H x 2.3in D, RoHS, Auto- Flip Display, LED Input Current Monitoring, Hot-Swap Network Card, Star Multi-Linking	42	No
1040484	Packaging, Bag, ESD Static Shielding, 12.5in W x 17.5in L, 10mm Seal, pack of 4000 bags	77	No
7075022	Sensor Card, IR, 700-1600nm, 1in x 1.5in	56	No
1034383	PDU, Rack,Switched Link, LED InputCurrent Monitoring, Hot-SwapNetwork Card, Star Multi-Linking, Auto-Flip Display,208V, 20A, 16xIEC60320/C13 Outlets, 49.5in Tx 1.75in W x 2.25in D, RoHS	119	No
901241	Servertech - Locking IEC 60320/C19 - L6-20P (20A Twist-Lock) 10ft (3m), 12 AWG, cULus	56	No
7130230	Console Server, Hydra, ZPE NodeGrid, Ports: 48 Serial & 2 Ethernet, Dual AC, 1RU, 17x12.3x1.7 in. (Avocent Cyclades Replacement) (Supplier Item: NSC-T48-STND-DAC)	119	No
7103486	Cable Retention Clip, Wire, C13 Receptacle, C14 Plug, 1U Wide, Set of 8	56	No
7001322	Amp White Dot Crimpers	56	No
7130833	Bundle, Diagcable, Contains USB to Rj45 Cable, Network Adapter, RJ45 to DB9F Adapter, Apple USB to Ethernet Cable Cover	49	No
7130790	Labeling System, PT-E500, Handheld/PC Connectable, Laminating Thermal Transfer, Automatic Tape Cutter, w/ QWERTY Keyboard, 180dpi	42	No
7001769	Cable Stripper	56	No
7105122	Kit, Cart, ESD-Safe, 18x24x36in, 3x Shelves-18x24in, 4x Posts-36in, 2x Swivel Casters-5in dia, 2x Swivel Braking Casters-5in dia, 3x Inlay Mats-18x24in/Blue, 1x Split Sleeves 4/Pk	70	No
1045083	Servertech: Switched PRO1, 1U, 8 x IEC C13 Outlets, Input Amp Meter, 120/208-240 20A and 230V 16A Rating w/ IEC C20 Inlet, (2) Temperature/Humidity Sensor Capable, Breaker Branch Circuit Protection (Input power cord ordered separately) Features: 60C, Auto-flip LED, High Retention Outlets, Locking Outlets, Reverse Sequencing Shipping Weight: 10 lbs. Shipping Dims: 20 x 12 x 7 in.	77	No
1027649	12V DC, Compact, 3/8 in Chuck, 1,300 RPM Max., 265 in-lb Max Torque, (2) 2.0 Ah	56	No
7037623	Network Adapter, Rollover, RJ45, Male/Female	56	No
7038151	Kit, Rack Grounding, 19in Rack, Includes Grounding Jumper 6 AWG x 96in, Busbar, HTAP, RoHS	56	No
7096238	Flashlight, LED, Mini, 84 Lumens, Adjustable Beam, Water Resistent, Batteries Included, Black	56	No
7016397	10-32 Rack Screws (100)	56	No
7038155	Cable Tie Mount, Flat Pan-Post Standoff, 5.42in Length, Flame Retardant Nylon 6/6, Natural Color, Indoor, Package of Qty 5, RoHS	56	No
7122565	Kit, Global PDU Mounting Bracket, Servertech PDU compatible, inward facing non-button mount for one PDU, Vertical, 1kit	56	No
1056799	Table, Assembly, Steel, 60in L x 30in W, Adjustable Height, Heavy-Duty / 12 Gauge Welded Steel Top, 2,000 Pound Capacity	56	No
901252	Cord, Patch, CAT5e, 568b, UTP, Booted, Yellow, 10FT	42	No
7003890	PWR CORD, C13R TO C14, 1.0M (3'), STRAIT	56	No
1054893	ServerTech, - PRO1, PDU, Smart Master, 1U, 12A, 100-240V Inlet, 6x IEC 60320/C13 Outlets, 4x CX Outlets, 10/100 Mbps Ethernet, RS-232 Serial RJ- 45 Connector, 1.75in H x 17.2in Wide x 7inin D, EU, RoHS (Supplier Item: BDL- C1S10SA-0ABA2B4-EUGN)	126	No
1059145	Kit, w/ Table, w/ ESD Mat	56	No
7141525	Bundle, System, PDU, PRO2, Incl 2x Switched PDU w/PIPS IEC 60320 10A/16A@ 240V C13/C19 Outlets w/Circuit Breakers, 2xIEC 60309 2P+E 3m DetachPwrCord, 2x Brkt &Button Mounting Kits, w/RJ-45 to RJ-45 Conn, 2x4PAC Sensor, Bluetooth, EU	126	No
7001340	Folding Chairs	56	No
7026019	CORD, POWER, L6-30P-C19, 15FT, 12/3 AWG, UL	119	No
7097392	Adapter, LC, Duplex, Ceramic Sleeve, Standard Cutout, Blue, 740 Series, 100 pcs	56	No
1053628	Cord, Power, 12AWG, C20 to C19, 15ft, Black	84	No
1086907	PDU, Switched, 1U, 20A, 208V, 8 x IEC 60320/C13 Outlets, IEC 60320/C20 Inlet, 10/100 Mbps w/ RJ-45, Link	77	No
7135806	Cable Tester, Loopback, Standard, Fiber Optic, Standard, MTP/MPO, SM, 9/125um, Male, for use on MPO w/ Pins Config 1-2/ 3- 4/5-6/7-8/9-10/11 to 12	42	No

GPN	Description	Lead Time	NCNR
1069390	Bundle - 2x, PDU, Servertech, 2RU, Input IEC 60309 460C9W, 10ft cord, 208V, 60A, 3PH, Output 12xC19 3xC13 , Metered, North America, Colored Outlets, w/ 19in, 21in, 23in Brackets	126	No
7005060	Cletop-S Tape Refill/Blue	56	No
7001793	8" Cable Tie BLK 18lb (100pk)	56	No
1065280	Clip, Retention, Power Cord, Plastic (Supplier Item: KIT-CX13)	56	No
7004332	ATTENUATORS, FIXED OPTICAL, LC, 15DB	56	No
7004333	ATTENUATORS, FIXED OPTICAL, LC, 18DB	56	No
7004334	ATTENUATORS, FIXED OPTICAL, LC, 20DB	56	No
7134727	PDU, Switched, Circuit Breakers, Master CDU, 32A, 2P +PE Blue Plug, H05VV-F 4.0mmx 4.0mm 3m Cord, 220-240V, 50/60Hz,IEC 60309	42	No
7004320	ATTENUATORS, FIXED OPTICAL, SC, 2DB	56	No
7004321	ATTENUATORS, FIXED OPTICAL, SC, 3DB	56	No
7004322	ATTENUATORS, FIXED OPTICAL, SC, 8DB	56	No
1032206	Tubing, Heat Shrink, Flexible, Polyolefin, Black, 1/2in x 4ft	56	No
7017202	Attenuators, Single Mode, Fixed Optical, 1dB, 50 dB Min, LC/PC, 1310 nm / 1550 nm, Short Type, 754 Series	56	No
7017203	Attenuators, Single Mode, Fixed Optical, 1dB, 50 dB Min, SC/PC, 1310 nm / 1550 nm, Standard, 754 Se	56	No
1069362	Bundle - 2x, PDU, Servertech, 0RU, Input IEC 60309 532C6S, 3m cord, 400/230V, 32A, 3PH, Output 18xCX 18xC13, Switched Master + Switched Link, Global, w/ Brackets + Accessories (Supplier Item: BDL-C2W36TE-GPAE2M99- GN)	126	No
1112296	ESD Bag 16in x 24in General Purpose	42	No
7054544	Loopback, Optical, LC/APC, SM 9um, 4dB+/-1dB, atten, 1310nm DFB laser, Green Shell, Armadillo	56	No
1069387	Bundle - 2x, PDU, Servertech, 0RU, Input IEC 60309 460C9W, 10ft cord, 208V, 60A, 3PH, Output 18xCX 18xC13, Switched Master + Switched Link, North America, w/ Brackets + Accessories	126	No
1094178	Tape, Measuring, f/ Rack Unit, Measures up to 10 feet or 68U, Metal Tape Material Housed in Plastic w/ a Belt Clip & Tape Stop	56	No
7022974	Ground Cable, 6AWG, 84", Dual Hole/Ring Terminal	56	No
7132799	Media Converter, Singlemode to Ethernet, 1000BASE-T, 10/100/1000 Mbps, 10Km, 2 Ports, RJ45, 5VDC, 2A, IEEE 802.3 Compliant, 5.5x4.3x1.5in, Incl. 100-240VAC, 50Hz, w/ Auto switching PSU, Copper Fiber, Black	56	No
7001464	Cables To Go- Serial Adapter RJ45/DB9F- Black	56	No
7045040	Ground Cable, 6AWG, 144", THHN, w/ 90Deg. Lug (2x Holes @0.25in Dia./ 0.63in Spacing), To Blunt End, Green, Custom	77	No
7073632	Tool, Multicut Step Drills, 4 to 12 x 1mm, Hall	56	No
7015052	M5 BOLT (100 pieces)	56	No
7122974	Fused Disconnect, 60A, T5G System, 5-Wire, 240V, 3-Pole, 20ft Drop Cord, E28 Enclosure, Isolated Ground, Bussmann TCF Fuses, 200kAIC	70	No
7054957	CLIP, RETENTION, AC, C19-PLUG	56	No
7038156	Cable Tie Mount, 90?? Standoff, 2.0in Height, Nylon 6/6, Natural Color, Indoor, Package of Qty 10, RoHS. PP1S-S12-X	56	No
7133769	Earthing, Earthrail, Copper, 20x5x2000 mm, 81ME, w/ two M8 holes for lugs, Special	56	No
1112969	Tool, Set, 20Pcs, Rapid Load, Quick Change,1/4in Hex Shank	56	No
7054008	Cord, Power, 18AWG, 10A, 250V, C13 to C14,10ft, Black	56	No
1069364	Bundle - 2x, PDU, Servertech, 2RU, Input IEC 60309 532C6S, 3m Cord, 400/230V, 32A, 3PH, Output 12xC19 3xC13 , Metered, Global, Colored Outlets, w/ 19in, 21in, 23in Brackets	126	No
30003003	Cable, Fiber, Singlemode MPO12 (Female) to MPO12 (Female), Fiber Patch Cord, 12-Fiber, Method A, Plenum, Stranded Construction, Yellow Jacket, Standard, Black Boot, Green Connector, -10 to 60C	126	No
7015054	Cage Nuts M6 (100 pieces)	56	No
7038154	Cable Tie Mount, 90?? Standoff, 4.6in Height, Nylon 6/6, Natural Color, Indoor, Package of Qty 10, RoHS	56	No
7048282	07048282 - Tubing, Heat Shrink, Heavy Wall Adh Lined, Polyol	56	No
7060249	Grounding Bar, Vertical, Copper, 20mm x 5mm x 2000mm/ 81ME	56	No
7087555	Lug, Two Hole, Long Barrel, #14-10 AWG, 1/4 Bolt Size, 5/8in OC, Copper, 1.89in Length	56	No
7011647	4 AWG, 5ft Load Grounding Cable	56	No
7015464	Wiring Duct, Wide Slot , 3" x 4" x 6'	56	No
7051893	Ground Cable, 6AWG, 144", THHN, E/W 2HL, 1/4"HL, 5/8" OC, Straight Lug, Blunt End, Custom	56	No
7018901	Key Storage Lock 5401D, Master Lock	56	No
7007425	Metric Socket Set, 14 Piece 1/4in Drive	56	No
7140129	Cable, Power, 14AWG, 250V, 15A, Extension Cord, IEC-320-C14 to IEC-320-C15, Black, 10ft	56	No
7001554	2ft. Power Adapter Cord IEC-320-C14 to Nema 5-15R	56	No
7001564	1/2"x1 3/4" Avery Labels For Rack Names (8000pk) office depot#297726	56	No

GPN	Description	Lead Time	NCNR
7001784	EQP, FLUKE CLAMP METER	63	No
7004229	RACK SHELF, 19	42	No
7004400	07004400 - EQP, RJ45 CRIMP TOOL	56	Yes
7004494	CAT5E (RJ45) MOD PLUG, (ICE CUBE), 50PK	56	No
7004875	FIBER MANAGEMENT TRAY -B, BULK SLACK STORAGE UP TO 32 CABLES, 1U	63	No
7005102	Socket Set 1/4" - 13PC	56	No
7005104	Fastener-Cable Tie • Cable Tie, 14in, 50lb Tensile Strength, Nylon 6.6, Natural Color, 4in Max Wire Bundle Dia, UL 94 V-2, 14.1Lx0.187W in, 100/Bag	56	No
7005291	Pelican Case Lid Organizer	56	No
7005295	Pelican 1560 - Black w/Foam	56	No
7006457	PWR CORD C13R TO C14, 2.0M	56	No
7100951	Adapter, Connector, FOA, LC Type, for Power Meter Interface	70	Yes
7008072	Adapter, SC Male - SC Female	56	Yes
7008901	Tool, Scissors, Electricians, Right Handed, 5-1/4in L, 1-7/8in Length of Cut, Blunt, Serrated	56	No
7013767	ATTENUATORS, FIXED OPTICAL, LC, 3DB	56	No
7022345	Blanking Panel, Scalable, 27U, 47.25"h x 19.25"w x 0.040"d, pk of 10	56	No
7024104	Cable Manager, Horizontal, 1U, 19in Rack Mount, Single-Sided, w/ Snap-on Cover, Textured Black Powd	56	No
7027926	Modular Plug, Cat5e, RJ-45, (Ice Cube), 8 Position, RoHS	56	No
7028614	Cleaning Tool, Fiber Ports/Connectors, MPO, IBC HBMT Extended Nozzle Tip, RoHS	56	No
7048157	Grease, Electrical, A-Special Compound, Rust/Corrosion Prevention, Non Toxic NSF Approved, 10213 - 6 X 15/CS X 4 Oz Plastic Tubs NO-OX-ID	56	No
7048358	Meter, Optical Power, 600-1650nm Response, 5mm Ge Detector, +15dBm Damage Level, 124x81x25mm, 9600XL Series	49	No
7062510	Cleaning Tool, SC, ST, FC, and E2000 Connectors w/ UPC and APC Polish, Brand IBC, 10pk	56	No
7066944	Rivet, Snap, Square hole, Black, Tool-Free, Qty 50	56	No
7086174	Attenuators, Single Mode, Fixed Optical, 7dB, 50 dB Min, LC/PC, 1310 nm / 1550 nm, Short Type, 754 Series	56	No
7086175	Attenuators / Single Mode / Fixed Optical / 14dB / 50 dB Min / LC/PC / 1310 nm / 1550 nm / Short Type / 754 Series	56	No
7086863	Panel, Brush Guarded, Cable Access, 19in, 1U, Black	77	No
7087565	Cartridge, Label Maker, Flag Label, 1.180in W x 0.788in H, Permanent Polypropylene, Black On White, Brady BMP51/BMP53	56	No
7087566	Cartridge, Label Maker, Label, 25ft W x .500in H, Permanent Polyester, Black On White, Brady BMP51/BMP53/BMP41	56	No
7087975	Ladder, Step, 2ft, Non-Conductive Fiberglass, Type IA Duty Rating, 3in Step Size, 300lbs Load Capacity USA ONLY	42	No
7091700	Blade, Fiber, 1/2 RU, 24 Port Duplex LC (48 Fiber), Singlemode LC-LC, Q3000	70	No
7096147	Cartridge, Label Maker, Vinyl, 25ft W x 1.5in H, Black On White, Brady BMP51/BMP53	56	No
7096224	Label Maker, PC-Connectable, PC and Mac, Thermal Transfer, 180 dpi, 18.1mm Max Print Height, 24mm Max Tape Width, P-Touch	56	No
7100215	Label Maker, w/Wireless Enabled Printing, 24mm Max Tape Width, w/ AC Power Adaptor, USB Cable	56	No
7103961	Workbench, Adjustable Height, ESD-Safe, 30in to 36in,1000lb Weight Capacity, 36in x 96in, Blue Frame and White Top	70	No
7107987	Cartridge, Label Maker, 1.0in W x 2.5in H, Self-Laminating Vinyl, Black on White/Clear, Brady BMP51/BMP53/BMP41, 1.1	56	No
7115596	Connector Cleaner, Fiber Optic, Cletop-S Type B Replacement Cartridge, with White Tape	56	No
7135805	Cable Tester, Loopback, Standard, Fiber Optic, Standard, MTP/MPO, SM, 9/125um, Female, for use on MPO w/ Pins Config 1-2/ 3- 4/5-6/7-8/9-10/11 to 12	42	No
1027007	Cabinet, Storage, Electronic, w/ 2x Door, Keyless Lock Handle, 5x Total w/4x Adjustable Shelves, 22 Gauge Steel (Top,Header&Sill), Includes 4x AA Batteries, 36in W x 18in D x 78in H, Gray	42	No
1029507	Tool, Wire and Cable Crimper, Uninsulated, 22 to10 AWG, 9-3/4 In L, Dipped Handle	56	No
1034015	Modular Adapter DB9M to RJ45, DB9M D-SUB 9 PIN Male Gold Flash Contacts, RJ45 Female Gold Plated 3mu,Plastic Hood,Grey color	56	No
1034507	Shear Cutter, Cutting Capacity 1/16 inch Copper, 5 inch Length	56	No
1036435	1.25 mm One-Click cleaner for LC (500+ cleans)	252	No
1044998	Label, Cable, Vinyl, White, Thermal Transfer, 1.20in x 1in Wire Flag, Irregular 1.200000 " x 1.750000, Matte Polypropylene w/ Acrylic Adhesive, 4000 Labels/Roll, Back Slitting/Notch, w/ Roll Form Release Liner	56	No
901242	Cable, Power Cord, 18AWG, SJT, 10A, 100-230V, IEC-320-C14 Male to IEC-320-C13 Female, Black, 6ft, RoHS,	56	No

GPN	Description	Lead Time	NCNR
7001557	Packing Tape Gun, Office Depot #887315	56	No
7001605	Cable Tie, 8in, 40lb Tensile Strength, Nylon/Polyethylene, 1.91in Max Wire Bundle Dia, 8Lx0.5Wx0.1T (100 pack price)	56	No
7001786	Fluke Micromapper	56	No
7002154	50' yellow cat5 patch w/ approved rj45	56	No
7002155	50' black cat5 patch w/ approved rj45	56	No
7002196-1000KPG	NUT, KEP, 10-32 UNF, B.3, pack of 1000 pcs	56	No
7002313	SCR, FHP 8-32 X .25 LG	35	No
7003117	Wrenches, hex, set	56	No
7004328	ATTENUATORS, FIXED OPTICAL, LC, 2DB	56	No
7004415	CONNECTOR, COMPRESSION LUG, HY TYPE, 2 HOLE, 2 AWG	56	No
7004416	HDW, CAGE NUTS/BOLTS (BAG OF 50)	56	No
7004421	CONNECTOR, COMPRESSION LUG, CU-HY TYPE, 90 DEG., #2	56	No
7004422	CONNECTOR, LUG, CU-HY LUG, 6STR-FLEX (2)1/4	56	No
7004440	LBL,BROTHER LAMINATED TAPE, 12MM, FOR P-TOUCH, 2 PK	56	No
7005061	Cletop-S Connector Cleaner - Type A	56	No
7005091	Kit, Cable Management, Express Exit, 4in, Yellow, Includes Base/Base Cover/Mounting Hardware/Support Bracket/Exit Inserts, For 4in x 4in, 4in x 6in and 4in x 12in Fiber Management	56	No
7005093	8oz Tube 9-Ply Waxed Lacing	56	No
7005098	Metal Cable Sewing Needle	56	No
7005101	Cable Cutter - High Leverage	56	No
7005103	Standard Cable Ties - Natural Nylon 14.5"	56	No
7005202	Modular Plug Cat5 Tool & Die Set (white dot)	56	No
7005210	3M - Wrist Strap 10' - Adjustable	56	No
7005257	PeliLock - Small Combination Lock	56	No
7005272	Screw-PH 10-32/50 Pkg	56	No
7005276	TamperPRF Bit Kit - 29-PC	56	No
7005303	CONNECTOR, LUG, 2 HOLE, FOR 1/4" STUD, #2 AWG	56	No
7005317	ATTENUATORS, FIXED OPTICAL, LC, 5DB	56	No
7005354	PNL,HORIZ WIRE MGMT PANEL, 19"	56	No
7006394	NEEDLE NOSE PLIER	49	No
7007304	FUSE, GMT, 20 AMP FUSE	56	No
7007335	FIBER MANAGEMENT TRAY -B, BULK SLACK STORAGE, 2U	84	No
7007432	DeWalt Lithium Ion/ Nicad Charger,120 Volt AC	56	No
7007437	CULUG-2FLEX-1/4x5/8-Narrow	56	No
7007440	Tubing, Heat Shrink, Thin Wall, 0.50in Dia, Cross-linked Polyolefin, Clear, 1.2m L	56	No
7007564	Lug, 6 AWG 1/4" 5/8" separated dual stud lug for inverter	56	No
7007984	4AWG, 10ft Power Wire Pair Standard Lug	56	No
7007985	4AWG, 5ft Wire Pair Standard Lug	56	No
7008001	EXFO 1.25mm adapter for FLS-241	84	No
7008071	Adapter, SC Male - LC Female, Single Mode	56	No
7008591	Bus Adapter (for landing multiple cables on 5/8" centers)	56	No
7008791	EXFO Pocket Pal Visual Fault Locator (VFL), 2.5mm	42	No
7009429	Rack Panel Adapter (2pk), 6.96in H, 23in to 19in, Black, 4 RMU	56	No
7009640	Cord, Power, 14AWG, 15A, 250V, C19 to C14, 10ft, Black	56	No
7010084	Panels, Splice Tray for TFP	56	No
7010395	Extra Utility Cart, Number of Shelves 4, Length 40 3/8 Inches, Height 51 Inches, Black	42	No
7010780	20A LOAD BREAKER	56	No
7010782	5A LOAD BREAKER	63	No
7012347	Cable trays, sinked. 46U, 200mm wide	56	No
7012585	CCH PNL W/12 LC DUPLEX SM	42	No
7014471	Fiber Cleaner Cletop Sticks - 2.5mm Diameter (5/Pack) SC/FC/ST	56	No
7015190	Radionics - Standard Cable Ties - Natural Nylon 14.5" (pack of 100)	42	No

GPN	Description	Lead Time	NCNR
7018804	Rack, BUD, 45 RU, 84inH x 30inW x 36inD, 10/32 rails, 19/23 Convertible, Seismic Zone 4, w/ HW Kit 50x 10/32 Screws, Ganging HW, 50ft x 1/2in Roll of Velcro, 2x 27-RU Plenafill Panels	56	No
7019907	Zinc-Pltd Stl Pan Head Phillips Machine Screw 10-32 Thread, 3/8" Length	56	No
7022332	Screws, Thumb Panel, 10/32, pk of 50	112	No
7022346	Blanking Panel, Scalable, 23", Pack of 12	56	No
7023632	Assy, AC Power Shelf, J2007001L6, RoHS	140	No
7023640	Assy, AC Rectifier, CP2725AC54TEZ, 2725W, 54V DC, RoHS	365	No
7023641	Cable, AC Input Power, 15 ft, #12 AWG, C19 To 6-20P, Tadooine, RoHS	56	No
7024128	Description -LUG, 8 AWG, 1/4" HL, 5/8" OC, Copper, 1/2" length, (100 per pack)	56	No
7024530	Lug, 4AWG, 1/4" hole size, 5/8" spacing, .68" tongue width	56	No
7037402	Circuit Breaker, 20Amp, 8340-G1 Series, Single-Pole Protected, w/o Locating Pin, Hydraulic-Magnetic, Med. Delay (H1), Round Terminals, w/o Panel HW, w/o Aux. Contacts, w/ Rated Current Marking	56	No
7037407	Circuit Breaker, 50Amp, 8340-G1 Series, Single-Pole Protected, w/o Locating Pin, Hydraulic-Magnetic, Med. Delay (H1), Round Terminals, w/o Panel HW, w/o Aux. Contacts, w/ Rated Current Marking	112	No
7038149	Lug, Compression Fit, 6 AWG, 2 Hole, 1/4in Dia, 5/8in Hole Spacing, 45deg Tongue, RoHS	56	No
7038152	Cover, Insulating, Clear, For Copper Compression HTAPS, RoHS	56	No
7039432	Connector, Locking Fork Terminal, For 12-10 AWG Wire, Stud Size 10, Vinyl Insulated, Yellow, Pack of Qty 50	56	No
7041940	Adapter, Hybrid, Bulkhead, SC/UPC to LC/UPC (Male-Female, 9/125um)	42	Yes
7042661	Kit, Hardware, 2x Hex Bolts @ 1/4in-20 X 0.75in L, 4x Flat Washers, 2x Split Washers, 2x Hex Nuts, Durium Silicon Bronze, Type TMH, In Sealed Bag	56	No
7043030	Kit, Cable Management, 6ft Vertical Duct, 2inWx4inD, Slotted w/ 2in Spacing, w/ Removable Hinged Cover, FiberGuide	56	No
7045328	Cleaning Tool, LC Fiber/Connectors, 525-750 Dry cleanings per unit, Generic Brand	56	No
7045492	Module, Loopback, QSFP/QSFP+, Electrical, Passive, Serial ID, 3.3V, 100ohms Impedance, 5dB, RoHS	280	No
7045704	Label, Tape, Cassette, 12mm x 8m, Black/White, Brother P-Touch	56	No
7045965	Rack Panel Adapter (2pk), 3.46"H, 23" to 19", Black, 2 RMU	56	No
7046337	Side Panel, 1000mm x 46U/81ME, Color RAL 7047, Varicon-M	63	No
7048125	Lug, Flex Conductor, 2HL, #8 AWG, Stud HL Size 1/4in, Stud HL Spacing 0.63in, Std. Barrel w/Window Lug, Panduit Color Code Red, bag of 100 pcs	56	No
7048135	Lug, Flex Conductor, 2HL, #6 AWG, Stud HL Size 1/4in, Stud HL Spacing 0.63in, Std. Barrel w/Window Lug, Panduit Color Code Blue, (1pc)	56	No
7048139	Lug, Flex Conductor, 2HL, #4 AWG, Stud HL Size 1/4in, Stud HL Spacing 0.63in, Std. Barrel w/Window Lug, Panduit Color Code Gray	56	No
7048284	Tubing, Heat Shrink, Thin Wall, Polyolefin, Black, 1/2" x 6", Wire Size 8 AWG - 6 AWG, 20Pc	56	No
7048287	Connector, Compression, C-Tap Copper Crimpit, Main 2-8 AWG, Tap1 2-8 AWG, Tap2 8-14 AWG, Brown	56	No
7048291	LUG, 6 AWG, 7/16in Strip Length, 1/4in 1 Hole, Tongue Angle Straight, Tongue Width 0.45in, Commercial Stranded Copper, Length Barrel Standard	56	No
7057521	Cord, Power, 14-3, 16A, 250V, C19 Straight x C20, 1M	56	No
7062854	Assy, Side Panel, 18 GA. Steel, w/ Screw/Nut Retainer, For 30in Bud Rack	77	No
7071484	CAGE NUT, CLIP-ON, 10-32, ZINC PLATE	56	No
7072946	Duct, Wiring, Slotted, PVC, UL94 V-0, 2.75in W x 3.12in H x 6ft L, Blk, Panduct Type G	56	No
7076025	Chassis, 4 RU, 7in x 19in x 15in, Accommodates 8 Blades, Q3800 Series	84	No
7078169	Butt Splice, SCS, Standard Barrel, #6 AWG, Blue, 0.31in. Barrel O.D., 1.75in L	56	No
7078891	Compression Terminal, Copper, 4 AWG, Straight, 2 Hole, Gray, 3/8 x 1	56	No
7078893	Compression Terminal, Copper, 2/0 AWG, Straight, 2 Hole, Black, 3/8	56	No
7080559	Blanking Panel, Scalable, 23in panels, For 1in o.c. Mounting Rails, Pack of 12 Panels	56	No
7081032	Bracket, 1U, 19in to 23in, Frame Mounting Adapter	42	No
7081811	Tool, Cleaner, Fiber Arrays, MTP and Gen Full Description: Tool, Cleaner, Fiber Arrays, MTP and Generic MPO Connectors, IBC"	56	No
7082411	Power Cord, NEMA, 250V, 20A, Locking L6-20M to IEC C19F, 25Ft, 12G, 3Wire, PVC Jacket, Blk	56	No
7087498	Terminal, Straight Barrel, 8awg, 600v-35kv, 1 Pad Hole, 0.25in. Stud, 1.26in. Length, Copper, Color Code Red, HYLUG	56	No
7087499	Terminal, Straight Barrel, 8awg, 600v-35kv, Dual Holes, 0.375in. Stud, 1.0in. Spacing, 2.52in. Length, Copper, Color Code Red, HYLUG	56	No
7087500	Terminal, Straight Barrel, 6awg, 600v-35kv, Dual Holes, 0.21in. Stud, 0.625in. Spacing, 1.94in. Length, Copper, Color Code Blue, HYLUG	56	No
7087502	Terminal, Straight Barrel, 6awg, 600v-35kv, Dual Holes, 0.313in. Stud, 1.0in. Spacing, 2.5in. Length, Copper, Color Code Blue, HYLUG	56	No

GPN	Description	Lead Time	NCNR
7087511	Terminal, Straight Barrel, 2awg, 600v-35kv, Dual Holes, 0.375in. Stud, 1.0in. Spacing, 2.82in. Length, Copper, Color Code Brown, HYLUG	56	No
7087605	Blade, Fiber, LC-MPO, 24 Duplex LC Ports (48 Fibers), OS2 Singlemode, A-A/ B-B (straight) wiring, Q3000	49	No
7088310	Terminal, 90 degree Long Barrel, 6awg, 600v-35kv, Dual Holes, 0.25in Stud, 0.625in Spacing, Copper, Blue 24	56	No
7089179	Full Description: Lift, Hydraulic, Foot Pump, 880lb Capacity, Platform 24Lx23W in, 3.5in - 59in Lift Range, Vestil HYD-10	84	No
7089958	Rivet, Snap, for 10-32 holes, .19 Diameter, Nylon 66, UL94V-O, qty 50 pk, Black, Plenaform	56	No
7091472	Bracket, Panel Extender, Converts 19in Horizontal Panels to 23in Panels, 1RU, Black	49	No
7091775	Storage Drawer, Lockable, 19in Rack-Mount, 4RU, Black	42	No
7095640	Bar, Strain Relief, 2in Offset, Standard Density, For 24x Cables, Black, w/ #12-24 & M6 Screws, SRB19BLY, RoHS	56	No
7096225	Label Maker, Handheld, PC-Connectable, Rechargeable, 16-Character x 3 Line LCD display, Thermal Transfer, 180 dpi, QWERTY Keyboard, P-Touch	56	No
7096227	Pliers, Cutting, Diagonal Cutter, 160mm, Chrome Plated, Insulated Handles	56	No
7096236	Tile Lifter, Larger Format Tiles, Vacuum Suction, Holds Up To 25kg	56	No
7096753	Cord, Power, 14AWG, 250v, C20 to C13, 7ft, Black	56	No
7096948	Power Cord, IEC-60320-C20 Male to IEC-60320-C19 Female, 12AWG SJT, 20A, 250V, 6ft, Black	56	No
7098493	Rack Panel Adapter (2pk), 1.71in H, 23in to 19in, Black, 1 RMU	56	No
7098500	Rack Panel Adapter (2pk), 8.71in H, 23in to 19in, Black, 5 RMU	70	No
7098701	Housing, Closet Connector, 4U, 19in/23in Rack, 7.0in H, 17.0in W, 12.0in D, Removable Front Door, Holds Up to 12 Panels	42	No
7100763	Tester, Optical Lost, Handheld, High-Power Ge Detector, UPC w/ SC Connector Adaptor, 1310/1550nm Laser Source 9/125, 120VAC, FOT-602, VFL	56	Yes
7103603	Set, Side Skirt Blind 2ea, w/ Cable Entry Holes, Round 60mm, 46U/2200mm x 750mm, 1ea Top Plate, RAL7047, Suitable for 21in Rack	56	Yes
7104724	Bundle, Rack, BUD, 45RU, 4-Post, 84inH x 30inW x 36inD, 10-32 Rails, 19/23in Convertible (Preset at 19in), Top Gnd Point, Seismic, Steel, Blk, w/ 4x 5x14.5in Sound Blocks, 2x 19inW x 27U Plena	56	Yes
7115350	Handheld Tester, Live Fiber Detector, w/ Core Power Reading Display, w/ Additional 2mm & 1.6mm Heads	42	Yes
7115595	Connector Cleaner, Fiber Optic, Cletop-S Type B, White tape	56	No
7116988	Kit, Bracket, Chassis, 192 Fiber, MPO Trunk Cables, 2x Max, Adjustable Left/Right and Top/Bottom, For Q3000 Chassis	56	Yes
7119918	Power Cord, Heavy Duty, C19 To C20, 12AWG, 20A, 250V, 10Ft, RoHS	56	No
7119991	no desp	56	No
7120029	Labeling Kit, Handheld, Wireless, QWERTY keypad, Auto Cutter, Computer Connectivity, Backlit display	56	No
7120181	Shipping Tag, #5, 4 3/4in x 2 3/8in, Pre-wired, Red, Qty 1,000/Cartron	56	No
7122456	Fuse, 50A, 600Vac/300Vdc, 200kA RMS Sym,Time-Delay, Dual-Element, 2.13in x 1.00in x 1.13in	56	No
7122480	Cover, 2/3 Top, Black Texture, 14 GA, Steel, 28in x22.64in, For Cabinet Rack	42	No
7122812	Kit, Adapter Tip, w/ 1x LC tip for Bulkhead Adapter (FIPT-400-LC), 1x Universal Patchcord tip for 1.25mm Ferrules (FIPT-400-U12M), Used for FIP-400 Series Fiber Inspection Probes	42	Yes
7123080	Crimp Tool, Manual, Lugs/Taps, #8-#2 Cu & #10-#6 Al Connectors, 54705-54727 C-Taps, Shure-Stake Ratchet, Orange/Black Handle, RoHS	42	No
7123211	Fused Disconnect, 20ft Drop Cord, T5G System size, E36 Enclosure, 4-Wire, 240V, 80A, 200kAIC, 3-Pole Bussmann CCP Fuses, Isolated Ground	77	No
7123763	Connector, Power, Female, Pin and Sleeve, IEC 60309, 250 VAC, Three Phase, 100 Amp, 3 Pole, 4 Wire, IP67, Valox 357, Blue	56	No
7125516	Kit, Fully Automated Wi-Fi Inspection Tool w/ Embedded Analysis, 1x Fiber Inspection Probe, 1x MTP/MPO APC & UPC Adapter Tip, 1x LC Angled Adapter Tip, 1x LC Adapter Tip Kit, 1x Belt Holster	42	Yes
7131835	Cable, Loopback, Molded, Fiber Optic, Dual, LC/UPC, SM, 9/125um, Insertion Loss=0.06dB (A)/0.14dB (B), Return Loss=55.7dB (A)/56.0dB (B), 2in (Cable Type: S09SX01CZNPY20), 1.25mm Outer Dia, Zi	42	No
7135294	Floor Mat, Adhesive-Coated, Anti-Static, Anti-Microbial, White, 36in x 45in, 60 Sheets/Refill, w/ Polystyrene Frame	56	No
7135295	Replacement, Pad, for Floor Mat w/ Polystyrene Frame, Adhesive-Coated, Anti-Static, Anti-Microbial, White, 36in x 45in	56	No
7136053	Meter, Digital, AC/DC Clamp, 1000V, 600A, CAT IV 600V, 1Hz - 500KHz, 0 to +40 C, 9.09x3.82x1.54in, True RMS,	56	No
7136099	Cable, Power Cord, IEC C15-C20, 14AWG, 250V AC, 15A, SJT, PVC, Black, 10feet	56	No
7139759	Cable, Power Cord, 14AWG, H-060, 15A, 250V, IEC-60320-C13 Male to IEC-60320-C14 Female, Black, 5ft, RoHS	56	No
7139760	Cable, Power Cord, 14AWG, H-120, 15A, 250V, IEC-60320-C13 Male to IEC-60320-C14 Female, Black, 10ft, RoHS	56	No

GPN	Description	Lead Time	NCNR
7139761	Cable, Power Cord, 14AWG, H-060, 15A, 250V, IEC-60320-C15 Male to IEC-60320-C14 Female, Black, 5ft, RoHS	56	No
7139762	Cable, Power Cord, 14AWG, H-120, 15A, 250V, IEC-60320-C15 Male to IEC-60320-C14 Female, Black, 10ft, RoHS	56	No
7139763	Cable, Power Cord, 14AWG, H-060, 15A, 250V, IEC-60320-C15 Male to IEC-60320-C20 Female, Black, 5ft, RoHS	84	No
7139764	Cable, Power Cord, 14AWG, H-120, 15A, 250V, IEC-60320-C15 Male to IEC-60320-C20 Female, Black, 10ft, RoHS	56	No
7139765	Cable, Power Cord, 12AWG, J-060, 20A, 250V, IEC-60320-C19 Male to IEC-60320-C20 Female, Black, 5ft, RoHS	56	No
7139766	Cable, Power Cord, 12AWG, J-120, 20A, 250V, IEC-60320-C19 Male to IEC-60320-C20 Female, Black, 10ft, RoHS	56	No
7139773	Sleeve, EZip, HD-19, for C20 plugs, IEC 60320, HDOT C19 Receptacle	70	No
7139797	Kit, Cable Management, Express Exit, 6in, Includes Base/Base Cover/Mounting Hardware/Support Bracket/Exit Inserts, For 4in x 4in, 4in x 6in, and 4in x 12in Fiber Management	49	Yes
7139978	Tubing, Heat Shrink, 3/4in, 200ft, Polyolefin, Black, RoHS	56	No
7140217	PWR CORD, C19 TO BS4343/CEE17, 10'	56	No
7142232	Fiber Loopback, LC/UPC Duplex, Single Mode 9/125, PVC, Yellow	56	No
7142252	Fiber Loopback, SC/UPC Duplex, Single Mode 9/125, PVC, Yellow	56	No
1020976	Shelf, Rack Mount, 2U, Fixed, Black, Steel, 44.2lb Capacity, Ext Dims: 15.7 D x 3.5 H x 19in W, includes 4x M6 Cage Nuts & 4x M6 Screws	56	No
1021048	Full Description: Bit Tip, Max Fit, Size 2, 2in L, Philips Head, Magnetic, w/ Screw Lock System, S2 Modified Steel, For Drill/Drivers, Pack of 5	56	No
1021051	Bit Tip, Max Fit, Size 2, 6in L, Philips Head, Magnetic, w/screw Lock System, S2 Modified Steel, For Drill/Drivers	56	No
1021190	Foam Sheets, Perforated, Anti-Static, 24in W x 24in H x 1in D, Pack of 12, Urethane	56	No
1021385	1021385 - Multimeter, General Purpose, Digital Display, 600mV, 6A, 99.9Hz, 6.57in x 3.31in x 1.82in, Yellow	56	No
1022682	PDU, Horizontal Mounting, Non Metered, 3 Phase, 32A, 6x IEC C19 Outlets, 5m Length, EMEA/APAC only	63	No
1023582	Lug, Two-Hole, 10 AWG Wire, Stud HL Size 1/4in, 0.25in Stud, Long Barrel w/ Window Lug, Copper, QTY 1= 50 PCS	56	No
1023642	Tool, Tile Puller, Perforated, T-Handle, Steel, Red	56	No
1025244	no desp	56	No
1025311	Cable, Power, IEC 60320 C20 TO C21, 10ft, Black, REV1	56	No
1026574	Kit, Rack Grounding, 19in Rack, Includes, 2x White Insulators, 20x #12-24 x 1/2in Zinc-Plated Screws, 4x #12-24 x 5/8in Zinc-Plated Screws & Flat Washers, 2x Ground Labels, 1x Horizontal Ground Copper Busbar, for 2- or 4- Post Racks	56	No
1029388	Label, Laminated, 12mm wide, Black on White, P-Touch, TZe, 8m Length	56	No
1029392	Label, Laminated, 24mm wide, Black on White, P-Touch, TZe, 8m Length	56	No
1030178	Cabinet, Storage, Double Doors, Cupboard Style, 4-Shelf, Key locking handles, 36W x78H x24in D, Steel construction, Gray color USA ONLY	49	No
1032325	Locking IEC 60320/C19 - Locking IEC 60320/C20 6ft (1.8m), 12 AWG, cULus	42	No
1034003	Designation Card, Makrofol Polycarbonate PCVE 6000, 2.95x0.585x0.010 in	56	Yes
1034004	Cover, Snap On, Quareo, 3.167x0.75 in, F/N 001	56	No
1037437	Power Cord, IEC 60320 C14 to IEC 60320 C19, 14AWG, 15Amp, 250 Volts, PVC, Black, 2 Foot	56	No
1039041	Router, Wireless, 2.4 and 5 GHz, 256 MB Flash Memo	56	No
1040034	Tool, Utility Knife, 7", 440A Stainless Steel, Rubber Handle, Orange/Black, 0.47 lb	56	No
1040035	Tool Kit, 1/4 Hex Driver-Drill, 7.2V, Li-ion, 2-Speed, Cordless, Built-In LED, Auto-Stop Clutch, w/ Battery	56	No
1040036	Serial Rollover Cable, USB Type A (Male) to RJ45 (Male), 6 ft, Gray, For Cisco RJ45 Ports	56	No
1040039	Tool, Needle-Nose Pliers, 6-5/8 in, Diamond Serrated Jaws, Plastisol Grip, 0.35 lbs	56	No
1040043	Cletopt Casette Cleaner, Replacement Tape Type S, White, 130 x 75 x 40 mm	42	No
1040044	Tool, Screwdriver, Phillips, 2 x 4 in, 9 in Overall Length, Round Shank	49	No
1040059	Crimping Tool, w/ Cable Stripper, For RJ11/RJ12/RJ45 Modular Plugs, 8.26 x 3.15 x 1.81 in, 0.75 lbs	56	No
1040167	Loopback, Optical, QSFP, 12F OM3, MTP (Female)	56	No
1040222	Earplugs, Yellow/Red, 33 dB Noise Reduction Rating, Polyurethane, w/ Dispenser Refill, 500/Pack	42	No
1040480	Screwdriver Set, 6 pcs, 1.35 Lbs., Phillips/Slotted Sizes 3.5/4.5/6.5 mm, CVM Steel, w/ cushion grip handle, RoHS	56	No
1040695	Safety Glasses, Tour-Guard, Impact Protection, Integrated Sideshields, Over-the Glass Coverage, Medium Size, Polycarbonate Lens, Clear	56	No
1040896	Tool, Drill/Driver, Cordless, 2-Speed, 15+1 Torque Setting, Keyless chuck, w/ Lithium Ion Battery, Charger, Case, 12V, 1.5Ah, Green(EU Specific)	49	No
1041077	Bag, Tool holder, Canvas, w/ Brass Zipper, 12.5 x 4.25 x 7 in, 86g, Natural	56	No
1041733	Connector, Multi-international Power Plug, For IEC 320 C14 Input, C13 Receptacle	56	No

GPN	Description	Lead Time	NCNR
1043794	Label, Blank, White, Wound Out, Thermal Transfer, Permanent Adhesive, Label Dimension 3in x 0.5in	56	No
1047202	Connector, Pin and Sleeve, 3 Phase, 250V, 60A, Watertight IEC, 3-Pole, 4-Wire, Rynite SST35 Cover, Standard, Polycarbonate Sealing DIsk, Nickel Plated Brass Cover Screw	42	No
1051149	Vacuum, Omega Supreme Plus HEPA Electronic 120V/628W, 99 CFM, w/ OF612HE HEPA, Power Cord, ESD Safe Crevice Tool/Brush, Gooseneck Tool, 6ft Hose, Filter Plug, Shoulder Strap, 1 ID x 1.25 OD in	77	No
1051170	Cable Manager, 1RU, Front Only, 19in, (1.72in x 3.74in x 19in), Panduit (True 19in Width, No Side Gaps)	56	No
1052247	Cord, Power,12AWG, 250v, C20 to C21, 1ft, Black	42	No
1052250	C20 To C21 Power Cord, 20A, 18 Inch	56	No
1052252	Cord, Power,12AWG, 250v, C20 to C21, 2ft, Black	56	No
1053396	Cord, Power,14AWG, 250V, C13 to C14, 9in, Black	42	No
1053398	Cord, Power,14AWG, 250V, C13 to C14, 1ft, Black	56	No
1053399	Cord, Power,14AWG, 250V, C13 to C14, 18in, Black	56	No
1053400	Cord, Power,14AWG, 250V, C13 to C14, 2ft, Black	49	No
1053631	Cord, Power, 250V, 20A, C20 to C19, 16.4ft, Black	56	No
1053632	Cord, Power, 12AWG, 250V, 20A, C20 to C21, 3ft, IEC60320	56	No
1053633	Cord, Power, 12AWG, 250V, 20A, C20 to C21, 4ft, IEC60320	56	No
1054073	Adapter, 1/4in F - 3/8in M Drive	56	No
1054894	ServerTech-PDU, ServerTech, PRO1, PDU, Smart Master, 1U, 12A, 100-240V Inlet, 6x IEC 60320/C13 Outlets, 4x CX Outlets, 10/100 Mbps Ethernet, RS-232 Serial RJ-45 Connector, 1.75in H x 17.2in Wide x 7in D, US, RoHS; PTCORD L1, C20-NEMA	126	No
1054961	Legrand- Cord, Power,12AWG, 250V, 20A, IEC C20 to IEC C21, 3-Wire SJT Jacket, 30in, Black	56	No
1054964	Cord, Power,12AWG, 250V, 20A, IEC C20 to IEC C21, 3-Wire SJT Jacket, 42in, Black	112	No
1054966	Cord, Power,12AWG, 250V, 20A, IEC C20 to IEC C21, 3-Wire SJT Jacket, 5ft, Black	56	No
1054967	Cord, Power,12AWG, 250V, 20A, IEC C20 to IEC C21, 3-Wire SJT Jacket, 12ft, Black	56	No
1055206	Cord, Power, 12AWG, 250V, 20A, C20 to C21, 15ft, Black	56	No
1055680	Cable, Trunk, Pre-Terminated, MPO Female to MPO Female, TeraSPEED, InstaPatch LL, 192-Fiber Loose Tube, LSZH/Riser, Yellow Jacket Color, 25m, RoHS	56	Yes
1055826	Label Printer, Single Color Printing, Thermal Transfer, 300 dpi, Qwerty Keyboard, Multi-Line Print, BMP51,110-240V, w/Software Package, 262 x 91 x 152 mm	63	No
1056445	Power Cord, IEC 60320 C14 to IEC 60320 C15, 14AWG, 15Amp, 250 Volts, PVC, Black, 1.5 Feet	56	No
1059593	Pallet Jack, Hand Pallet Truck, 1150mm x 540mm, EMEA	112	No
1063867	Blanking Panel for 21in ETSI racks, Pack of 10x 10-SU Panels (Black)	70	No
1064285	Wrench, Adjustable, Chrome Plated, 4in	56	No
1064654	Tap Off Box, 1No. 63A Three Phase iMPB, w/ 1No. Quadriple Pole ABB S800 MCB, W/ 1NO. IEC60309 Connector IP67 3-Pole 5 Wire (TP+N+E), C/W 1.5M Drop Cord	49	No
1065806	Description: Label, Tape, Cassette, 18mm W x 8m L, Black/White, Adhesive-Laminated, Brother P-Touch Location: Amsterdam(NL)	56	No
1069357	Sleeve, EZip, C19, for C20 plugs, IEC 60320, Standard C19 Receptacle, (10QTY)	70	No
1069358	Sleeve, EZip, C13, for C14 plugs, IEC 60320, Standard C13 Receptacle, (24QTY)	70	No
1069360	PDU, Servertech, 0RU, Input IEC 60309 532C6S, 3m cord, 400/230V, 32A, 3PH, Output 18xCX 18xC13, Switched Master, Global, w/ Brackets	42	No
1069381	Bundle - 2x, PDU, Servertech, 2RU, Input IEC 60309 532C6S, 3m cord, 400/230V, 32A, 3PH, Output 6xC20, Basic, Global, Shallow, w/ Ikea Slim Brackets	126	No
1069382	PDU, Servertech, 0RU, Input IEC 60309 460C9W, 10ft cord, 208V, 60A, 3PH, Output 18xCX 18xC13, Switched Master, North America, w/ Brackets	49	No
1069393	Bundle - 2x, PDU, Servertech, 2RU, Input IEC 60309 460C9W, 10ft cord, 208V, 60A, 3PH, Output 6xC19, Basic, North America, Shallow, w/ Ikea Slim Brackets	126	No
1070225	Splice, 8-Die, Hysplice, 4Awg, 600v-35kv, Dual Holes, Tin-Electro Plated, 0.74in Length, Copper, Gray	56	No
1070227	Splice, Reducer, 8-Die, HyReducer, 4Awg Barrel A, 10Awg Barrel B, 600v-35kv, Dual Holes, Tin-Electro Plated, 0.74in Length, Copper,Gray	56	No
1073137	Tool, Crimp, Built-in Cutter & Stripper, Steel, Accommodates EZ-RJ45 Plugs & Standard RJ-45 & RJ-11 Plugs, 8.50in Length	56	No
1080464	Lug, 2 Hole, 90 Degree, 10 AWG, M5 Stud Hole, 16mm Hole Spacing, Tin-Plated Copper, RoHS	56	No
1082170	Lug, Cu, Std Barrel w/ Window, Two-Hole, 0.25in Stud, 6AWG, 0.75in Spacing, 45Deg Torque, Electro-Sn, pack of 100 pcs	49	No
1082302	Tap Off Box, E And I Engineering Group Busway, 50A, 3 Phase iMPB, W/ 2 Triple Pole With Non-Indicating Fuses, W/ 2 of 4 Wire Dual Drop, 4 Feet Power Cords	112	No
1083017	Full Description: Cable, Power, C19/C20, 12AWG x 3 Core, 20A, 250V, SJT Jacket, Black, w/ Label, 2ft LG	49	No
1083018	Cable, Power, C19/C20, 12AWG x 3 Core, 20A, 250V, SJT Jacket, Black, w/ Label, 2.5ft LG	35	No

GPN	Description	Lead Time	NCNR
1083019	Cable, Power, C13/C14, 18AWG x 3 Core, 10A, 250V, SVT Flexible Jacket, Black, w/ Label, 9.7in LG	56	No
1083020	Full Description: Cable, Power, C13/C14, 18AWG x 3 Core, 10A, 250V, SVT Flexible Jacket, Black, w/ Label, 18in LG	56	No
1083021	Cable, Power, C13/C14, 18AWG x 3 Core, 10A, 250V, SVT Flexible Jacket, Black, w/ Label, 2ft LG	56	No
1083022	Cable, Power, C13/C14, 18AWG x 3 Core, 10A, 250V, SVT Flexible Jacket, Black, w/ Label, 2.5ft LG	56	No
1083023	Cable, Power, C13/C14, 18AWG x 3 Core, 10A, 250V, SVT Flexible Jacket, Black, w/ Label, 3ft LG	77	No
1083024	Cable, Power, C13/C14, 18AWG x 3 Core, 10A, 250V, SVT Flexible Jacket, Black, w/ Label, 3.5ft LG	56	No
1083025	Cable, Power, C13/C14, 18AWG x 3 Core, 10A, 250V, SVT Flexible Jacket, Black, w/ Label, 4ft LG	56	No
1083026	Cable, Power, C13/C14, 18AWG x 3 Core, 10A, 250V, SVT Flexible Jacket, Black, w/ Label, 4.5ft LG	56	No
1083027	Cable, Power, C13/C14, 18AWG x 3 Core, 10A, 250V, SVT Flexible Jacket, Black, w/ Label, 5ft LG	56	No
1083028	Cable, Power, C13/C14, 18AWG x 3 Core, 10A, 250V, SVT Flexible Jacket, Black, w/ Label, 6ft LG	56	No
1083764	Case, Protector, Watertight, Crushproof, Dustproof, 2 Level Pick N Pluck, 19.9in L x 15in W x 9in D, Polyurethane Wheels, SS Bearings, No Foam	56	No
1083776	Divider Set, Padded, for Use with 1560 Protector Case	56	No
1084014	Thermal Blanking, Panel, SnapFit, 19 Inch Rack, 1U, Square Holes, Black, Plastic, Package Of 10	42	No
1084522	ServerTech - Bundle - 2x, PDU, Servertech, 0RU, Input L15-30 3P+E, 10ft cord, 208/120V, 30A, 3PH, Output 15xCX 21xC13, Smart Master and Smart Link, North America, w/ Brackets and Accessories	126	No
1084525	ServerTech - Bundle - 2x, PDU, Servertech, 0RU, Input IEC 60309 516C6 3P +N+E, 3m cord, 400/230V, 16A, 3PH, Output 15xCX 21xC14, Smart Master + Smart Link, Global, w/ Brackets and Accessories	126	No
1084591	Plenaform- Screw, Thumb, 10/32 Threaded, Black 100/PK	49	No
1084592	Tool, Chad Remover, 19in, PlanaFill	56	No
1091558	Corded Barcode scanner, Zebra DS2208, 2D Imager, General Purpose, USB, Handheld. Kit includes: DS2208-SR00007ZZWW Scanner, CBA-U25-S09ZAR Shielded USB Cable, Black	56	No
1091962	Printer, Thermal Transfer, 300 dpi, 4in Print Width, 100 to 240VAC, w/ USB/RS-232/Ethernet/Bluetooth Connections, EPL/ZPL Programming Language, Tear bar, US power cord, Zebra ZT400 Series	7	No
1091963	Cable, Network, Cat5e, Yellow, 10ft	56	No
1093560	Crate, Wood, Elvis 2xMetal Ramp Hinge, Felt Lining, 46x48x93.5in External, 36x28x84 Internal	56	No
1094767	First Aid Kit, Class A, Assorted Bandages, Antiseptic Wipes, Burn Cream, CRP Protector, Eye Pads, OSHA Compliant	56	No
1103152	Cable, Power Cord, 14AWG, 250V, 15A, C14 to C21, 6ft, Black	49	No
7018008	Cord, Power, 12-3, 16A, 250V, C19 Straight x C20, 2M	56	No
1105296	Cord, Power, 12AWG, 250V, 20A, C20 to C21, 6ft, Black	56	No
1105297	Cord, Power, 12AWG, 250V, 20A, C20 to C21, 8ft, Black	56	No
1105891	Wrench, Adjustable, Extra Capacity, 6-Inch, 23.8mm Jaw Capacity, 161.9mm Length, Chrome	56	No
1106113	Bag, Static Shielding, 16 x 24 inch, QTY1 = Carton of 100 bags	56	No
1106591	Heat Gun, Handheld, 1200W/1100DegF High, 550W/750DegF Low, 2-Speed Fan, 120VAC, Metal Nozzle	56	No
1106968	Panel, Fuse, GMT, 125A, 48VDC, Dual-Feed, 10/10 Panel, Horizontal Inputs, Output Terminal Blocks	112	No
1112362	Terminal, Nylon Insulated, Ring Lug for Wire Size, 12-10 AWG (8-10 AWG STUD)	56	No
1114107	Kit, Cable, Fiber, SM Jumper, LC-UPC to LC-UPC, Uniboot Flexboot, 26In-47In Length	49	No
1114108	Kit, Cable, Fiber, SM Jumper, LC-UPC to LC-UPC, Uniboot Flexboot, 23In-44In Length	56	No
1114109	Kit, Cable, Fiber, MPO-Elite to MPO-Elite, KeyUp-KeyDown, 12F, Uniboot Flexboot, 24In-79In Length	56	No
1114111	Kit, Cable, Assembly, SM Jumper, LC-UPC to LC-UPC, Uniboot Flexboot, 8In-13In Length	56	No
1114112	Kit, Cable, Assembly, SM Jumper, LC-UPC to LC-UPC, Uniboot Flexboot, 8In-16In Length	56	No
1114113	Kit, Cable, Assembly, SM Jumper, LC-UPC to LC-UPC, Uniboot Flexboot, 26In-36In Length	56	No
1114114	Kit, Cable, Assembly, SM Jumper, LC-UPC to LC-UPC, Uniboot Flexboot, 23In-44In Length	56	No
1114115	Kit, Cable, Assembly, Fiber, MPO-Elite to MPO-Elite, KeyUp- KeyDown, 12F,Uniboot Flexboot, 24In-79In Length	42	No
1114626	C14 C15 Power Cords 3 FeetECX-C14C15-G315BK14-P-3F	56	No
1115643	Adapter, Modular, DB9 Male to RJ45 Female	42	No
1116190	ECX-C14C15-G315BK14-P-2F	84	No
1116258	Cable Management, Lace Bar, 10in Offset, 90 Deg Round Bend, Horizontal, Steel,Black Powder Coating, 10D x 0.4H x 19W In	56	No
901264	30' yellow cat5 patch w/ approved rj45	56	No
7039429	Wire, Stranded, Copper, 10 AWG, 600VAC, Nylon-Jacketed PVC Insulation, Type THHN, KS-22641, Red, 100ft Spool	56	No
7039430	Wire, Stranded, Copper, 10 AWG, 600VAC, Nylon-Jacketed PVC Insulation, Type THHN, KS-22641, Black, 100ft Spool	56	No
7134073	Power Wire, Class B, Cotton Braided, 600V RHH, 10 AWG, Green, 100ft Spool, RoHS	56	No

GPN	Description	Lead Time	NCNR
7096228	07096228 - Screwdriver Set, 17 Piece, Pouch With 89mm Bits,	56	No
901223	LC Fixed Optical Attenuator; 4db Level	56	No
7001792	Cable Tie 14-1/2" Black 50lb, Qty 100/Pkg	28	No
901225	LC Fixed Optical Attenuator; 6db Level	56	No
1052405	Description: Kit, Includes 1 x FD Panel and 10 x MPO Patchcords, Panel for 1-RU, with 10 singlemode MPO-8 and 40 duplex shuttered LC ports, Method A, Panel 19x11.5x1.75 in., Patchcord 1m , RoHS	56	Yes
7020045	Cable Manager, Horizontal, 19" wire manager, front only, 2U. WMPHF2E	56	Yes
900555	Cable Manager, Gruber Model 34-208000, 1 U	42	No
901262	30' black cat5 patch w/ approved rj45	42	No
30001354	LC/UPC-LC/UPC JUMPER SM SX 1.6MM JACKETED 0.5M	56	No
1043332	Tap Off Box, Plug-In, E and I Engineering Group Busway, 250VAC, 60A Three Phase iMPB, 2x 3-Pole 50A Bussmann Cubefuses, 2x 3-Pole 4-Wire Connector, 2x 20Ft Drop Cord	112	No
1048811	Power Cord, IEC60320 C14 Male to IEC60320 C15 Female, 3- Wire, 250V, 15Amps, 14AWG, PVC, Black, SJT Jacket, 3 Feet, RoHS	84	No
1049280	6ft 16 AWG 250 Volt Computer Power Extension Cord (IEC320C14 to IEC320C13) (TAA Compliant)	49	No
7076018	Chassis, 2 RU, 2.35in x 19in x 15in, Accommodates 4 Blades, Q3400 Series	77	No
7006513	SUP, VELCRO 3/4" ONE WRAP, 25YD ROLL	56	No
1115541	Visual Fault Identifier (VFL), AFL HiLite, Miniature, 650nm Wavelength,Max Output 5mW, Includes 2.5mm (SC, ST, FC Fiber) & 1.25mm (LC, MUFiber) Adapters, Key-Chain Mountable (Supplier Item: VFI4-01-0900PR)	56	No
1024040	Tool, Fiber Dust Prevention Cap Removal Tool, Plastic, 24 H x 75 W x 62mm L, NO SPEC	49	No
1122039	Network Rack, BUD INDUSTRIES 28 in x 36 in x 84 in (711 mm x 914 mm x 2133 mm) Imperial Threaded Rack with Top Panel Only	56	Yes
7100688	Description - Kit, Optical Light Source, Kingfisher, w/ 1x KI9812A Light Source (850-1300nm, LED, PC), 1x OPT701 50 & 62.5um Filters, 1x OPT046 SC/SC & 1x OPT076 SC/LC Adapters, 1x Orvac 12FMTPLC- 40G-1.5M MTP-8xLC Fiber Cord, 1x Pouch	49	No
1042384	Assembly, Includes QTY 1 Corning CCH-04U Panel/QTY 12 CCH-CP24-A9 24 Strand LC SMF Bulkheads	42	No
1045587	Kit, FD panel, Includes One (1) FD Panel, 20 (Twenty) MPO Patchcords, 2m	42	Yes
7014467	Sharpie Pro-blk, pack of 12	56	No
1025719	Power Meter, Optical, 850/1300/1310/1490/1550nm Response, Ge Detector, +6 to -60dBm Range, Handheld, 5.5x3.2x1.5in, w/2x AA Batteries, Protective Rubber Boot, Carry Case, NOYES OPM4 Series, OPM4-2D 850-1550 W/ 8800-00-0209	49	No
1020861	Tool, Heat Gun, Dual Temperature, 570 & 1000 deg F, 11.6A, 120VAC, 7.25x10.5x3 in	56	No
7004112	CIRCUIT BREAKER, 80 AMP	42	No
1042193	Corning Cable -Assembly, Includes QTY 1 Corning PCH-04U Panel/QTY 12 CCH-CP24-A9 24 Strand LC SMF Bulkheads	49	No
1053630	Cord, Power, 250V, 20A, C20 to C19, 20ft, Black	56	No
1045576	Kit, FD panel, Includes One (1) FD Panel, 20 (Twenty) MPO Patchcords, 2.5m'	49	Yes
1051119	Tool, Screwdriver, 6-1/16in, Slotted/Phillips, Insulated, Multi-Bit 6 in 1, Bit Storage in Handle, w/ Pouch, RoHS	56	No
7005237	Wrench 6" - Chrome	56	No
1119130	Decorative screws with washer (black) M6 (100 pieces)	49	No
7115590	Module, Controller, Galaxy Pulsar Edge, Model CP841A_3C3R_S, w/ Security Features Update, 10/100BASE-T Port, RS232 Port, Monitoring I/Os, LCD Display, For J2007001 Family CPL Shelves	365	No
1049281	Cord, Power,16AWG, 250v, C14 to C13, 3ft, Black	77	No
1052406	Kit, Includes 1 x FD Panel and 10 x MPO Patchcords, Panel for 1-RU, with 10 singlemode MPO-8 and 40 duplex shuttered LC ports, Method A, Panel 19x11.5x1.75 in., Patchcord 5 foot , RoHS	42	Yes
7004108	Micro BDFB Circuit Breaker Panel	168	No
7076017	Chassis, 1 RU, 1.75in x 19in x 15in, Accommodates 2 Blades, Q3200 Series	84	No
7022975	Lugs, 600V, 150C, Kynar Insulated, Yellow Stripe, Tin Plated, Bag of 50	49	No

GPN	Description	Lead Time	NCNR
1033926	Lugs, 600V, 150C, Kynar Insulated, Yellow Stripe, Tin Plated, Bag of 50	63	Yes
7100303	Cable Tester, Network Continuity, Tests Cat5e or Cat6 Cable, Coax Cable & Phone Cable Connections, Includes 2 tests units, 2 BNC/F Coax Adapters,1 Coax Terminator, Carry Pouch	42	No
7013757	Pretium® Connector Housing, 1 RU	42	No
16000894-01	Cable, DC Pair, 2AWG, 5ft	42	No
7005275	Cord, Power, 14/3 SJT-B-I C14 To C19, 6'	42	No
7009012	Pretium Connector Housing, 12 Panel Capacity, 4 Units High	42	No
7082330	Power Wire, Class B, Cotton Braided, 600V RHH, 2 AWG, Green, 100ft Spool	56	No
30001239-002	Cable, Fiber, Cord, SM, BIF, LC-LC-DX, UPC, 1.6mm Zipcord, OFNR, 2m	56	Yes
30001239-020	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord,Yellow OFNR,20m(Supplier Item:71-112960013-020)	56	Yes
30001239-040	Cable, Fiber, Cord, SM, BIF, LC-LC-DX, UPC, 1.6mm Zipcord, OFNR, 40m	56	Yes
30001455-002	Cable, Fiber, SM, BIF, QSFP 8-Fiber, MTP12-Elite, APC Polish, F-Key Up to 4-LC-DX, 0.75M Fanout, 3.0mm round OFNP to 1.6mm Zipcord, OFNR MTP12 yellow connector to 4xLC-DX blue connector yellow fiber	56	Yes
30002446-005	Cable, Fiber, Cord, SM, BIF, LC-LC-DX, UPC, 1.6mm dia, Zipcord, Blue OFNR, 5m	56	Yes
30001066-001	Cable, Patch, Fiber, SM, LC-LC-SX, 1.6mm, 1m(Supplier Item:71-111960165-001)	56	Yes
30001066-002	Cable, Patch, Fiber, SM, LC-LC-SX, 1.6mm, 2m(Supplier Item:71-111960165-002)	56	Yes
30001239-001	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord,Yellow OFNR,1m(Supplier Item:71-112960013-001)	56	Yes
30001239-003	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord,Yellow OFNR,3m(Supplier Item:71-112960013-003)	56	Yes
30001239-004	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord,Yellow OFNR,4m(Supplier Item:71-112960013-004)	56	Yes
30001239-005	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord,Yellow OFNR,5m(Supplier Item:71-112960013-005)	56	Yes
30001239-006	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord,Yellow OFNR,6m(Supplier Item:71-112960013-006)	56	Yes
30001239-007	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord,Yellow OFNR,7m(Supplier Item:71-112960013-007)	56	Yes
30001239-008	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord,Yellow OFNR,8m(Supplier Item:71-112960013-008)	56	Yes
30001239-009	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord,Yellow OFNR,9m(Supplier Item:71-112960013-009)	56	Yes
30001239-010	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord,Yellow OFNR,10m(Supplier Item:71-112960013-010)	56	Yes
30001239-011	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord,Yellow OFNR,11m(Supplier Item:71-112960013-011)	56	Yes
30001239-012	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord,Yellow OFNR,12m(Supplier Item:71-112960013-012)	56	Yes
30001239-013	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord,Yellow OFNR,13m(Supplier Item:71-112960013-013)	56	Yes
30001239-014	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord,Yellow OFNR,14m(Supplier Item:71-112960013-014)	56	Yes
30001239-015	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord,Yellow OFNR,15m(Supplier Item:71-112960013-015)	56	Yes
30001239-016	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord,Yellow OFNR,16m(Supplier Item:71-112960013-016)	56	Yes
30001239-017	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord,Yellow OFNR,17m(Supplier Item:71-112960013-017)	56	Yes
30001239-018	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord,Yellow OFNR,18m(Supplier Item:71-112960013-018)	56	Yes

GPN	Description	Lead Time	NCNR
<u>30001239-019</u>	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord,Yellow OFNR,19m(Supplier Item:71-112960013-019)	56	Yes
<u>30001239-021</u>	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord,Yellow OFNR,21m(Supplier Item:71-112960013-021)	56	Yes
<u>30001239-022</u>	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord,Yellow OFNR,22m(Supplier Item:71-112960013-022)	56	Yes
<u>30001239-023</u>	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord,Yellow OFNR,23m(Supplier Item:71-112960013-023)	56	Yes
<u>30001239-024</u>	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord,Yellow OFNR,24m(Supplier Item:71-112960013-024)	56	Yes
<u>30001239-025</u>	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord,Yellow OFNR,25m(Supplier Item:71-112960013-025)	56	Yes
<u>30001239-026</u>	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord,Yellow OFNR,26m(Supplier Item:71-112960013-026)	56	Yes
<u>30001239-027</u>	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord,Yellow OFNR,27m(Supplier Item:71-112960013-027)	56	Yes
<u>30001239-028</u>	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord,Yellow OFNR,28m(Supplier Item:71-112960013-028)	56	Yes
<u>30001239-030</u>	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord,Yellow OFNR,30m(Supplier Item:71-112960013-030)	56	Yes
<u>30001239-032</u>	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord,Yellow OFNR,32m(Supplier Item:71-112960013-032)	56	Yes
<u>30001239-033</u>	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord,Yellow OFNR,33m(Supplier Item:71-112960013-033)	56	Yes
<u>30001239-034</u>	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord,Yellow OFNR,34m(Supplier Item:71-112960013-034)	56	Yes
<u>30001239-036</u>	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord,Yellow OFNR,36m(Supplier Item:71-112960013-036)	56	Yes
<u>30001240-004</u>	Cable,Fiber,Cord,SM,BIF,LC-SC-DX,UPC,1.6mm Zipcord,OFNR,4m(Supplier Item:71-122960128-004)	56	Yes
<u>30001240-005</u>	Cable,Fiber,Cord,SM,BIF,LC-SC-DX,UPC,1.6mm Zipcord,OFNR,5m(Supplier Item:71-122960128-005)	56	Yes
<u>30001240-006</u>	Cable,Fiber,Cord,SM,BIF,LC-SC-DX,UPC,1.6mm Zipcord,OFNR,6m(Supplier Item:71-122960128-006)	56	Yes
<u>30001240-007</u>	Cable,Fiber,Cord,SM,BIF,LC-SC-DX,UPC,1.6mm Zipcord,OFNR,7m(Supplier Item:71-122960128-007)	56	Yes
<u>30001240-008</u>	Cable,Fiber,Cord,SM,BIF,LC-SC-DX,UPC,1.6mm Zipcord,OFNR,8m(Supplier Item:71-122960128-008)	56	Yes
<u>30001240-009</u>	Cable,Fiber,Cord,SM,BIF,LC-SC-DX,UPC,1.6mm Zipcord,OFNR,9m(Supplier Item:71-122960128-009)	56	Yes
<u>30001240-010</u>	Cable,Fiber,Cord,SM,BIF,LC-SC-DX,UPC,1.6mm Zipcord,OFNR,10m(Supplier Item:71-122960128-010)	56	Yes
<u>30001240-012</u>	Cable,Fiber,Cord,SM,BIF,LC-SC-DX,UPC,1.6mm Zipcord,OFNR,12m(Supplier Item:71-122960128-012)	56	Yes
<u>30001240-014</u>	Cable,Fiber,Cord,SM,BIF,LC-SC-DX,UPC,1.6mm Zipcord,OFNR,14m(Supplier Item:71-122960128-014)	56	Yes
<u>30001240-015</u>	Cable,Fiber,Cord,SM,BIF,LC-SC-DX,UPC,1.6mm Zipcord,OFNR,15m(Supplier Item:71-122960128-015)	56	Yes
<u>30001240-016</u>	Cable,Fiber,Cord,SM,BIF,LC-SC-DX,UPC,1.6mm Zipcord,OFNR,16m(Supplier Item:71-122960128-016)	56	Yes
<u>30001240-018</u>	Cable,Fiber,Cord,SM,BIF,LC-SC-DX,UPC,1.6mm Zipcord,OFNR,18m(Supplier Item:71-122960128-018)	56	Yes
<u>30001240-020</u>	Cable,Fiber,Cord,SM,BIF,LC-SC-DX,UPC,1.6mm Zipcord,OFNR,20m(Supplier Item:71-122960128-020)	56	Yes
<u>30001240-022</u>	Cable,Fiber,Cord,SM,BIF,LC-SC-DX,UPC,1.6mm Zipcord,OFNR,22m(Supplier Item:71-122960128-022)	56	Yes
<u>30001240-024</u>	Cable,Fiber,Cord,SM,BIF,LC-SC-DX,UPC,1.6mm Zipcord,OFNR,24m(Supplier Item:71-122960128-024)	56	Yes
<u>30001240-026</u>	Cable,Fiber,Cord,SM,BIF,LC-SC-DX,UPC,1.6mm Zipcord,OFNR,26m(Supplier Item:71-122960128-026)	56	Yes
<u>30002416-002</u>	Cable, Fiber, Cord, SM, BIF, LC-LC-SX, UPC, 1.6mm dia, Blue OFNR, 2m(Supplier Item:71-111960166-002)	56	Yes

GPN	Description	Lead Time	NCNR
<u>30002446-003</u>	Cable, Fiber, Cord, SM, BIF, LC-LC-DX, UPC, 1.6mm dia, Zipcord, Blue OFNR, 3m	56	Yes
<u>30002446-010</u>	Cable, Fiber, Cord, SM, BIF, LC-LC-DX, UPC, 1.6mm dia, Zipcord, Blue OFNR, 10m	56	Yes
<u>30001239-031</u>	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord,Yellow OFNR,31m(Supplier Item:71-112960013-031)	56	Yes
<u>30001239-035</u>	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord,Yellow OFNR,35m(Supplier Item:71-112960013-035)	56	Yes
<u>30001239-038</u>	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord,Yellow OFNR,38m(Supplier Item:71-112960013-038)	56	Yes
<u>30002446-007</u>	Cable, Fiber, Cord, SM, BIF, LC-LC-DX, UPC, 1.6mm dia, Zipcord, Blue OFNR, 7m(Supplier Item:71-112960158-007)	56	Yes
<u>30001239-029</u>	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord,Yellow OFNR,29m(Supplier Item:71-112960013-029)	56	Yes
<u>30001240-002</u>	Cable,Fiber,Cord,SM,BIF,LC-SC-DX,UPC,1.6mm Zipcord,OFNR,2m(Supplier Item:71-122960128-002)	56	Yes
<u>30001240-003</u>	Cable,Fiber,Cord,SM,BIF,LC-SC-DX,UPC,1.6mm Zipcord,OFNR,3m(Supplier Item:71-122960128-003)	56	Yes
<u>30001240-028</u>	Cable,Fiber,Cord,SM,BIF,LC-SC-DX,UPC,1.6mm Zipcord,OFNR,28m(Supplier Item:71-122960128-028)	56	Yes
<u>30001240-030</u>	Cable,Fiber,Cord,SM,BIF,LC-SC-DX,UPC,1.6mm Zipcord,OFNR,30m(Supplier Item:71-122960128-030)	56	Yes
<u>30002446-002</u>	Cable, Fiber, Cord, SM, BIF, LC-LC-DX, UPC, 1.6mm dia, Zipcord, Blue OFNR, 2m(Supplier Item:71-112960158-002)	56	Yes
<u>30002446-012</u>	Cable, Fiber, Cord, SM, BIF, LC-LC-DX, UPC, 1.6mm dia, Zipcord, Blue OFNR, 12m(Supplier Item:71-112960158-012)	56	Yes
<u>30002446-015</u>	Cable, Fiber, Cord, SM, BIF, LC-LC-DX, UPC, 1.6mm dia, Zipcord, Blue OFNR, 15m(Supplier Item:71-112960158-015)	56	Yes
<u>30002446-025</u>	Cable, Fiber, Cord, SM, BIF, LC-LC-DX, UPC, 1.6mm dia, Zipcord, Blue OFNR, 25m(Supplier Item:71-112960158-025)	56	Yes
<u>30002446-020</u>	Cable, Fiber, Cord, SM, BIF, LC-LC-DX, UPC, 1.6mm dia, Zipcord, Blue OFNR, 20m	56	Yes
<u>30002446-030</u>	Cable, Fiber, Cord, SM, BIF, LC-LC-DX, UPC, 1.6mm dia, Zipcord, Blue OFNR, 30m	56	Yes
<u>30001066-005</u>	Cable, Patch, Fiber, SM, LC-LC-SX, 1.6mm, 5m(Supplier Item:71-111960165-005)	56	Yes
<u>30001066-008</u>	Cable, Patch, Fiber, SM, LC-LC-SX, 1.6mm, 8m(Supplier Item:71-111960165-008)	56	Yes
<u>30001066-012</u>	Cable, Patch, Fiber, SM, LC-LC-SX, 1.6mm, 12m(Supplier Item:71-111960165-012)	56	Yes
<u>30001239-042</u>	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord,Yellow OFNR,42m(Supplier Item:71-112960013-042)	56	Yes
<u>30001239-044</u>	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord,Yellow OFNR,44m(Supplier Item:71-112960013-044)	56	Yes
<u>30001239-046</u>	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord,Yellow OFNR,46m(Supplier Item:71-112960013-046)	56	Yes
<u>30001239-050</u>	Cable, Fiber, Cord, SM, BIF, LC-LC-DX, UPC, 1.6mm Zipcord, OFNR, 50m	56	Yes
<u>30001239-045</u>	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord,Yellow OFNR,45m(Supplier Item:71-112960013-045)	56	Yes
<u>30001239-048</u>	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord,Yellow OFNR,48m(Supplier Item:71-112960013-048)	56	Yes
<u>30001239-052</u>	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord,Yellow OFNR,52m(Supplier Item:71-112960013-052)	56	Yes
<u>30001239-054</u>	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord,Yellow OFNR,54m(Supplier Item:71-112960013-054)	56	Yes
<u>30001239-056</u>	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord,Yellow OFNR,56m(Supplier Item:71-112960013-056)	56	Yes
<u>30001240-001</u>	Cable,Fiber,Cord,SM,BIF,LC-SC-DX,UPC,1.6mm Zipcord,OFNR,1m(Supplier Item:71-122960128-001)	56	Yes
<u>30001239-060</u>	Cable, Fiber, Cord, SM, BIF, LC-LC-DX, UPC, 1.6mm Zipcord, OFNR, 60m	56	Yes

GPN	Description	Lead Time	NCNR
30001239-080	Cable, Fiber, Cord, SM, BIF, LC-LC-DX, UPC, 1.6mm Zipcord, OFNR, 80m	56	Yes
30001239-037	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord,Yellow OFNR,37m(Supplier Item:71-112960013-037)	56	Yes
30001239-064	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord,Yellow OFNR,64m(Supplier Item:71-112960013-064)	56	Yes
30001239-072	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord,Yellow OFNR,72m(Supplier Item:71-112960013-072)	56	Yes
30001239-076	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord,Yellow OFNR,76m(Supplier Item:71-112960013-076)	56	Yes
30001240-032	Cable,Fiber,Cord,SM,BIF,LC-SC-DX,UPC,1.6mm Zipcord,OFNR,32m(Supplier Item:71-122960128-032)	56	Yes
30001240-034	Cable,Fiber,Cord,SM,BIF,LC-SC-DX,UPC,1.6mm Zipcord,OFNR,34m(Supplier Item:71-122960128-034)	56	Yes
30002446-004	Cable, Fiber, Cord, SM, BIF, LC-LC-DX, UPC, 1.6mm dia, Zipcord, Blue OFNR, 4m(Supplier Item:71-112960158-004)	56	Yes
30002449-008	Cable, Fiber, Cord, SM, BIF, LC-SC-DX, UPC, 1.6mm dia, Zipcord, Blue OFNR, 8m(Supplier Item:71-122960168-008)	56	Yes
30002449-010	Cable, Fiber, Cord, SM, BIF, LC-SC-DX, UPC, 1.6mm dia, Zipcord, Blue OFNR, 8m(Supplier Item:71-122960168-010)	56	Yes
30002449-015	Cable, Fiber, Cord, SM, BIF, LC-SC-DX, UPC, 1.6mm dia, Zipcord, Blue OFNR, 8m(Supplier Item:71-122960168-015)	56	Yes
30002449-020	Cable, Fiber, Cord, SM, BIF, LC-SC-DX, UPC, 1.6mm dia, Zipcord, Blue OFNR, 8m(Supplier Item:71-122960168-020)	56	Yes
30002449-030	Cable, Fiber, Cord, SM, BIF, LC-SC-DX, UPC, 1.6mm dia, Zipcord, Blue OFNR, 8m(Supplier Item:71-122960168-030)	56	Yes
1121181	Bundle, ServerTech BDL-STV-GO3003G-GN - 230/400 32A & 240/415V Wye30A IEC 60309 3P+N+G / (3) x IEC 330R6 Global Rating: ? 32A @230V L-N ;North America Rating: ? 24A @240V L-N - Includes (1) STV-GO3003G/GA(Primary)	126	No
30001239-039	Cable, Fiber, Cord, SM, BIF, LC-LC-DX, UPC, 1.6mm Zipcord, OFNR, 39m	56	Yes
30001239-070	Cable, Fiber, Cord, SM, BIF, LC-LC-DX, UPC, 1.6mm Zipcord, OFNR, 70m	56	Yes
30002617-112	Cable, Fiber, 16-Bundle, 32-Fiber, SM, BIF, LC-LC-DX/UPC, Expando/Self Closing Wrap, ZipCord, Fanout (3.33m, 2xOD1.6mm), Yellow OFNR, 112m	56	Yes
30002618-016	Cable, Fiber, 32-Bundle, 64-Fiber, SM, BIF, LC-LC-DX/UPC, Expando/Self Closing Wrap, ZipCord, Fanout (3.33m, 2xOD1.6mm), Yellow OFNR, 016m	56	Yes
901224	754-1104-4SE00 Line Description: SC Fixed Optical Attenuator; 4db Level Full Description: SC Fixed Optical Attenuator; 4db Level	56	No
901226	SC Fixed Optical Attenuator; 6db Level	56	No
1070095	n/a	56	No
1025021	BRACKET, GROUND, ESD (FORMERLY 07130852)	56	No
1032489	Tap Off Box, Plug-In, E and I Engineering Group Busway, 208V, 20A Single Phase 3 Wire iMPB, 4 - Hubbell L6-20 Receptacles w/ 4 No. 2 Pole Non-Indicating Bussmann Cube Fuses, Phasing AB-BC-CA-AB, 17.99in x 9.15in x 4.84in	56	No
1032494	Tap Off Box, Plug-In, E and I Engineering Group Busway, 208V, 20A Single Phase 3 Wire iMPB, 4 - Hubbell L6-20 Receptacles w/ 4 No. 2 Pole Non-Indicating Bussmann Cube Fuses, Phasing BC-CA-AB-BC, 17.99in x 9.15in x 4.84in	56	No
1032497	Tap Off Box, Plug-In, E and I Engineering Group Busway, 208V, 20A Single Phase 3 Wire iMPB, 4 - Hubbell L6-20 Receptacles w/ 4 No. 2 Pole Non-Indicating Bussmann Cube Fuses, Phasing CA-AB-BC-CA, 17.99in x 9.15in x 4.84in	56	No

GPN	Description	Lead Time	NCNR
1032816	Tap-Off Box, Busway, iMPB, 3 No, 3-Pole, 80A Rating, V2 5Bar, Case Earth Interlock, 1x 100A Bussman Cubefuse, 1x Hubbell 3ft Drop Cord, 4-Wire Receptacle + HBL4100C9W Connector, 9.15in W x 11.97in L x 4.84in D, Powerbar	77	No
1033489	Printer Ribbon, Resin, Thermal Transfer, Black, 4.33in x 1476ft, 1in Core ID, 6.2 Microns Thk, For Industrial Printers & Polyester Labels	56	No
1039964	Tool, Kit, Screwdriver, Cordless, w/ Charger/2x 8V max. Li-ion Battery/Kit Bag, Variable speed 0-430	56	No
1045573	Commscope FD panel kit. Includes One (1) FD panel and 20 (twenty), 1.0 meter MPO patchcords	56	Yes
1045577	Commscope - Kit, FD panel, Includes One (1) FD Panel, 20 (Twenty) MPO Patchcords, 3m	56	Yes
1047211	Tap Off Box, Plug-In, E and I Engineering Group Busway, 250VAC, 60A Three Phase iMPB, 3x 3-Pole, w/ Non-indicating Bussmann Cube Fuse, 4ft 4-Wire Type W Drop Cord with Hubbell Connector	56	No
1047269	RACK-INSIDE-RACK 10U OUTSIDE, 8U INSIDE SPACE, BLACK	56	No
1050249	Cord, Power, 16AWG, 250v, C14 to NEMA 5-15, 2ft, Black	56	No
1052407	Kit, Includes 1x FD Panel and 10 x MPO Patchcords, Panel for 1-RU, with 10 singlemode MPO-8 and 40 duplex shuttered LC ports, Method A, Panel 19x11.5x1.75 in., Patchcord 2m , RoHS	56	Yes
1053999	RACK-INSIDE-RACK, 7U OUTSIDE 5U INSIDE SPACE, BLACK	56	No
1054000	RACK-INSIDE-RACK 12U OUTSIDE, 10U INSIDE SPACE, BLACK	56	No
1064646	Tap Box, Starline, 415Y/240 System Volts, 240 Load Volts, 32A, 532C6S, 6in Cord, 10kAIC, 3-Pole ABB S200M Breaker, Isolated Ground, Pin & Sleeve Spashproof Connector Body	56	No
1098127	Optic Module, Transceiver, QSFP28, 103.1Gb/s, 100G CWDM4, 4x25Gb/s CWDM transmitter, Gen 3, Duplex LC Receptacles, 0 to 70C, 2KM, RoHS-6, FTLC1157RGPL	56	No
1107122	Fastener, Hook & Loop, One-Wrap, Velcro, 1/2in W, 25 Yards L, Nylon, Black	56	No
1122271	CBL,BULK CAT5E, BLACK 1000FT (300M)	56	No
1122273	CBL,BULK CAT5E, Green 1000FT (300M)	56	No
1122274	CBL,BULK CAT5E, Yellow, 1000FT (300M)	56	No
7003764	Assy, IRE-Cord, Power, H05VV3G1.5, IEC-60309, 16A 230V 2p3wplug, IEC-320 C19, 15 ft	56	No
7004109	DC BRKR 70 AMP	56	No
7004111	CIRCUIT BREAKER, 30 AMP	56	No
7004329	ATTENUATORS, FIXED OPTICAL, LC, 8DB	56	No
7004330	ATTENUATORS, FIXED OPTICAL, LC, 10DB	56	No
7004331	ATTENUATORS, FIXED OPTICAL, LC, 12DB	56	No
7005356	CIRCUIT BREAKER, 100 AMP	56	No
7007996	CIRCUIT BREAKER, 10 AMP	56	No
7010776	60A LOAD BREAKER	56	No
7010777	50A LOAD BREAKER	56	No
7010779	25A LOAD BREAKER	56	No
7023071	Cord, Power, 14AWG, 250v, Commando (60309) to C13, 4.5M / 15ft, Black	56	No
7038158	Washer, Lock, External Tooth, #10, Steel, Zinc Plate w/Gold Chromate, Bag of Qty 100	56	No
7038160	Washer, Lock, External Tooth, 1/4in, Steel, Zinc Plate w/Gold Chromate, Bag of Qty 100	56	No
7043232	Vulcanized Cellulose Fiber, Fish Paper, Electrical Insulation, .01Thk x 10 x 24in, Black, RoHS	56	No
7048145	Wire, Conductor Stranding 19/.0372, Copper, 6AWG, Max Temp 90 Deg C, 75A, 600V, Red, 100ft Spool	56	No
7048146	Wire, Conductor Stranding 19/.0372, Copper, 6AWG, Max Temp 90 Deg C, 75A, 600V, Black, 100ft Spool	56	No
7054474	Terminal Lug, 300VAC, 12-10 AWG, #6 Stud, PIDG Rectangular Tongue, Yellow Ring, Closed Barrel, 100/PK	56	No

GPN	Description	Lead Time	NCNR
7073717	Cover, Duct, Wire, PVC 2.5in W x 6ft L, Snap On, Blk, Panduit	56	No
7076026	Chassis Blade, Singlemode, MPO to MPO, 16 MPO Ports w/ 12 Fibers, Compatible Q3000/Q4000 Chassis, Quareo	56	No
7076027	Chassis Blade, Singlemode, LC to MPO, 24 Duplex LC Ports, 48 Fibers Distributed from 2ea 12 Fiber MPO Connectors, Compatible Q3000/Q4000 Chassis, Quareo	56	No
7078242	Kit, Cable Support Bar, 1RU, 12in, Blk	56	No
7078904	Heat Shrink, 1/4In x 6In, 18-10 AWG, Adhesive Lined, Black, 1-Piece	56	No
7081476	Circuit Breaker, 40A Load	56	No
7082331	Power Wire, Class B, Cotton Braided, 600V RHH, 6 AWG, Red, 100ft Spool	56	No
7082332	Power Wire, Class B, Cotton Braided, 600V RHH, 6 AWG, Black, 100ft Spool	56	No
7082333	Power Wire, Class B, Cotton Braided, 600V RHH, 6 AWG, Green, 100ft Spool	56	No
7091136	Cable, Power, 16AWG SJT, 100-250V, 13A, Extension Cord, IEC 60320 C13 to C14, w/ 3 Conductor PC/Mon, Black, 3ft	56	No
7100687	Kit, Optical Power Meter, Kingfisher, w/ 1x KI9600XL-Ge5 Power Meter w/ 5mm Ge Detector (600-1650nm), Includes Adapters: 1x OPT224 Univ 1.25mm, 1x OPT225 Univ 2.5mm, 1x OPT226A LC, 1x OPT227 MTP/MPO	56	No
7103490	Adapter, LC Simplex, 740 Series, Ceramic Sleeve, Standard Cutout, Blue Body, 100pcs per Box	56	No
7116065	Cable, SM Standard Y-Cable, 24-Fiber MTP To two 12-fiber MTP, Custom Routing, 2ft FANOUT, 7M	56	Yes
7117408	Kit, Assy, Shield, EMI, Front, Pegasus, UTP, US non-YAWN only	56	Yes
7125236	Kit, U-Shelf, Installation, Rack, UTP	56	Yes
7126931	Bracket, Support, Rear, Rack, UTP	56	Yes
7134078	Power Wire, Class B, Cotton Braided, 600V RHH, 8 AWG, Green, 100ft Spool, RoHS	56	No
7138777	Modular Plug, CAT 5e, RJ45, 26-23 AWG, 8-Position, Unshielded, Round Solid Stranded, MP-5EU-1, Thermoplastic Housing w/ Au-plated, RoHS, Box of 100 pc..	56	No
7141520	Transceiver, 100 Gb/s, CFP-2 Port Adapter to QSFP-28, Compatible with MSA Standard QSFP28 transceivers, 0 to +70C, RoHS	56	No
7141543	Optical Module, Transceiver, SFP+ MSA Compliant, 10Gbps, Multi-Protocol, 1550nm, SM, LC, 80km, 0 to 70 Tc, RoHS, GR-253/T1.105.03 ANSI, Sumitomo SPP5110ZR-GL	56	No
16000361-01	Assy, Cable, Power, DC Output, 4AWG, 600V, Stranded MTW, Terminated, 2 Hole Lug, 1/4in Hole Dia on 5/8in Centers, 1x Cable w/Red Jacket, 1x Cable w/Black Jacket, 3ft	365	No
16000897-01	Cable, DC Output, 2AWG, 5/8in C-C, 10ft	56	No
1126544	Wire, Cable, Bulk, CAT5E, Horizontal, Orange, 1000FT (300M), RLX, 24-4P, UTP-CMR, SOL BC, PO/PVC, NonBonded-Pair	56	No
1123669	Tool, 4 Compartment, Plano, Tackle Organizer, Clear, 4.63 x 2.88 x 1Inch Exterior	56	No
7099455	PWR CORD, C19 to L6-20, 10FT	56	No
7004157	TUBING, HEAT-SHRINK, 1/2", 150ft	56	No
7082330	Power Wire, Class B, Cotton Braided, 600V RHH, 2 AWG, Green, 30ft	56	No
30001161-020	Cable, Fiber, Cord, SM, BIF, LC-SC-DX, UPC, 2.0mm Zipcord, OFNP, 20m	56	Yes
30001239-041	Cable, Fiber, Cord, SM, BIF, LC-LC-DX, UPC, 1.6mm Zipcord, OFNR, 41m	56	Yes

GPN	Description	Lead Time	NCNR
30001240-025	Cable, Fiber, Cord, SM, BIF, LC-SC-DX, UPC, 1.6mm Zipcord, OFNR, 25m	56	Yes
30001240-036	Cable, Fiber, Cord, SM, BIF, LC-SC-DX, UPC, 1.6mm Zipcord, OFNR, 36m	56	Yes
30001240-040	Cable, Fiber, Cord, SM, BIF, LC-SC-DX, UPC, 1.6mm Zipcord, OFNR, 40m	56	Yes
30001241-005	Cable,Fiber,Cord,SM,BIF,SC-SC-DX,UPC,1.6mm Zipcord,OFNR,5m duplex SCSC yellow jacket blue connector	56	Yes
1024825	PDU, Servertech, PRO2, Horizontal, 100-240V, C20 Inlet, 12x C13, No Cord, Switched POPS/PIPS, CWG12H1-NC	126	No
1085148	Senko Network, Adapter, LC Simplex, Blue, 50pcs Per Box	49	No
1092994	Guide, Fiber, Raceway Drop Section, Without Cover, Spool Bracket, Yellow, 6 x 2 Inch, Engineering Thermoplastic	70	No
1099295	Lug, Standard Barrel, Two-Hole, 0.25in Stud Hole, 6AWG, 0.75in Spacing, Copper, Electro-Tin Plating, Panduit Color Code Blue, RoHS	56	No
1106763	Screw, Thumb, 10/32 Threaded, White 100/PK	56	No
1114490	Inverter, 40~60Vdc, 50/60Hz, 2000W, Pure Sine Wave, Forced Air Cooling, 2xIEC320-C13, 360x440x43.6mm	56	No
1110410	Cord, Power, 14AWG, 250v, Commando (6030 Full Description: Cord, Power, 14AWG, 250v, Commando (60309) to C15, 4.5M / 15ft, Black	56	No
1121164	Bundle, Servertech BDL-STV-GO3003D-GN - Full Description: Bundle, Servertech BDL-STV-GO3003D-GN - 208V Delta 60A IEC 60309 3P+G / (3) x IEC 330R6 North America Rating: 24A @240V L-N PDU BUNDLE -Includes (1) STV-GO3003D/GA (Primary) and (1) SEV-GO3003D/GA (Expansion)PDUs	126	No
1122539	Rack, Cabinet, Google Nexpanse, 800x1000x Full Description: Rack, Cabinet, Google Nexpanse, 800x1000x47U (2200mm), Front-to-Rear Airflow, Free Standing	63	No
1126099	1038736 - Label, Cable Tag, Flame Resistant, FR4 epoxy resin	56	No
7009060	Velcro, 1/2", One-wrap, 25yd, Black	56	No
7010485	EC-60309 16A Blue>IEC-60320-C13 1Outlet Full Description: IEC-60309 16A Blue>IEC-60320-C13 1Outlet ~15'	56	No
30002459	Line Description: Cables, Fiber Cables, MCS to MVAC ToR, 3 Full Description: Cables, Fiber Cables, MCS to MVAC ToR, 32x Fiber Cables, SM, BIF, LC-LC-DX UPC, 2mm Uniboot, Yellow OFNR, 17 to 35in	56	Yes

GPN	Description	Lead Time	NCNR
1099033-01	NSC 48-port unit, Dual DC, Switchable Pinouts, 2-Cores, 4GB RAM, 32GB SSD, Back-to-Front fans (air out)	126	No
30001455-004	Cable, Fiber, SM, BIF, QSFP 8-Fiber, MTP12-Elite, APC Polish, F-Key Up to 4-LC-DX, 0.75M Fanout, 3.0mm round OFNP to 1.6mm Zipcord, OFNR, 4M	56	Yes
30001954-019	Cable, 192-Fiber, SM, MTP12 to MTP12, Fa Full Description: Cable, 192-Fiber, SM, MTP12 to MTP12, Fanout: [(Q3000 MPO/ LC Side: 8@30in + 8@33in) to (NGF Side: 16@32in)], OFNR, TR Mfg FB-33-SMTP 192NQR019, 19m	56	Yes
7139772	Sleeve, EZip, HD-13, for C14 plugs, IEC 60320, HDOT C13 Receptacle	70	No
1029223	n/a	56	Yes
1037443	IEC320 C14 Male Plug to C15 Connector 0.6 meters / 2 feet 15A/250V 14/3 SJT Black - Power Cord	56	No
1045575	Kit, FD panel, Includes One (1) FD Panel, 20 (Twenty) MPO Patchcords, 1.5m (Supplier Item: FD-8-2U-A-1.5M)	56	No
1050075	Kit, Panel, 2RU, 4x Cartridges, 8x MTP Cables, 1m Length	56	Yes
1050076	Kit, Panel, 2RU, 4x Cartridges, 8x MTP Cables, 1.5m Length	56	Yes
1050081	Kit, Panel, 2RU, 4x Cartridges, 8x MTP Cables, 6m Length	56	Yes
1068755	EHD Series, Fiber Patch Panel, 144-Port, 2 RU, 250 m Cable Stub, Black, 3.5 H x 19 W x 18.34 D in.	56	No
1087934	Cartridge, 1x Modular Cartridge, 5x SM Elite MTP to 20x LC/DX Routing Enclosure, Shuttered LC Adapters	56	Yes
1087976	Kit, Assembly, Panel 2RU, 4x Cartridge - 5x MTP, 20x MTP cables, 2m	56	Yes
1087980	Kit, Assembly, Panel 2RU, 4x Cartridge - 5x MTP, 20x MTP cables, 6m	56	Yes
7004290	LC/UPC-SC/UPC JUMPER 8/125 DUPLEX 1.6MM ZIPCORD 2.5M	56	No
7017739	n/a	49	No
7054543	n/a	56	No
7056116	Cbl, DC, 2/0 AWG, w/ Straight Dual-Hole Lugs, Tin-Plated, BLACK, Rectifier Shelf to MicroBDFB Panel, 40"	56	Yes
30001122	Cable, Fiber, Cord, SM, LC-SC-SX, 1.6mm, .5m	56	No
30001123	Cable, Fiber, Cord, SM, SC-SC-SX, 1.6mm, .5m	56	Yes
30002444	Cable, Fiber, Cord, Short Boot, SM, Short Boot, 9/125, BIF, LC/UPC-LC/UPC DX, UPC, 1.6mm Patchcord, OFNR, 6in	56	Yes
30003047	Cable, Fiber Patch, SMF-28e+ 250 Micron Fiber Pigtail, LC Duplex, 3M MPN# 000201R4131003M	56	No
30001161-076	Cable, Fiber, Cord, SM, BIF, LC-SC-DX, UPC, 2.0mm Zipcord, OFNP, 76m	56	Yes
30002543-004	Cable, Fiber, Cord, SM, BIF, miniLC-miniLC-DX, UPC, 2.0mm Uniboot, OFNR, 004m	56	Yes
30002543-008	Cable, Fiber, Cord, SM, BIF, miniLC-miniLC-DX, UPC, 2.0mm Uniboot, OFNR, 008m	56	Yes
30002543-012	Cable, Fiber, Cord, SM, BIF, miniLC-miniLC-DX, UPC, 2.0mm Uniboot, OFNR, 012m	56	Yes
30002543-020	Cable, Fiber, Cord, SM, BIF, miniLC-miniLC-DX, UPC, 2.0mm Uniboot, OFNR, 020m	56	Yes
30002543-024	Cable, Fiber, Cord, SM, BIF, miniLC-miniLC-DX, UPC, 2.0mm Uniboot, OFNR, 024m	56	Yes
30002543-028	Cable, Fiber, Cord, SM, BIF, miniLC-miniLC-DX, UPC, 2.0mm Uniboot, OFNR, 028m	56	Yes
30002543-032	Cable, Fiber, Cord, SM, BIF, miniLC-miniLC-DX, UPC, 2.0mm Uniboot, OFNR, 032m	56	Yes
30002543-036	Cable, Fiber, Cord, SM, BIF, miniLC-miniLC-DX, UPC, 2.0mm Uniboot, OFNR, 036m	56	Yes
30002543-040	Cable, Fiber, Cord, SM, BIF, miniLC-miniLC-DX, UPC, 2.0mm Uniboot, OFNR, 040m	56	Yes
30002543-044	Cable, Fiber, Cord, SM, BIF, miniLC-miniLC-DX, UPC, 2.0mm Uniboot, OFNR, 044m	56	Yes
30002543-052	Cable, Fiber, Cord, SM, BIF, miniLC-miniLC-DX, UPC, 2.0mm Uniboot, OFNR, 052m	56	Yes
30002543-056	Cable, Fiber, Cord, SM, BIF, miniLC-miniLC-DX, UPC, 2.0mm Uniboot, OFNR, 056m	56	Yes

GPN	Description	Lead Time	NCNR
<u>30002543-060</u>	Cable, Fiber, Cord, SM, BIF, miniLC-miniLC-DX, UPC, 2.0mm Uniboot, OFNR, 060m	56	Yes
<u>30002543-068</u>	Cable, Fiber, Cord, SM, BIF, miniLC-miniLC-DX, UPC, 2.0mm Uniboot, OFNR, 068m	56	Yes
<u>30002543-072</u>	Cable, Fiber, Cord, SM, BIF, miniLC-miniLC-DX, UPC, 2.0mm Uniboot, OFNR, 072m	56	Yes
<u>30002543-080</u>	Cable, Fiber, Cord, SM, BIF, miniLC-miniLC-DX, UPC, 2.0mm Uniboot, OFNR, 080m	56	Yes
<u>30002543-084</u>	Cable, Fiber, Cord, SM, BIF, miniLC-miniLC-DX, UPC, 2.0mm Uniboot, OFNR, 084m	56	Yes
<u>30002543-088</u>	Cable, Fiber, Cord, SM, BIF, miniLC-miniLC-DX, UPC, 2.0mm Uniboot, OFNR, 088m	56	Yes
<u>30002543-092</u>	Cable, Fiber, Cord, SM, BIF, miniLC-miniLC-DX, UPC, 2.0mm Uniboot, OFNR, 092m	56	Yes
<u>30002543-096</u>	Cable, Fiber, Cord, SM, BIF, miniLC-miniLC-DX, UPC, 2.0mm Uniboot, OFNR, 096m	56	Yes
<u>30002543-100</u>	Cable, Fiber, Cord, SM, BIF, miniLC-miniLC-DX, UPC, 2.0mm Uniboot, OFNR, 100m	56	Yes
<u>30002543-104</u>	Cable, Fiber, Cord, SM, BIF, miniLC-miniLC-DX, UPC, 2.0mm Uniboot, OFNR, 104m	56	Yes
<u>30002543-108</u>	Cable, Fiber, Cord, SM, BIF, miniLC-miniLC-DX, UPC, 2.0mm Uniboot, OFNR, 108m	56	Yes
<u>30002543-112</u>	Cable, Fiber, Cord, SM, BIF, miniLC-miniLC-DX, UPC, 2.0mm Uniboot, OFNR, 112m	56	Yes
<u>30002543-116</u>	Cable, Fiber, Cord, SM, BIF, miniLC-miniLC-DX, UPC, 2.0mm Uniboot, OFNR, 116m	56	Yes
<u>30002543-120</u>	Cable, Fiber, Cord, SM, BIF, miniLC-miniLC-DX, UPC, 2.0mm Uniboot, OFNR, 120m	56	Yes
<u>30002543-124</u>	Cable, Fiber, Cord, SM, BIF, miniLC-miniLC-DX, UPC, 2.0mm Uniboot, OFNR, 124m	56	Yes
<u>30002543-128</u>	Cable, Fiber, Cord, SM, BIF, miniLC-miniLC-DX, UPC, 2.0mm Uniboot, OFNR, 128m	56	Yes
<u>30002543-132</u>	Cable, Fiber, Cord, SM, BIF, miniLC-miniLC-DX, UPC, 2.0mm Uniboot, OFNR, 132m	56	Yes
<u>30002543-140</u>	Cable, Fiber, Cord, SM, BIF, miniLC-miniLC-DX, UPC, 2.0mm Uniboot, OFNR, 140m	56	Yes
<u>30002543-144</u>	Cable, Fiber, Cord, SM, BIF, miniLC-miniLC-DX, UPC, 2.0mm Uniboot, OFNR, 144m	56	Yes
<u>30002543-148</u>	Cable, Fiber, Cord, SM, BIF, miniLC-miniLC-DX, UPC, 2.0mm Uniboot, OFNR, 148m	56	Yes
<u>30002543-152</u>	Cable, Fiber, Cord, SM, BIF, miniLC-miniLC-DX, UPC, 2.0mm Uniboot, OFNR, 152m	56	Yes
<u>30002543-156</u>	Cable, Fiber, Cord, SM, BIF, miniLC-miniLC-DX, UPC, 2.0mm Uniboot, OFNR, 156m	56	Yes
<u>30002543-160</u>	Cable, Fiber, Cord, SM, BIF, miniLC-miniLC-DX, UPC, 2.0mm Uniboot, OFNR, 160m	56	Yes
<u>30002543-164</u>	Cable, Fiber, Cord, SM, BIF, miniLC-miniLC-DX, UPC, 2.0mm Uniboot, OFNR, 164m	56	Yes
<u>30002543-168</u>	Cable, Fiber, Cord, SM, BIF, miniLC-miniLC-DX, UPC, 2.0mm Uniboot, OFNR, 168m	56	Yes
<u>30002543-172</u>	Cable, Fiber, Cord, SM, BIF, miniLC-miniLC-DX, UPC, 2.0mm Uniboot, OFNR, 172m	56	Yes
<u>30002543-184</u>	Cable, Fiber, Cord, SM, BIF, miniLC-miniLC-DX, UPC, 2.0mm Uniboot, OFNR, 184m	56	Yes
<u>30002543-188</u>	Cable, Fiber, Cord, SM, BIF, miniLC-miniLC-DX, UPC, 2.0mm Uniboot, OFNR, 188m	56	Yes
<u>30002543-192</u>	Cable, Fiber, Cord, SM, BIF, miniLC-miniLC-DX, UPC, 2.0mm Uniboot, OFNR, 192m	56	Yes
<u>30002543-200</u>	Cable, Fiber, Cord, SM, BIF, miniLC-miniLC-DX, UPC, 2.0mm Uniboot, OFNR, 200m	56	Yes
<u>30002870-003</u>	Cable, Fiber, LC/PC-LC/PC Jumper SM BIF Duplex, 1.6mm Zipcord, OFNR, Blue Jacket, 3m	56	Yes

GPN	Description	Lead Time	NCNR
7133791	Test Module, Exfo FTB-88200NGE, Power Blazer, Multi-Service, EtherSAM, 10M-to-100G, SFP, SFP+, CFP, QSFP28, QSFP+, 100G CFP4, SONET+SDH Software Mapping Package	70	Yes
7138476	Socket, 8 Pin, 9 Way, D9 Male - RJ-45 Female, Ni Connector, Plastic Housing, APAC/EMEA	56	Yes
7076691	Fiber Termination Block, NGF, 192-Position, SM, MPO-LC, 16 Pigtailed, Right Block Orientation, MPO Facing Back	49	No
7076693	Fiber Termination Block, NGF, 192-Position, SM, MPO-LC, 16 Pigtailed, Right Block Orientation, MPO Facing Back	49	No
1049186	Assy, Cable, Power, DC Output, 4AWG, 600V, Stranded MTW, Terminated, 2 Hole Lug, 1/4in Hole Dia on 5/8in Centers, 1x Cable w/Red Jacket, 1x Cable w/Black Jacket, 3ft	56	No
1117551	Nonslip rubber feet, Slip-resistant 3" steps, Reinforced edge bracing, Holster-Top® platform holds tools and paint cans, 300 lb. capacity	49	No
1030178-APAC	Storage Cabinet, Turn Handle, Height 183 cm, Width 91.50 cm, Depth 46 cm, Grey	70	No
7087975-APAC	"Part Number: 16888FY8002 LOUISVILLE HD INDUSTRIAL FIBERGLASS STEP STOOL 2-FOOT, 375Lbs. FY8002"	70	No
1050569	Pallet truck, Hand, Heavy duty steel frame, 3 Position lever (lift, neutral, lowering), Coated Rubber, Tapered fork tips and Twin wheels, Fork length	70	No
1030178-EMEA	BASIC Hinged door wardrobe with shelves (195 cm high)	70	No
7087975-EMEA	Louisville Ladder 2-foot fiberglass step ladder, type IA, 300-pound load capacity	70	No
1129638	Cabinet, Transparent Storage Bins, 1690MM High x , 700MM Wide with Doors	77	Yes
1125252	QSFP28 MPO Dummy Optics without PCB, MPO-12 with Gray tab.	70	No
1055879	Partially sized QSFP28 dummy optic, RoHS6 Compliant	77	No
1040053	Cabinet, Storage, Keyless Electronic Lock Handle, 36 x 24 x 72 in, Emergency Key, 230 lbs per Shelf, Steel, Grey	77	Yes
1113008	Multi Tool, Plier, 21 Functions, Surge(R) Series, Silver Handle Color, Stainless Steel, Butterfly Opening, Locking, Clip Point, Nylon Sheath Material	56	No
1057432	Measuring Device, Laser, Measuring Accuracy +/- 1.5mm, up to 165 ft. range, 2 AAA Batter	56	No
30002223	Cable, Fiber, Cord, SM, BIF, LC-LC-DX, UPC, 1.6mm Zipcord, OFNR, 0.5m	56	Yes
1123668	PowerBlazer High-Speed Multi-Service Kit	77	Yes
7001608	Stainless Steel Electrician Scissors, CUTTER SHEARS TPRD CROSS 5.13"	56	No
1134875	Aluminum RV Step with Adjustable Height, 1000-LB Capacity, 19in. L x 14.5in. W x 2.75in. H	42	No
1134783	Stainless Steel Square Swing Top Trash Can, 36 Gallon, 19" x 19" x 39" dimensions	56	No
1135133	PLASTIC STACKABLE BINS - 18 X 16 1/2 X 11", RED	56	No

GPN	Description	Lead Time	NCNR
1135135	PLASTIC STACKABLE BINS - 18 X 16 1/2 X 11", WHITE	56	No
1135136	PLASTIC STACKABLE BINS - 18 X 16 1/2 X 11", BLUE	56	No
1135137	PLASTIC STACKABLE BINS - 18 X 16 1/2 X 11", YELLOW	35	No
1135138	PLASTIC STACKABLE BINS - 18 X 16 1/2 X 11", GREEN	56	No
1135139	PLASTIC STACKABLE BINS - 18 X 16 1/2 X 11", CLEAR	56	No
1135140	PLASTIC STACKABLE BINS - 18 X 16 1/2 X 11", BLACK	56	No
30003002	Cable, Fiber, Singlemode MPO12 (Female) to MPO12 (Female), Fiber Patch Cord, 12-Fiber, Method A, Plenum, Stranded Construction, Yellow Jacket, Standard, Black Boot, Green Connector, -10 to 60C	126	No
1129385	Kit, Fully Automated Wi-Fi Inspection Tool w/ Embedded Analysis, 1x Fiber Inspection Probe, 1x MTP/MPO APC & UPC Adapter Tip, 1x LC Angled Adapter Tip, 1x LC Adapter Tip Kit, 1x Belt Holster	119	No
7103490	Adapter, LC Simplex, 740 Series, Ceramic Sleeve, Standard Cutout, Blue Body, 10pcs	56	No
1137102	Storage, Box, 9.75X13.313X2 inch, 20 compartments	56	No
1033624	Seal Kit, Side Skirt, Cold Air Prevention, for Bayed Cabinets, 46U, Foam	95	No
1024603	Cable entry plate with brush, 2U	56	No
7021662	Quick knobs, with mounting clasps, set of 10	56	No
1052660	Plug, Parking, Transceiver, OSFP Footprint, LC or MPO Compatibility, UL94 V0, Neutral Color, w/ Dust Cap,12-Pk, RoHS	42	No
1052662	Plug, Parking, Transceiver, QSFP Footprint, LC or MPO Compatibility, UL94 V0, Neutral Color, w/ Dust Cap,12-Pk, RoHS	42	No
1022682	PDU, Horizontal Mounting, Non Metered, 3 Phase, 32A, 6x IEC C19 Outlets, 5m Length, EMEA/APAC only	52	No
1138583	Admiral Locks Combination Cam Lock (3/4 Inch, Silver Pack of 1).	56	No
1046442	Admiral Locks Combination Cam Lock (3/4 Inch, Silver Pack of 1).	80	No
1139562	Scanner, Barcode, 1D/2D, Optical Character Recognition (OCR), USB, RS232, TGCS (IBM) 46XX over RS48	80	No
1129913	Storage, Lockable Cupboard, 27 Trays, 1830x1120x457 mm, Blue	80	No
1024694	Work Bench, ESD Protection, Dual Wrist Strap Ground Point, 30 to 38in Height, 72in W x 30in L	84	No
1024692	Work Bench, ESD Protection, Dual Wrist Strap Ground Point, 30 to 38in Height, 72in W x 30in L	74	No
1024695	Work Bench, ESD Protection, Dual Wrist Strap Ground Point, 30 to 38in Height, 96in W x 30in L	74	No

GPN	Description	Lead Time	NCNR
1131273	Heavy Duty Shelf with Adjustable Depth Rear Mounting Brackets, Steel, Vented, 20.73 in. D, Black	150	No
1127655	Rack Mount, For Galaxy Tab S5e, Fixed Floor Stand Display, Black, 12.6x12.6x42.2Inch(lxbxh)	56	No
1127658	<p>Sets includes: (2) sets of screws and (2) bits</p> <p>VIDAMOUNT VESA 100 PATTERN SECURITY SCREWS</p> <p>VIDAMOUNT VESA ENCLOSURE SECURITY SCREWS</p> <p>VESA 100 PATTERN, FIXED TILTED SURFACE MOUNTS, TILTING WALL</p> <p>MOUNT SCREWS : TAMPER RESISTANT BIT</p> <p>TAMPER RESISTANT PIN-IN-SOCKET HEX INSERT BIT</p>	28	Yes
30003383	Cable, Fiber, Cord, SM, BIF, CS-Duplex UPC to LC-Duplex UPC, 1.5M, Singlemode A1 9/125	56	No