

GPN	Description	Lead Time	NCNR
<a href="#">7004014</a>	CYCL, RJ45 DB9F ADAPTER ADB0036	56	No
<a href="#">7003903</a>	POWER CORD L6-20P TO C19 8FT, 250V	56	No
<a href="#">1063891</a>	Assy, Cord, Pwr, 20A, 250VAC, NEMA L6-20P x IEC 320/C19, 14-3, SJT Insulation, Blk, 15 ft, for use with L6-20R outlets wired with standard Line-to-Line power, 250V	56	No
<a href="#">7003763</a>	POWER CORD_16A 250V_COMMANDO(60309 32A)TO C19_4.5M (15FT) BL, 250V	56	No
<a href="#">7022412</a>	Cable manager, Front and Rear, 1RU, 19" (1.7" x 8.9" x 19")	56	No
<a href="#">7001645</a>	no description	42	No
<a href="#">1034025</a>	Tool, 17x Tools, w/ Leather Box, 4 in Closed Length, Needle Nose Plier, Regular plier, Wire Stripper, 420HC Knife, Serrated Knife, Can/Bottle Opener, Wood/Metal File, Screwdriver, Stainless Steel	56	No
<a href="#">1033309</a>	PDU, Switched, C20 Input/Inlet, 16 x C13 Outlets, 208-230V, 20A, 50/60Hz, 1.8in W x 49.5in H x 2.3in D, RoHS, Auto-Flip Display, LED Input Current Monitoring, Hot-Swap Network Card, Star Multi, 230V	42	No
<a href="#">1040484</a>	Packaging, Bag, ESD Static Shielding, 12.5in W x 17.5in L, 10mm Seal, pack of 4000 bags	77	No
<a href="#">7075022</a>	Sensor Card, IR, 700-1600nm, 1in x 1.5in	56	No
<a href="#">1034383</a>	PDU, Rack, Switched Link, LED Input Current Monitoring, Hot-Swap Network Card, Star Multi-Linking, Auto-Flip Display, 208V, 20A, 16xIEC 60320/C13 Outlets, 49.5in T x 1.75in W x 2.25in D, RoHS, 208V	119	No
<a href="#">7130230</a>	Console Server, NodeGrid Serial, 48-Port, Cyclades pinout, Intel x86 Dual Core, Hydra, 4GB DDR3 RAM, 32GB SSD, Dual Base-T, Dual AC PSU, NSC-T48-STND-DAC, Single or Dual AC: 100-240 VAC, 50/60 Hz	119	No
<a href="#">7103486</a>	Cable Retention Clip, Wire, C13 Receptacle, C14 Plug, 1U Wide, Set of 8	56	No
<a href="#">7001322</a>	Amp White Dot Crimpers	56	No
<a href="#">7130833</a>	Bundle, Diagcable, Contains USB to Rj45 Cable, Network Adapter, RJ45 to DB9F Adapter, Apple USB to Ethernet Cable Cover	49	No
<a href="#">7130790</a>	Labeling System, PT-E500, Handheld/PC Connectable, Laminating Thermal Transfer, Automatic Tape Cutter, w/ QWERTY Keyboard, 180dpi, 12VDC 2A (AD-E001)	42	No
<a href="#">7001769</a>	Cable Stripper	56	No
<a href="#">7105122</a>	Kit, Cart, ESD-Safe, 18x24x36in, 3x Shelves-18x24in, 4x Posts-36in, 2x Swivel Casters-5in dia, 2x Swivel Braking Casters-5in dia, 3x Inlay Mats-18x24in/Blue, 1x Split Sleeves 4/Pk	70	No
<a href="#">1045083</a>	PDU, IEC C20 100 - 240V Inlet, 8x IEC 60320/C13, 208V, 16A, -40 to 185F1.75in T x 17.2in W x 7in D, RoHS, 208V	77	No
<a href="#">1027649</a>	12V DC, Compact, 3/8 in Chuck, 1,300 RPM Max., 265 in-lb Max Torque, (2) 2.0 Ah, 12V	56	No
<a href="#">7037623</a>	Network Adapter, Rollover, RJ45, Male/Female	56	No
<a href="#">7038151</a>	Kit, Rack Grounding, 19in Rack, Includes Grounding Jumper 6 AWG x 96in, Busbar, HTAP, RoHS	56	No
<a href="#">7016397</a>	10-32 Rack Screws (100)	56	No
<a href="#">7038155</a>	Cable Tie Mount, Flat Pan-Post Standoff, 5.42in Length, Flame Retardant Nylon 6/6, Natural Color, Indoor, Package of Qty 5, RoHS	56	No
<a href="#">7122565</a>	Kit, Global PDU Mounting Bracket, Servertech PDU compatible, inward facing non-button mount for one PDU, Vertical, 1kit	56	No
<a href="#">1056799</a>	Table, Assembly, Steel, 60in L x 30in W, Adjustable Height, Heavy-Duty / 12 Gauge Welded Steel Top, 2,000 Pound Capacity	56	No
<a href="#">901252</a>	Cord, Patch, CAT5e, 568b, UTP, Booted, Yellow, 10FT	42	No
<a href="#">7003890</a>	PWR CORD, C13R TO C14, 1.0M (3'), STRAIT, 250V	56	No
<a href="#">1054893</a>	PDU, ServerTech, PRO1, Smart Master, 1U, 16A 100-240V IEC C20 Inlet, 6x IEC C13 Outlets, 4x IEC C19 Outlets, 10/100 Mbps Ethernet, RS-232 Serial RJ-45 Connector, PTCORD L3, C20-IEC, 100-240V	126	No
<a href="#">1059145</a>	Kit, w/ Table, w/ ESD Mat	56	No
<a href="#">7141525</a>	Bundle, System, PDU, PRO2, Incl 2x Switched PDU w/PIPS IEC 60320 10A/16A@ 240V C13/C19 Outlets w/Circuit Breakers, 2xIEC 60309 2P+E 3m DetachPwrCord, 2x Brkt &Button Mounting Kits, w/RJ-45 to RJ-45 Conn, 2x4PAC Sensor, Bluetooth, EU, 240V	126	No
<a href="#">7001340</a>	Folding Chairs	56	No
<a href="#">7026019</a>	CORD, POWER, L6-30P-C19, 15FT, 12/3 AWG, UL, 100-250V	119	No
<a href="#">7097392</a>	Adapter, LC, Duplex, Ceramic Sleeve, Standard Cutout, Blue, 740 Series, 100 pcs	56	No
<a href="#">1053628</a>	Cord, Power, 12AWG, C20 to C19, 15ft, Black, 250V	84	No
<a href="#">1086907</a>	PDU, Switched, 1U, 20A, 208V, 8 x IEC 60320/C13 Outlets, IEC 60320/C20 Inlet, 10/100 Mbps w/ RJ-45, Link, 208V	77	No
<a href="#">7135806</a>	Cable Tester, Loopback, Standard, Fiber Optic, Standard, MTP/MPO, SM, 9/125um, Male, for use on MPO w/ Pins Config 1-2/ 3- 4/5-6/7-8/9-10/11 to 12	42	No
<a href="#">1069390</a>	Bundle - 2x, PDU, Servertech, 2RU, Input IEC 60309 460C9W, 10ft cord, 208V, 60A, 3PH, Output 12xC19 3xC13 , Metered, North America, Colored Outlets, w/ 19in, 21in, 23in Brackets, 208V	126	No
<a href="#">7005060</a>	Cleto-S Tape Refill/Blue	56	No
<a href="#">7001793</a>	8" Cable Tie BLK 18lb (100pk)	56	No
<a href="#">1065280</a>	Clip, Retention, Power Cord, Plastic (Supplier Item: KIT-CX13)	56	No
<a href="#">7004332</a>	ATTENUATORS, FIXED OPTICAL, LC, 15DB	56	No
<a href="#">7004333</a>	ATTENUATORS, FIXED OPTICAL, LC, 18DB	56	No

GPN	Description	Lead Time	NCNR
<a href="#">7004334</a>	ATTENUATORS, FIXED OPTICAL, LC, 20DB	56	No
<a href="#">7134727</a>	PDU, Cabinet, Switched, Master, 32A, IEC 60309 6hr 2P+PE Blue, 3m, H05VV-F, 220-240V, 50/60Hz, 7.3kW Power, 24x IEC C13 + 6x IEC C19 Outlets, POPS, RoHS, 220-240V	42	No
<a href="#">7004320</a>	ATTENUATORS, FIXED OPTICAL, SC, 2DB	56	No
<a href="#">7004321</a>	ATTENUATORS, FIXED OPTICAL, SC, 3DB	56	No
<a href="#">7004322</a>	ATTENUATORS, FIXED OPTICAL, SC, 8DB	56	No
<a href="#">1032206</a>	Tubing, Heat Shrink, Flexible, Polyolefin, Black, 1/2in x 4ft	56	No
<a href="#">7017202</a>	Attenuators, Single Mode, Fixed Optical, 1dB, 50 dB Min, LC/PC, 1310 nm / 1550 nm, Short Type, 754 Series	56	No
<a href="#">7017203</a>	Attenuators, Single Mode, Fixed Optical, 1dB, 50 dB Min, SC/PC, 1310 nm / 1550 nm, Standard, 754 Se	56	No
<a href="#">1069362</a>	Bundle - 2x, PDU, Servertech, 0RU, Input IEC 60309 532C6S, 3m cord, 400/230V, 32A, 3PH, Output 18xCX 18xC13, Switched Master + Switched Link, Global, w/ Brackets + Accessories, 230V	126	No
<a href="#">1112296</a>	ESD Bag 16in x 24in General Purpose	42	No
<a href="#">7054544</a>	Loopback, Optical, LC/APC, SM 9um, 4dB+/-1dB, atten, 1310nm DFB laser, Green Shell, Armadillo	56	No
<a href="#">1069387</a>	Bundle - 2x, PDU, Servertech, 0RU, Input IEC 60309 460C9W, 10ft cord, 208V, 60A, 3PH, Output 18xCX 18xC13, Switched Master + Switched Link, North America, w/ Brackets + Accessories, 208V	126	No
<a href="#">1094178</a>	Tape, Measuring, f/ Rack Unit, Measures up to 10 feet or 68U, Metal Tape Material Housed in Plastic w/ a Belt Clip & Tape Stop	56	No
<a href="#">7022974</a>	Ground Cable, 6AWG, 84", Dual Hole/Ring Terminal, 600V	56	No
<a href="#">7132799</a>	Media Converter, Singlemode to Ethernet, 1000BASE-T, 10/100/1000 Mbps, 10Km, 2 Ports, RJ45, 5VDC, 2A, IEEE 802.3 Compliant, 5.5x4.3x1.5in, Incl. 100-240VAC, 50Hz, w/ Auto switching PSU, Copper, 100-240V	56	No
<a href="#">7001464</a>	Cables To Go- Serial Adapter RJ45/DB9F- Black	56	No
<a href="#">7045040</a>	Ground Cable, 6AWG, 144", THHN, w/ 90Deg. Lug (2x Holes @0.25in Dia./ 0.63in Spacing), To Blunt End, Green, Custom, 600V	77	No
<a href="#">7073632</a>	Tool, Multicut Step Drills, 4 to 12 x 1mm, Hall	56	No
<a href="#">7122974</a>	Fused Disconnect, 60A, T5G System, 5-Wire, 240V, 3-Pole, 20ft Drop Cord, E28 Enclosure, Isolated Ground, Bussmann TCF Fuses, 200kAIC, 240V	70	No
<a href="#">7054957</a>	CLIP, RETENTION, AC, C19-PLUG	56	No
<a href="#">7038156</a>	Cable Tie Mount, 90?? Standoff, 2.0in Height, Nylon 6/6, Natural Color, Indoor, Package of Qty 10, RoHS. PP1S-S12-X	56	No
<a href="#">7133769</a>	Earthing, Earthrail, Copper, 20x5x2000 mm, 81ME, w/ two M8 holes for lugs, Special	56	No
<a href="#">1112969</a>	Tool, Set, 20Pcs, Rapid Load, Quick Change, 1/4in Hex Shank	56	No
<a href="#">7054008</a>	Cord, Power, 18AWG, 10A, 250V, C13 to C14, 10ft, Black, 100-250V	56	No
<a href="#">1069364</a>	Bundle - 2x, PDU, Servertech, 2RU, Input IEC 60309 532C6S, 3m Cord, 400/230V, 32A, 3PH, Output 12xC19 3xC13 , Metered, Global, Colored Outlets, w/ 19in, 21in, 23in Brackets, 230V	126	No
<a href="#">30003003</a>	Cable, Fiber, Singlemode MPO12 (Female) to MPO12 (Female), Fiber Patch Cord, 12-Fiber, Method A, Plenum, Stranded Construction, Yellow Jacket, Standard, Black Boot, Green Connector, -10 to 60C	126	No
<a href="#">7015054</a>	Cage Nuts M6 (100 pieces)	56	No
<a href="#">7038154</a>	Cable Tie Mount, 90?? Standoff, 4.6in Height, Nylon 6/6, Natural Color, Indoor, Package of Qty 10, RoHS	56	No
<a href="#">7048282</a>	07048282 - Tubing, Heat Shrink, Heavy Wall Adh Lined, Polyol	56	No
<a href="#">7060249</a>	Grounding Bar, Vertical, Copper, 20mm x 5mm x 2000mm/ 81ME	56	No
<a href="#">7087555</a>	Lug, Two Hole, Long Barrel, #14-10 AWG, 1/4 Bolt Size, 5/8in OC, Copper, 1.89in Length, 600V QTY 1=1 PC	56	No
<a href="#">7011647</a>	4 AWG, 5ft Load Grounding Cable, 600 V	56	No
<a href="#">7015464</a>	Wiring Duct, Wide Slot , 3" x 4" x 6'	56	No
<a href="#">7051893</a>	Ground Cable, 6AWG, 144", THHN, E/W 2HL, 1/4"HL, 5/8" OC, Straight Lug, Blunt End, Custom, 600V	56	No
<a href="#">7018901</a>	Key Storage Lock 5401D, Master Lock	56	No
<a href="#">7007425</a>	Metric Socket Set, 14 Piece 1/4in Drive	56	No
<a href="#">7140129</a>	Cable, Power, 14AWG, 250V, 15A, Extension Cord, IEC-320-C14 to IEC-320-C15, Black, 10ft, 250V	56	No
<a href="#">7001554</a>	2ft. Power Adapter Cord IEC-320-C14 to Nema 5-15R, 100-250V	56	No
<a href="#">7001564</a>	1/2"x1 3/4" Avery Labels For Rack Names (8000pk) office depot#297726	56	No
<a href="#">7001784</a>	Voltage Continuity Resistance and Current Tester, 1.5 V	63	No
<a href="#">7004229</a>	RACK SHELF, 19	42	No
<a href="#">7004400</a>	07004400 - EQP, RJ45 CRIMP TOOL	56	Yes
<a href="#">7004494</a>	CAT5E (RJ45) MOD PLUG, (ICE CUBE), 50PK	56	No

GPN	Description	Lead Time	NCNR
<a href="#">7004875</a>	FIBER MANAGEMENT TRAY -B, BULK SLACK STORAGE UP TO 32 CABLES, 1U	63	No
<a href="#">7005102</a>	Socket Set 1/4" - 13PC	56	No
<a href="#">7005104</a>	Fastener-Cable Tie • Cable Tie, 14in, 50lb Tensile Strength, Nylon 6.6, Natural Color, 4in Max Wire Bundle Dia, UL 94 V-2, 14.1Lx0.187W in, 100/Bag	56	No
<a href="#">7005291</a>	Pelican Case Lid Organizer	56	No
<a href="#">7005295</a>	Pelican 1560 - Black w/Foam	56	No
<a href="#">7006457</a>	PWR CORD C13R TO C14, 2.0M, 100-250V	56	No
<a href="#">7100951</a>	Adapter, Connector, FOA, LC Type, for Power Meter Interface	70	Yes
<a href="#">7008072</a>	Adapter, SC Male - SC Female	56	Yes
<a href="#">7008901</a>	Tool, Scissors, Electricians, Right Handed, 5-1/4in L, 1-7/8in Length of Cut, Blunt, Serrated	56	No
<a href="#">7013767</a>	ATTENUATORS, FIXED OPTICAL, LC, 3DB	56	No
<a href="#">7022345</a>	Blanking Panel, Scalable, 27U, 47.25"h x 19.25"w x 0.040"d, pk of 10	56	No
<a href="#">7024104</a>	Cable Manager, Horizontal, 1U, 19in Rack Mount, Single-Sided, w/ Snap-on Cover, Textured Black Powd	56	No
<a href="#">7027926</a>	Modular Plug, Cat5e, RJ-45, (Ice Cube), 8 Position, RoHS	56	No
<a href="#">7028614</a>	Cleaning Tool, Fiber Ports/Connectors, MPO, IBC HBMT Extended Nozzle Tip, RoHS	56	No
<a href="#">7048157</a>	Grease, Electrical, A-Special Compound, Rust/Corrosion Prevention, Non Toxic NSF Approved, 10213 - 6 X 15/CS X 4 Oz Plastic Tubs NO-OX-ID	56	No
<a href="#">7048358</a>	Meter, Optical Power, 600-1650nm Response, 5mm Ge Detector, +15dBm Damage Level, 124x81x25mm, 9600XL Series, 1.5V	49	No
<a href="#">7062510</a>	Cleaning Tool, SC, ST, FC, and E2000 Connectors w/ UPC and APC Polish, Brand IBC, 10pk	56	No
<a href="#">7066944</a>	Rivet, Snap, Square hole, Black, Tool-Free, Qty 50	56	No
<a href="#">7086174</a>	Attenuators, Single Mode, Fixed Optical, 7dB, 50 dB Min, LC/PC, 1310 nm / 1550 nm, Short Type, 754 Series	56	No
<a href="#">7086175</a>	Attenuators / Single Mode / Fixed Optical / 14dB / 50 dB Min / LC/PC / 1310 nm / 1550 nm / Short Type / 754 Series	56	No
<a href="#">7086863</a>	Panel, Brush Guarded, Cable Access, 19in, 1U, Black	77	No
<a href="#">7087565</a>	Cartridge, Label Maker, Flag Label, 1.180in W x 0.788in H, Permanent Polypropylene, Black On White, Brady BMP51/BMP53	56	No
<a href="#">7087566</a>	Cartridge, Label Maker, Label, 25ft W x .500in H, Permanent Polyester, Black On White, Brady BMP51/BMP53/BMP41	56	No
<a href="#">7087975</a>	Ladder, Step, 2ft, Non-Conductive Fiberglass, Type IA Duty Rating, 3in Step Size, 300lbs Load Capacity USA ONLY	42	No
<a href="#">7091700</a>	Blade, Fiber, 1/2 RU, 24 Port Duplex LC (48 Fiber), Singlemode LC-LC, Q3000	70	No
<a href="#">7096147</a>	Cartridge, Label Maker, Vinyl, 25ft W x 1.5in H, Black On White, Brady BMP51/BMP53	56	No
<a href="#">7096224</a>	Label Maker, PC-Connectable, PC and Mac, Thermal Transfer, 180 dpi, 18.1mm Max Print Height, 24mm Max Tape Width, P-Touch, 7.4 volts	56	No
<a href="#">7100215</a>	Label Maker, w/Wireless Enabled Printing, 24mm Max Tape Width, w/ AC Power Adaptor, USB Cable, 7.4 volts	56	No
<a href="#">7103961</a>	Workbench, Adjustable Height, ESD-Safe, 30in to 36in,1000lb Weight Capacity, 36in x 96in, Blue Frame and White Top	70	No
<a href="#">7107987</a>	Cartridge, Label Maker, 1.0in W x 2.5in H, Self-Laminating Vinyl, Black on White/Clear, Brady BMP51/BMP53/BMP41, 1.1	56	No
<a href="#">7115596</a>	Connector Cleaner, Fiber Optic, Cletop-S Type B Replacement Cartridge, with White Tape	56	No
<a href="#">7135805</a>	Cable Tester, Loopback, Standard, Fiber Optic, Standard, MTP/MPO, SM, 9/125um, Female, for use on MPO w/ Pins Config 1-2/ 3- 4/5-6/7-8/9-10/11 to 12	42	No
<a href="#">1027007</a>	Cabinet, Storage, Electronic, w/ 2x Door, Keyless Lock Handle, 5x Total w/4x Adjustable Shelves, 22 Gauge Steel (Top,Header&Sill), Includes 4x AA Batteries, 36in W x 18in D x 78in H, Gray, 1.5V	42	No
<a href="#">1029507</a>	Tool, Wire and Cable Crimper, Uninsulated, 22 to10 AWG, 9-3/4 In L, Dipped Handle	56	No
<a href="#">1034015</a>	Modular Adapter DB9M to RJ45, DB9M D-SUB 9 PIN Male Gold Flash Contacts, RJ45 Female Gold Plated 3mu,Plastic Hood,Grey color	56	No
<a href="#">1034507</a>	Shear Cutter, Cutting Capacity 1/16 inch Copper, 5 inch Length	56	No
<a href="#">1036435</a>	1.25 mm One-Click cleaner for LC (500+ cleans)	252	No
<a href="#">1044998</a>	Label, Cable, Vinyl, White, Thermal Transfer, 1.20in x 1in Wire Flag, Irregular 1.200000 " x 1.750000, Matte Polypropylene w/ Acrylic Adhesive, 4000 Labels/Roll, Back Slitting/Notch, w/ Roll Form Release Liner	56	No
<a href="#">901242</a>	Cable, Power Cord, 18AWG, SJT, 10A, 100-230V, IEC-320-C14 Male to IEC-320-C13 Female, Black, 6ft, RoHS,, 100-230V	56	No
<a href="#">7001557</a>	Packing Tape Gun, Office Depot #887315	56	No
<a href="#">7001605</a>	Cable Tie, 8in, 40lb Tensile Strength, Nylon/Polyethylene, 1.91in Max Wire Bundle Dia, 8Lx0.5Wx0.1T (100 pack price )	56	No
<a href="#">7001786</a>	Fluke Micromapper, 1.5 V	56	No
<a href="#">7002154</a>	50' yellow cat5 patch w/ approved rj45	56	No

GPN	Description	Lead Time	NCNR
<a href="#">7002155</a>	50' black cat5 patch w/ approved rj45	56	No
<a href="#">7002196</a>	NUT, KEP, 10-32 UNF, B.3, QTY 1=1pc	56	No
<a href="#">7002313</a>	SCR, FHP 8-32 X .25 LG	35	No
<a href="#">7003117</a>	Wrenches, hex, set	56	No
<a href="#">7004328</a>	ATTENUATORS, FIXED OPTICAL, LC, 2DB	56	No
<a href="#">7004415</a>	CONNECTOR, COMPRESSION LUG, HY TYPE, 2 HOLE, 2 AWG, 600 V - 35 KV	56	No
<a href="#">7004416</a>	HDW, CAGE NUTS/BOLTS (BAG OF 50)	56	No
<a href="#">7004421</a>	CONNECTOR, COMPRESSION LUG, CU-HY TYPE, 90 DEG., #2, 600 V - 35 KV	56	No
<a href="#">7004422</a>	CONNECTOR, LUG, CU-HY LUG, 6STR-FLEX (2)1/4, 600 V - 35 KV	56	No
<a href="#">7004440</a>	LBL,BROTHER LAMINATED TAPE, 12MM, FOR P-TOUCH, 2 PK	56	No
<a href="#">7005061</a>	Cletop-S Connector Cleaner - Type A	56	No
<a href="#">7005091</a>	Kit, Cable Management, Express Exit, 4in, Yellow, Includes Base/Base Cover/Mounting Hardware/Support Bracket/Exit Inserts, For 4in x 4in, 4in x 6in and 4in x 12in Fiber Management	56	No
<a href="#">7005093</a>	8oz Tube 9-Ply Waxed Lacing	56	No
<a href="#">7005098</a>	Metal Cable Sewing Needle	56	No
<a href="#">7005101</a>	Cable Cutter - High Leverage	56	No
<a href="#">7005103</a>	Standard Cable Ties - Natural Nylon 14.5"	56	No
<a href="#">7005202</a>	Modular Plug Cat5 Tool & Die Set (white dot)	56	No
<a href="#">7005210</a>	3M - Wrist Strap 10' - Adjustable	56	No
<a href="#">7005257</a>	PeliLock - Small Combination Lock	56	No
<a href="#">7005272</a>	Screw-PH 10-32/50 Pkg	56	No
<a href="#">7005276</a>	TamperPRF Bit Kit - 29-PC	56	No
<a href="#">7005303</a>	CONNECTOR, LUG, 2 HOLE, FOR 1/4" STUD, #2 AWG, 600 V - 35 KV	56	No
<a href="#">7005317</a>	ATTENUATORS, FIXED OPTICAL, LC, 5DB	56	No
<a href="#">7005354</a>	PNL,HORIZ WIRE MGMT PANEL, 19"	56	No
<a href="#">7006394</a>	NEEDLE NOSE PLIER	49	No
<a href="#">7007304</a>	FUSE, GMT, 20 AMP FUSE, 48V	56	No
<a href="#">7007335</a>	FIBER MANAGEMENT TRAY -B, BULK SLACK STORAGE, 2U	84	No
<a href="#">7007432</a>	DeWalt Lithium Ion/ Nicad Charger,120 Volt AC, 120V	56	No
<a href="#">7007437</a>	CULUG-2FLEX-1/4x5/8-Narrow	56	No
<a href="#">7007440</a>	Tubing, Heat Shrink, Thin Wall, 0.50in Dia, Cross-linked Polyolefin, Clear, 1.2m L	56	No
<a href="#">7007564</a>	Lug, 6 AWG 1/4" 5/8" separated dual stud lug for inverter, 600 V - 35 KV	56	No
<a href="#">7007984</a>	4AWG, 10ft Power Wire Pair Standard Lug, 600 V	56	No
<a href="#">7007985</a>	4AWG, 5ft Wire Pair Standard Lug, 600V	56	No
<a href="#">7008001</a>	EXFO 1.25mm adapter for FLS-241	84	No
<a href="#">7008071</a>	Adapter, SC Male - LC Female, Single Mode	56	No
<a href="#">7008591</a>	Bus Adapter (for landing multiple cables on 5/8" centers)	56	No
<a href="#">7008791</a>	EXFO Pocket Pal Visual Fault Locator (VFL), 2.5mm connector for SC, ST, and FC fiber, Wavelength 635nm, Max output 1mW, Pulse/Continuous, Includes 2x AAA batteries and Ring Clip, 2V	42	No
<a href="#">7009429</a>	Rack Panel Adapter (2pk), 6.96in H, 23in to 19in, Black, 4 RMU	56	No
<a href="#">7009640</a>	Cord, Power, 14AWG, 15A, 250V, C19 to C14, 10ft, Black, 250V	56	No
<a href="#">7010084</a>	Panels, Splice Tray for TFP	56	No
<a href="#">7010395</a>	Extra Utility Cart, Number of Shelves 4, Length 40 3/8 Inches, Height 51 Inches, Black	42	No
<a href="#">7010780</a>	20A LOAD BREAKER, 120V	56	No
<a href="#">7010782</a>	5A LOAD BREAKER, 12V	63	No
<a href="#">7012347</a>	Cable trays, sinked. 46U, 200mm wide	56	No
<a href="#">7012585</a>	CCH PNL W/12 LC DUPLEX SM	42	No
<a href="#">7014471</a>	Fiber Cleaner Cletop Sticks - 2.5mm Diameter (5/Pack) SC/FC/ST	56	No
<a href="#">7015190</a>	Radionics - Standard Cable Ties - Natural Nylon 14.5" (pack of 100)	42	No
<a href="#">7018804</a>	Rack, BUD, 45 RU, 84inH x 30inW x 36inD, 10/32 rails, 19/23 Convertible, Seismic Zone 4, w/ HW Kit 50x 10/32 Screws, Ganging HW, 50ft x 1/2in Roll of Velcro, 2x 27-RU Plenafill Panels	56	No
<a href="#">7019907</a>	Zinc-Pltd Stl Pan Head Phillips Machine Screw 10-32 Thread, 3/8" Length	56	No
<a href="#">7022332</a>	Screws, Thumb Panel, 10/32, pk of 50	112	No
<a href="#">7022346</a>	Blanking Panel, Scalable, 23", Pack of 12	56	No



GPN	Description	Lead Time	NCNR
<a href="#">7023632</a>	Assy, AC Power Shelf, J2007001L6, RoHS, 48V DC	140	No
<a href="#">7023640</a>	Assy, AC Rectifier, CP2725AC54TEZ, 2725W, 54V DC, RoHS, 54 VDC	365	No
<a href="#">7023641</a>	Cable, AC Input Power, 15 ft, #12 AWG, C19 To 6-20P, Tatooine, RoHS, 100-250V	56	No
<a href="#">7024128</a>	LUG, 8 AWG, 1/4" HL, 5/8" OC, Copper, 1/2" length, (100 per pack), 1 Pack = 1GPN, 600V	56	No
<a href="#">7024530</a>	Lug, 4AWG, 1/4" hole size, 5/8" spacing, .68" tongue width, 600V	56	No
<a href="#">7037402</a>	Circuit Breaker, 20Amp, 8340-G1 Series, Single-Pole Protected, w/o Locating Pin, Hydraulic-Magnetic, Med. Delay (H1), Round Terminals, w/o Panel HW, w/o Aux. Contacts, w/ Rated Current Marking, 72 V	56	No
<a href="#">7037407</a>	Circuit Breaker, 50Amp, 8340-G1 Series, Single-Pole Protected, w/o Locating Pin, Hydraulic-Magnetic, Med. Delay (H1), Round Terminals, w/o Panel HW, w/o Aux. Contacts, w/ Rated Current Marking, 80 VDC	112	No
<a href="#">7038149</a>	Lug, Compression Fit, 6 AWG, 2 Hole, 1/4in Dia, 5/8in Hole Spacing, 45deg Tongue, RoHS, 600V	56	No
<a href="#">7038152</a>	Cover, Insulating, Clear, For Copper Compression HTAPS, RoHS	56	No
<a href="#">7039432</a>	Connector, Locking Fork Terminal, For 12-10 AWG Wire, Stud Size 10, Vinyl Insulated, Yellow, Pack of Qty 50	56	No
<a href="#">7041940</a>	Adapter, Hybrid, Bulkhead, SC/UPC to LC/UPC (Male-Female, 9/125um)	42	Yes
<a href="#">7042661</a>	Kit, Hardware, 2x Hex Bolts @ 1/4in-20 X 0.75in L, 4x Flat Washers, 2x Split Washers, 2x Hex Nuts, Durium Silicon Bronze, Type TMH, In Sealed Bag	56	No
<a href="#">7043030</a>	Kit, Cable Management, 6ft Vertical Duct, 2inWx4inD, Slotted w/ 2in Spacing, w/ Removable Hinged Cover, FiberGuide	56	No
<a href="#">7045328</a>	Cleaning Tool, LC Fiber/Connectors, 525-750 Dry cleanings per unit, Generic Brand	56	No
<a href="#">7045492</a>	Module, Loopback, QSFP/QSFP+, Electrical, Passive, Serial ID, 3.3V, 100ohms Impedance, 5dB, RoHS	280	No
<a href="#">7045704</a>	Label, Tape, Cassette, 12mm x 8m, Black/White, Brother P-Touch	56	No
<a href="#">7045965</a>	Rack Panel Adapter (2pk), 3.46"H, 23" to 19", Black, 2 RMU	56	No
<a href="#">7046337</a>	Side Panel, 1000mm x 46U/81ME, Color RAL 7047, Varicon-M	63	No
<a href="#">7048125</a>	Lug, Flex Conductor, 2HL, #8 AWG, Stud HL Size 1/4in, Stud HL Spacing 0.63in, Std. Barrel w/Window Lug, Panduit Color Code Red, 600V  QTY 1=1 PC	56	No
<a href="#">7048135</a>	Lug, Flex Conductor, 2HL, #6 AWG, Stud HL Size 1/4in, Stud HL Spacing 0.63in, Std. Barrel w/Window Lug, Panduit Color Code Blue, 600V  QTY 1=1pc	56	No
<a href="#">7048139</a>	Lug, Flex Conductor, 2HL, #4 AWG, Stud HL Size 1/4in, Stud HL Spacing 0.63in, Std. Barrel w/Window Lug, Panduit Color Code Gray, 600V	56	No
<a href="#">7048284</a>	Tubing, Heat Shrink, Thin Wall, Polyolefin, Black, 1/2" x 6", Wire Size 8 AWG - 6 AWG, 20Pc	56	No
<a href="#">7048287</a>	Connector, Compression, C-Tap Copper Crimpit, Main 2-8 AWG, Tap1 2-8 AWG, Tap2 8-14 AWG, Brown	56	No
<a href="#">7048291</a>	LUG, 6 AWG, 7/16in Strip Length, 1/4in 1 Hole, Tongue Angle Straight, Tongue Width 0.45in, Commercial Stranded Copper, Length Barrel Standard, 600 V - 35 KV	56	No
<a href="#">7057521</a>	Cord, Power, 14-3, 16A, 250V, C19 Straight x C20, 1M, 100-250V	56	No
<a href="#">7062854</a>	Assy, Side Panel, 18 GA. Steel, w/ Screw/Nut Retainer, For 30in Bud Rack	77	No
<a href="#">7071484</a>	CAGE NUT, CLIP-ON, 10-32, ZINC PLATE	56	No
<a href="#">7072946</a>	Duct, Wiring, Slotted, PVC, UL94 V-0, 2.75in W x 3.12in H x 6ft L, Blk, Panduct Type G	56	No
<a href="#">7076025</a>	Chassis, 4 RU, 7in x 19in x 15in, Accommodates 8 Blades, Q3800 Series	84	No
<a href="#">7078169</a>	Butt Splice, SCS, Standard Barrel, #6 AWG, Blue, 0.31in. Barrel O.D., 1.75in L	56	No
<a href="#">7078891</a>	Compression Terminal, Copper, 4 AWG, Straight, 2 Hole, Gray, 3/8 x 1, 600V	56	No
<a href="#">7078893</a>	Compression Terminal, Copper, 2/0 AWG, Straight, 2 Hole, Black, 3/8, 600V	56	No
<a href="#">7080559</a>	Blanking Panel, Scalable, 23in panels, For 1in o.c. Mounting Rails, Pack of 12 Panels	56	No
<a href="#">7081032</a>	Bracket, 1U, 19in to 23in, Frame Mounting Adapter	42	No
<a href="#">7081811</a>	Tool, Cleaner, Fiber Arrays, MTP and Gen Full Description: Tool, Cleaner, Fiber Arrays, MTP and Generic MPO Connectors, IBC"	56	No
<a href="#">7082411</a>	Power Cord, NEMA, 250V, 20A, Locking L6-20M to IEC C19F, 25Ft, 12G, 3Wire, PVC Jacket, Blk, 250V	56	No
<a href="#">7087498</a>	Terminal, Straight Barrel, 8awg, 600v-35kv, 1 Pad Hole, 0.25in. Stud, 1.26in. Length, Copper, Color Code Red, HYLUG, 600V	56	No
<a href="#">7087499</a>	Terminal, Straight Barrel, 8awg, 600v-35kv, Dual Holes, 0.375in. Stud, 1.0in. Spacing, 2.52in. Length, Copper, Color Code Red, HYLUG, 600 V - 35 KV	56	No
<a href="#">7087500</a>	Terminal, Straight Barrel, 6awg, 600v-35kv, Dual Holes, 0.21in. Stud, 0.625in. Spacing, 1.94in. Length, Copper, Color Code Blue, HYLUG, 600V	56	No
<a href="#">7087502</a>	Terminal, Straight Barrel, 6awg, 600v-35kv, Dual Holes, 0.313in. Stud, 1.0in. Spacing, 2.5in. Length, Copper, Color Code Blue, HYLUG, 600 V - 35 KV	56	No

GPN	Description	Lead Time	NCNR
<a href="#">7087511</a>	Terminal, Straight Barrel, 2awg, 600v-35kv, Dual Holes, 0.375in. Stud, 1.0in. Spacing, 2.82in. Length, Copper, Color Code Brown, HYLUG, 600 V - 35 KV	56	No
<a href="#">7087605</a>	Blade, Fiber, LC-MPO, 24 Duplex LC Ports (48 Fibers), OS2 Singlemode, A-A/ B-B (straight) wiring, Q3000	49	No
<a href="#">7088310</a>	Terminal, 90 degree Long Barrel, 6awg, 600v-35kv, Dual Holes, 0.25in Stud, 0.625in Spacing, Copper, Blue 24	56	No
<a href="#">7089179</a>	Full Description: Lift, Hydraulic, Foot Pump, 880lb Capacity, Platform 24Lx23W in, 3.5in - 59in Lift Range, Vestil HYD-10	84	No
<a href="#">7089958</a>	Rivet, Snap, for 10-32 holes, .19 Diameter, Nylon 66, UL94V-O, qty 50 pk, Black, Plenaform	56	No
<a href="#">7091472</a>	Bracket, Panel Extender, Converts 19in Horizontal Panels to 23in Panels, 1RU, Black	49	No
<a href="#">7091775</a>	Storage Drawer, Lockable, 19in Rack-Mount, 4RU, Black	42	No
<a href="#">7095640</a>	Bar, Strain Relief, 2in Offset, Standard Density, For 24x Cables, Black, w/ #12-24 & M6 Screws, SRB19BLY, RoHS	56	No
<a href="#">7096225</a>	Label Maker, Handheld, PC-Connectable, Rechargeable, 16-Character x 3 Line LCD display, Thermal Transfer, 180 dpi, QWERTY Keyboard, P-Touch, up to 8.2 V	56	No
<a href="#">7096227</a>	Pliers, Cutting, Diagonal Cutter, 160mm, Chrome Plated, Insulated Handles	56	No
<a href="#">7096236</a>	Tile Lifter, Larger Format Tiles, Vacuum Suction, Holds Up To 25kg	56	No
<a href="#">7096753</a>	Cord, Power, 14AWG, 250v, C20 to C13, 7ft, Black, 250V	56	No
<a href="#">7096948</a>	Power Cord, IEC-60320-C20 Male to IEC-60320-C19 Female, 12AWG SJT, 20A, 250V, 6ft, Black, 250V	56	No
<a href="#">7098493</a>	Rack Panel Adapter (2pk), 1.71in H, 23in to 19in, Black, 1 RMU	56	No
<a href="#">7098500</a>	Rack Panel Adapter (2pk), 8.71in H, 23in to 19in, Black, 5 RMU	70	No
<a href="#">7098701</a>	Housing, Closet Connector, 4U, 19in/23in Rack, 7.0in H, 17.0in W, 12.0in D, Removable Front Door, Holds Up to 12 Panels	42	No
<a href="#">7100763</a>	Tester, Optical Lost, Handheld, High-Power Ge Detector, UPC w/ SC Connector Adaptor, 1310/1550nm Laser Source 9/125, 120VAC, FOT-602, VFL, 2V	56	Yes
<a href="#">7103603</a>	Set, Side Skirt Blind 2ea, w/ Cable Entry Holes, Round 60mm, 46U/2200mm x 750mm, 1ea Top Plate, RAL7047, Suitable for 21in Rack	56	Yes
<a href="#">7104724</a>	Bundle, Rack, BUD, 45RU, 4-Post, 84inH x 30inW x 36inD, 10-32 Rails, 19/23in Convertible (Preset at 19in), Top Gnd Point, Seismic, Steel, Blk, w/ 4x 5x14.5in Sound Blocks, 2x 19inW x 27U Plena	56	Yes
<a href="#">7115350</a>	Handheld Tester, Live Fiber Detector, w/ Core Power Reading Display, w/ Additional 2mm & 1.6mm Heads	42	Yes
<a href="#">7115595</a>	Connector Cleaner, Fiber Optic, Cletop-S Type B, White tape	56	No
<a href="#">7116988</a>	Kit, Bracket, Chassis, 192 Fiber, MPO Trunk Cables, 2x Max, Adjustable Left/Right and Top/Bottom, For Q3000 Chassis	56	Yes
<a href="#">7119918</a>	Power Cord, Heavy Duty, C19 To C20, 12AWG, 20A, 250V, 10Ft, RoHS, 250V	56	No
<a href="#">7119991</a>	Cable, Power, 12AWG, 250V, 20A, IEC 60320 C20 to C19 Left, Black, 17ft, 250V	56	No
<a href="#">7120029</a>	Labeling Kit, Handheld, Wireless, QWERTY keypad, Auto Cutter, Computer Connectivity, Backlit display, 6V AD-E001 AC Adapter	56	No
<a href="#">7120181</a>	Shipping Tag, #5, 4 3/4in x 2 3/8in, Pre-wired, Red, Qty 1,000/Cartron	56	No
<a href="#">7122456</a>	Fuse, 50A, 600Vac/300Vdc, 200kA RMS Sym,Time-Delay, Dual-Element, 2.13in x 1.00in x 1.13in, 50A, 600Vac/300Vdc, 200kA	56	No
<a href="#">7122480</a>	Cover, 2/3 Top, Black Texture, 14 GA, Steel, 28in x22.64in, For Cabinet Rack	42	No
<a href="#">7122812</a>	Kit, Adapter Tip, w/ 1x LC tip for Bulkhead Adapter (FIPT-400-LC), 1x Universal Patchcord tip for 1.25mm Ferrules (FIPT-400-U12M), Used for FIP-400 Series Fiber Inspection Probes	42	Yes
<a href="#">7123080</a>	Crimp Tool, Manual, Lugs/Taps, #8-#2 Cu & #10-#6 Al Connectors, 54705-54727 C-Taps, Shure-Stake Ratchet, Orange/Black Handle, RoHS	42	No
<a href="#">7123211</a>	Fused Disconnect, 20ft Drop Cord, T5G System size, E36 Enclosure, 4-Wire, 240V, 80A, 200kAIC, 3-Pole Bussmann CCP Fuses, Isolated Ground, 240V	77	No
<a href="#">7123763</a>	Connector, Power, Female, Pin and Sleeve, IEC 60309, 250 VAC, Three Phase, 100 Amp, 3 Pole, 4 Wire, IP67, Valox 357, Blue, 100 Amp, 250 Volt 3-Phase, 3P, 4W	56	No
<a href="#">7125516</a>	Kit, Fully Automated Wi-Fi Inspection Tool w/ Embedded Analysis, 1x Fiber Inspection Probe, 1x MTP/MPO APC & UPC Adapter Tip, 1x LC Angled Adapter Tip, 1x LC Adapter Tip Kit, 1x Belt Holster	42	Yes
<a href="#">7131835</a>	Cable, Loopback, Molded, Fiber Optic, Dual, LC/UPC, SM, 9/125um, Insertion Loss=0.06dB (A)/0.14dB (B), Return Loss=55.7dB (A)/56.0dB (B), 2in (Cable Type: S09SX01CZNPY20), 1.25mm Outer Dia, Zi	42	No
<a href="#">7135294</a>	Floor Mat, Adhesive-Coated, Anti-Static, Anti-Microbial, White, 36in x 45in, 60 Sheets/Refill, w/ Polystyrene Frame	56	No
<a href="#">7135295</a>	Replacement, Pad, for Floor Mat w/ Polystyrene Frame, Adhesive-Coated, Anti-Static, Anti-Microbial, White, 36in x 45in	56	No
<a href="#">7136053</a>	Meter, Digital, AC/DC Clamp, 1000V, 600A, CAT IV 600V, 1Hz - 500KHz, 0 to +40 C, 9.09x3.82x1.54in, True RMS,, 1000V	56	No
<a href="#">7136099</a>	Cable, Power Cord, IEC C15-C20, 14AWG, 250V AC, 15A, SJT, PVC, Black, 10feet, 250V	56	No
<a href="#">7139759</a>	Cable, Power Cord, 14AWG, H-060, 15A, 250V, IEC-60320-C13 Male to IEC-60320-C14 Female, Black, 5ft, RoHS, 250V	56	No

GPN	Description	Lead Time	NCNR
<a href="#">7139760</a>	Cable, Power Cord, 14AWG, H-120, 15A, 250V, IEC-60320-C13 Male to IEC-60320-C14 Female, Black, 10ft, RoHS, 250V	56	No
<a href="#">7139761</a>	Cable, Power Cord, 14AWG, H-060, 15A, 250V, IEC-60320-C15 Male to IEC-60320-C14 Female, Black, 5ft, RoHS, 100-250V	56	No
<a href="#">7139762</a>	Cable, Power Cord, 14AWG, H-120, 15A, 250V, IEC-60320-C15 Male to IEC-60320-C14 Female, Black, 10ft, RoHS, 100-250V	56	No
<a href="#">7139763</a>	Cable, Power Cord, 14AWG, H-060, 15A, 250V, IEC-60320-C15 Male to IEC-60320-C20 Female, Black, 5ft, RoHS, 250V	84	No
<a href="#">7139764</a>	Cable, Power Cord, 14AWG, H-120, 15A, 250V, IEC-60320-C15 Male to IEC-60320-C20 Female, Black, 10ft, RoHS, 100-250V	56	No
<a href="#">7139765</a>	Cable, Power Cord, 12AWG, J-060, 20A, 250V, IEC-60320-C19 Male to IEC-60320-C20 Female, Black, 5ft, RoHS, 250V	56	No
<a href="#">7139766</a>	Cable, Power Cord, 12AWG, J-120, 20A, 250V, IEC-60320-C19 Male to IEC-60320-C20 Female, Black, 10ft, RoHS, 250V	56	No
<a href="#">7139773</a>	Sleeve, EZip, HD-19, for C20 plugs, IEC 60320, HDOT C19 Receptacle	70	No
<a href="#">7139797</a>	Kit, Cable Management, Express Exit, 6in, Includes Base/Base Cover/Mounting Hardware/Support Bracket/Exit Inserts, For 4in x 4in, 4in x 6in, and 4in x 12in Fiber Management	49	Yes
<a href="#">7139978</a>	Tubing, Heat Shrink, 3/4in, 200ft, Polyolefin, Black, RoHS	56	No
<a href="#">7140217</a>	Cable, Power, 250V, 16A, Extension Cord, IEC309 16A 1P+N+E to IEC320 C19, 3050mm, RoHS, 100-250V	56	No
<a href="#">7142232</a>	Fiber Loopback, LC/UPC Duplex, Single Mode 9/125, PVC, Yellow	56	No
<a href="#">7142252</a>	Fiber Loopback, SC/UPC Duplex, Single Mode 9/125, PVC, Yellow	56	No
<a href="#">1020976</a>	Shelf, Rack Mount, 2U, Fixed, Black, Steel, 44.2lb Capacity, Ext Dims: 15.7 D x 3.5 H x 19in W, includes 4x M6 Cage Nuts & 4x M6 Screws	56	No
<a href="#">1021048</a>	Full Description: Bit Tip, Max Fit, Size 2, 2in L, Philips Head, Magnetic, w/ Screw Lock System, S2 Modified Steel, For Drill/Drivers, Pack of 5	56	No
<a href="#">1021051</a>	Bit Tip, Max Fit, Size 2, 6in L, Philips Head, Magnetic, w/screw Lock System, S2 Modified Steel, For Drill/Drivers	56	No
<a href="#">1021190</a>	Foam Sheets, Perforated, Anti-Static, 24in W x 24in H x 1in D, Pack of 12, Urethane	56	No
<a href="#">1021385</a>	1021385 - Multimeter, General Purpose, Digital Display, 600mV, 6A, 99.9Hz, 6.57in x 3.31in x 1.82in, Yellow	56	No
<a href="#">1022682</a>	PDU, Horizontal Mounting, Non Metered, 3 Phase, 32A, 6x IEC C19 Outlets, 5m Length, EMEA/APAC only, 220/230/240V	63	No
<a href="#">1023582</a>	Lug, Two-Hole, 10 AWG Wire, Stud HL Size 1/4in, 0.25in Stud, Long Barrel w/ Window Lug, Copper, QTY 1= 50 PCS, 600V	56	No
<a href="#">1023642</a>	Tool, Tile Puller, Perforated, T-Handle, Steel, Red	56	No
<a href="#">1025244</a>	Cable, Power, IEC 60320 C20 TO C21, 6ft, Black, REV1, 100V	56	No
<a href="#">1025311</a>	Cable, Power, IEC 60320 C20 TO C21, 10ft, Black, REV1, 100V	56	No
<a href="#">1026574</a>	Kit, Rack Grounding, 19in Rack, Includes, 2x White Insulators, 20x #12-24 x 1/2in Zinc-Plated Screws, 4x #12-24 x 5/8in Zinc-Plated Screws & Flat Washers, 2x Ground Labels, 1x Horizontal Ground Copper Busbar, for 2- or 4-Post Racks	56	No
<a href="#">1029388</a>	Label, Laminated, 12mm wide, Black on White, P-Touch, TZe, 8m Length	56	No
<a href="#">1029392</a>	Label, Laminated, 24mm wide, Black on White, P-Touch, TZe, 8m Length	56	No
<a href="#">1030178</a>	Cabinet, Storage, Double Doors, Cupboard Style, 4-Shelf, Key locking handles, 36W x78H x24in D, Steel construction, Gray color USA ONLY	49	No
<a href="#">1032325</a>	Cable, Power, Standard Type, Locking IEC 60320 C20 to Locking C19, UL and CSA approved, 250V, 16A, 6 feet, 100-250V	42	No
<a href="#">1034003</a>	Designation Card, Makrofol Polycarbonate PCVE 6000, 2.95x0.585x0.010 in	56	Yes
<a href="#">1034004</a>	Cover, Snap On, Quareo, 3.167x0.75 in, F/N 001	56	No
<a href="#">1037437</a>	Power Cord, IEC 60320 C14 to IEC 60320 C19, 14AWG, 15Amp, 250 Volts, PVC, Black, 2 Foot, 100-250V	56	No
<a href="#">1039041</a>	Router, Wireless, 2.4 and 5 GHz, 256 MB Flash Memo, 100-240V	56	No
<a href="#">1040034</a>	Tool, Utility Knife, 7", 440A Stainless Steel, Rubber Handle, Orange/Black, 0.47 lb	56	No
<a href="#">1040035</a>	Tool Kit, 1/4 Hex Driver-Drill, 7.2V, Li-ion, 2-Speed, Cordless, Built-In LED, Auto-Stop Clutch, w/ Battery, 7.2V	56	No
<a href="#">1040036</a>	Serial Rollover Cable, USB Type A (Male) to RJ45 (Male), 6ft, Gray, For Cisco RJ45 Ports	56	No
<a href="#">1040039</a>	Tool, Needle-Nose Pliers, 6-5/8 in, Diamond Serrated Jaws, Plastisol Grip, 0.35 lbs	56	No
<a href="#">1040043</a>	Cletopt Cassette Cleaner, Replacement Tape Type S, White, 130 x 75 x 40 mm	42	No
<a href="#">1040044</a>	Tool, Screwdriver, Phillips, 2 x 4 in, 9 in Overall Length, Round Shank	49	No
<a href="#">1040059</a>	Crimping Tool, w/ Cable Stripper, For RJ11/RJ12/RJ45 Modular Plugs, 8.26 x 3.15 x 1.81 in, 0.75 lbs	56	No
<a href="#">1040167</a>	Loopback, Optical, QSFP, 12F OM3, MTP (Female)	56	No
<a href="#">1040222</a>	Earplugs, Yellow/Red, 33 dB Noise Reduction Rating, Polyurethane, w/ Dispenser Refill, 500/Pack	42	No
<a href="#">1040480</a>	Screwdriver Set, 6 pcs, 1.35 Lbs., Phillips/Slotted Sizes 3.5/4.5/6.5 mm, CVM Steel, w/ cushion grip handle, RoHS	56	No
<a href="#">1040695</a>	Safety Glasses, Tour-Guard, Impact Protection, Integrated Sideshields, Over-the Glass Coverage, Medium Size, Polycarbonate Lens, Clear	56	No

GPN	Description	Lead Time	NCNR
<a href="#">1040896</a>	Tool, Drill/Driver, Cordless, 2-Speed, 15+1 Torque Setting, Keyless chuck, w/ Lithium Ion Battery, Charger, Case, 12V, 1.5Ah, Green(EU Specific), 12V	49	No
<a href="#">1041077</a>	Bag, Tool holder, Canvas, w/ Brass Zipper, 12.5 x 4.25 x 7 in, 86g, Natural	56	No
<a href="#">1041733</a>	Connector, Multi-international Power Plug, For IEC 320 C14 Input, C13 Receptacle	56	No
<a href="#">1043794</a>	Label, Blank, White, Wound Out, Thermal Transfer, Permanent Adhesive, Label Dimension 3in x 0.5in	56	No
<a href="#">1047202</a>	Connector, Pin and Sleeve, 3 Phase, 250V, 60A, Watertight IEC, 3-Pole, 4-Wire, Rynite SST35 Cover, Standard, Polycarbonate Sealing Disk, Nickel Plated Brass Cover Screw	42	No
<a href="#">1051149</a>	Vacuum, Omega Supreme Plus HEPA Electronic 120V/628W, 99 CFM, w/ OF612HE HEPA, Power Cord, ESD Safe Crevice Tool/Brush, Gooseneck Tool, 6ft Hose, Filter Plug, Shoulder Strap, 1 ID x 1.25 OD in, 120V	77	No
<a href="#">1051170</a>	Cable Manager, 1RU, Front Only, 19in, (1.72in x 3.74in x 19in), Panduit (True 19in Width, No Side Gaps)	56	No
<a href="#">1052247</a>	Cord, Power,12AWG, 250v, C20 to C21, 1ft, Black, 100-250V	42	No
<a href="#">1052250</a>	Cord, Power,12AWG, 250v, C20 to C21, 18in, Black, 250V	56	No
<a href="#">1052252</a>	Cord, Power,12AWG, 250v, C20 to C21, 2ft, Black, 100-250V	56	No
<a href="#">1053396</a>	Cord, Power,14AWG, 250V, C13 to C14, 9in, Black, 250V	42	No
<a href="#">1053398</a>	Cord, Power,14AWG, 250V, C13 to C14, 1ft, Black, 100-250V	56	No
<a href="#">1053399</a>	Cord, Power,14AWG, 250V, C13 to C14, 18in, Black, 250V	56	No
<a href="#">1053400</a>	Cord, Power,14AWG, 250V, C13 to C14, 2ft, Black, 250V	49	No
<a href="#">1053631</a>	Cord, Power, 250V, 20A, C20 to C19, 16.4ft, Black, 100-250V	56	No
<a href="#">1053632</a>	Cord, Power, 12AWG, 250V, 20A, C20 to C21, 3ft, IEC60320, 250V	56	No
<a href="#">1053633</a>	Cord, Power, 12AWG, 250V, 20A, C20 to C21, 4ft, IEC60320, 100-250V	56	No
<a href="#">1054073</a>	Adapter, 1/4in F - 3/8in M Drive	56	No
<a href="#">1054894</a>	PDU, ServerTech, PRO1, PDU, Smart Master, 1U, 12A, 100-240V Inlet, 6x IEC 60320/C13 Outlets, 4x CX Outlets, 10/100 Mbps Ethernet, RS-232 Serial RJ-45 Connector, 1.75in H x 17.2in Wide x 7in, 240V	126	No
<a href="#">1054961</a>	Cord, Power,12AWG, 250V, 20A, IEC C20 to IEC C21, 3-Wire SJT Jacket, 30in, Black, 100-250V	56	No
<a href="#">1054964</a>	Cord, Power,12AWG, 250V, 20A, IEC C20 to IEC C21, 3-Wire SJT Jacket, 42in, Black, 100-250V	112	No
<a href="#">1054966</a>	Cord, Power,12AWG, 250V, 20A, IEC C20 to IEC C21, 3-Wire SJT Jacket, 5ft, Black, 100-250V	56	No
<a href="#">1054967</a>	Cord, Power,12AWG, 250V, 20A, IEC C20 to IEC C21, 3-Wire SJT Jacket, 12ft, Black, 250V	56	No
<a href="#">1055206</a>	Cord, Power, 12AWG, 250V, 20A, C20 to C21, 15ft, Black, 100-250V	56	No
<a href="#">1055680</a>	Cable, Trunk, Pre-Terminated, MPO Female to MPO Female, TeraSPEED, InstaPatch LL, 192-Fiber Loose Tube, LSZH/Riser, Yellow Jacket Color, 25m, RoHS	56	Yes
<a href="#">1055826</a>	Label Printer, Single Color Printing, Thermal Transfer, 300 dpi, Qwerty Keyboard, Multi-Line Print, BMP51,110-240V, w/Software Package, 262 x 91 x 152 mm, 110 - 240 V	63	No
<a href="#">1056445</a>	Power Cord, IEC 60320 C14 to IEC 60320 C15, 14AWG, 15Amp, 250 Volts, PVC, Black, 1.5 Feet, 100-250V	56	No
<a href="#">1059593</a>	Pallet Jack, Hand Pallet Truck, 1150mm x 540mm, EMEA	112	No
<a href="#">1063867</a>	Blanking Panel for 21in ETSI racks, Pack of 10x 10-SU Panels (Black)	70	No
<a href="#">1064285</a>	Wrench, Adjustable, Chrome Plated, 4in	56	No
<a href="#">1064654</a>	Tap Off Box, 1No. 63A Three Phase iMPB, w/ 1No. Quadruple Pole ABB S800 MCB, W/ 1NO. IEC60309 Connector IP67 3-Pole 5 Wire (TP+N+E), C/W 1.5M Drop Cord, 250VAC	49	No
<a href="#">1065806</a>	Description: Label, Tape, Cassette, 18mm W x 8m L, Black/White, Adhesive-Laminated, Brother P-Touch Location: Amsterdam(NL)	56	No
<a href="#">1069357</a>	Sleeve, EZip, C19, for C20 plugs, IEC 60320, Standard C19 Receptacle, (10QTY)	70	No
<a href="#">1069358</a>	Sleeve, EZip, C13, for C14 plugs, IEC 60320, Standard C13 Receptacle, (24QTY)	70	No
<a href="#">1069360</a>	PDU, Servertech, 0RU, Input IEC 60309 532C6S, 3m cord, 400/230V, 32A, 3PH, Output 18xCX 18xC13, Switched Master, Global, w/ Brackets, 230V	42	No
<a href="#">1069381</a>	Bundle - 2x, PDU, Servertech, 2RU, Input IEC 60309 532C6S, 3m cord, 400/230V, 32A, 3PH, Output 6xC20, Basic, Global, Shallow, w/ Ikea Slim Brackets, 230V	126	No
<a href="#">1069382</a>	PDU, Servertech, 0RU, Input IEC 60309 460C9W, 10ft cord, 208V, 60A, 3PH, Output 18xCX 18xC13, Switched Master, North America, w/ Brackets, 208V	49	No
<a href="#">1069393</a>	Bundle - 2x, PDU, Servertech, 2RU, Input IEC 60309 460C9W, 10ft cord, 208V, 60A, 3PH, Output 6xC19, Basic, North America, Shallow, w/ Ikea Slim Brackets, 208V	126	No
<a href="#">1070225</a>	Splice, 8-Die, Hysplice, 4Awg, 600v-35kv, Dual Holes, Tin-Electro Plated, 0.74in Length, Copper, Gray, 600 V - 35 KV	56	No
<a href="#">1070227</a>	Splice, Reducer, 8-Die, HyReducer, 4Awg Barrel A, 10Awg Barrel B, 600v-35kv, Dual Holes, Tin-Electro Plated, 0.74in Length, Copper, Gray, 600V - 35KV	56	No
<a href="#">1073137</a>	Tool, Crimp, Built-in Cutter & Stripper, Steel, Accommodates EZ-RJ45 Plugs & Standard RJ-45 & RJ-11 Plugs, 8.50in Length	56	No
<a href="#">1080464</a>	Lug, 2 Hole, 90 Degree, 10 AWG, M5 Stud Hole, 16mm Hole Spacing, Tin-Plated Copper, RoHS, 600 V - 35 KV	56	No
<a href="#">1082170</a>	Lug, Cu, Std Barrel w/ Window, Two-Hole, 0.25in Stud, 6AWG, 0.75in Spacing, 45Deg Torque, Electro-Sn, 600V	49	No



GPN	Description	Lead Time	NCNR
<a href="#">1082302</a>	Tap Off Box, E And I Engineering Group Busway, 50A, 3 Phase iMPB, W/ 2 Triple Pole With Non-Indicating Fuses, W/ 2 of 4 Wire Dual Drop, 4 Feet Power Cords, 250VAC	112	No
<a href="#">1083017</a>	Cable, Power, C19/C20, 12AWG x 3 Core, 20A, 250V, SJT Jacket, Black, w/ Label, 2ft LG, 100-250V	49	No
<a href="#">1083018</a>	Cable, Power, C19/C20, 12AWG x 3 Core, 20A, 250V, SJT Jacket, Black, w/ Label, 2.5ft LG, 100-250V	35	No
<a href="#">1083019</a>	Cable, Power, C13/C14, 18AWG x 3 Core, 10A, 250V, SVT Flexible Jacket, Black, w/ Label, 9.7in LG, 100-250V	56	No
<a href="#">1083020</a>	Cable, Power, C13/C14, 18AWG x 3 Core, 10A, 250V, SVT Flexible Jacket, Black, w/ Label, 18in LG, 100-250V	56	No
<a href="#">1083021</a>	Cable, Power, C13/C14, 18AWG x 3 Core, 10A, 250V, SVT Flexible Jacket, Black, w/ Label, 2ft LG, 100-250V	56	No
<a href="#">1083022</a>	Cable, Power, C13/C14, 18AWG x 3 Core, 10A, 250V, SVT Flexible Jacket, Black, w/ Label, 2.5ft LG, 100-250V	56	No
<a href="#">1083023</a>	Cable, Power, C13/C14, 18AWG x 3 Core, 10A, 250V, SVT Flexible Jacket, Black, w/ Label, 3ft LG, 100-250V	77	No
<a href="#">1083024</a>	Cable, Power, C13/C14, 18AWG x 3 Core, 10A, 250V, SVT Flexible Jacket, Black, w/ Label, 3.5ft LG, 100-250V	56	No
<a href="#">1083025</a>	Cable, Power, C13/C14, 18AWG x 3 Core, 10A, 250V, SVT Flexible Jacket, Black, w/ Label, 4ft LG, 100-250V	56	No
<a href="#">1083026</a>	Cable, Power, C13/C14, 18AWG x 3 Core, 10A, 250V, SVT Flexible Jacket, Black, w/ Label, 4.5ft LG, 100-250V	56	No
<a href="#">1083027</a>	Cable, Power, C13/C14, 18AWG x 3 Core, 10A, 250V, SVT Flexible Jacket, Black, w/ Label, 5ft LG, 100-250V	56	No
<a href="#">1083028</a>	Cable, Power, C13/C14, 18AWG x 3 Core, 10A, 250V, SVT Flexible Jacket, Black, w/ Label, 6ft LG, 100-250V	56	No
<a href="#">1083764</a>	Case, Protector, Watertight, Crushproof, Dustproof, 2 Level Pick N Pluck, 19.9in L x 15in W x 9in D, Polyurethane Wheels, SS Bearings, No Foam	56	No
<a href="#">1083776</a>	Divider Set, Padded, for Use with 1560 Protector Case	56	No
<a href="#">1084014</a>	Thermal Blanking, Panel, SnapFit, 19 Inch Rack, 1U, Square Holes, Black, Plastic, Package Of 10	42	No
<a href="#">1084522</a>	Bundle - 2x, PDU, Servertech, 0RU, Input L15-30 3P+E, 10ft cord, 208/120V, 30A, 3PH, Output 15xCX 21xC13, Smart Master and Smart Link, North America, w/ Brackets and Accessories, 120V	126	No
<a href="#">1084525</a>	Bundle - 2x, PDU, Servertech, 0RU, Input IEC 60309 516C6 3P+N+E, 3m cord, 400/230V, 16A, 3PH, Output 15xCX 21xC14, Smart Master + Smart Link, Global, w/ Brackets and Accessories, 230V	126	No
<a href="#">1084591</a>	Plenaform- Screw, Thumb, 10/32 Threaded, Black 100/PK	49	No
<a href="#">1084592</a>	Tool, Chad Remover, 19in, PlanaFill	56	No
<a href="#">1091558</a>	Corded Barcode scanner, Zebra DS2208, 2D Imager, General Purpose, USB, Handheld. Kit includes: DS2208-SR00007ZZWW Scanner, CBA-U25-S09ZAR Shielded USB Cable, Black	56	No
<a href="#">1091962</a>	Printer, Thermal Transfer, 300 dpi, 4in Print Width, 100 to 240VAC, w/ USB/RS-232/Ethernet/Bluetooth Connections, EPL/ZPL Programming Language, Tear bar, US power cord, Zebra ZT400 Series	7	No
<a href="#">1091963</a>	Cable, Network, Cat5e, Yellow, 10ft	56	No
<a href="#">1093560</a>	Crate, Wood, Elvis 2xMetal Ramp Hinge, Felt Lining, 46x48x93.5in External, 36x28x84 Internal	56	No
<a href="#">1094767</a>	First Aid Kit, Class A, Assorted Bandages, Antiseptic Wipes, Burn Cream, CRP Protector, Eye Pads, OSHA Compliant	56	No
<a href="#">1103152</a>	Cable, Power Cord, 14AWG, 250V, 15A, C14 to C21, 6ft, Black, 100-250V	49	No
<a href="#">7018008</a>	Cord, Power, 12-3, 16A, 250V, C19 Straight x C20, 2M, 250V	56	No
<a href="#">1105296</a>	Cord, Power, 12AWG, 250V, 20A, C20 to C21, 6ft, Black, 100-250V	56	No
<a href="#">1105297</a>	Cord, Power, 12AWG, 250V, 20A, C20 to C21, 8ft, Black, 100-250V	56	No
<a href="#">1105891</a>	Wrench, Adjustable, Extra Capacity, 6-Inch, 23.8mm Jaw Capacity, 161.9mm Length, Chrome	56	No
<a href="#">1106113</a>	Bag, Static Shielding, 16 x 24 inch, QTY1 = Carton of 100 bags	56	No
<a href="#">1106591</a>	Heat Gun, Handheld, 1200W/1100DegF High, 550W/750DegF Low, 2-Speed Fan, 120VAC, Metal Nozzle, 120VAC	56	No
<a href="#">1106968</a>	Panel, Fuse, GMT, 125A, 48VDC, Dual-Feed, 10/10 Panel, Horizontal Inputs, Output Terminal Blocks, 48VDC	112	No
<a href="#">1112362</a>	Terminal, Nylon Insulated, Ring Lug for Wire Size, 12-10 AWG (8-10 AWG STUD)	56	No
<a href="#">1114107</a>	Kit, Cable, Fiber, SM Jumper, LC-UPC to LC-UPC, Uniboot Flexboot, 26In-47In Length	49	No
<a href="#">1114108</a>	Kit, Cable, Fiber, SM Jumper, LC-UPC to LC-UPC, Uniboot Flexboot, 23In-44In Length	56	No
<a href="#">1114109</a>	Kit, Cable, Fiber, MPO-Elite to MPO-Elite, KeyUp-KeyDown, 12F, Uniboot Flexboot, 24In-79In Length	56	No
<a href="#">1114111</a>	Kit, Cable, Assembly, SM Jumper, LC-UPC to LC-UPC, Uniboot Flexboot, 8In-13In Length	56	No
<a href="#">1114112</a>	Kit, Cable, Assembly, SM Jumper, LC-UPC to LC-UPC, Uniboot Flexboot, 8In-16In Length	56	No
<a href="#">1114113</a>	Kit, Cable, Assembly, SM Jumper, LC-UPC to LC-UPC, Uniboot Flexboot, 26In-36In Length	56	No
<a href="#">1114114</a>	Kit, Cable, Assembly, SM Jumper, LC-UPC to LC-UPC, Uniboot Flexboot, 23In-44In Length	56	No
<a href="#">1114115</a>	Kit, Cable, Assembly, Fiber, MPO-Elite to MPO-Elite, KeyUp- KeyDown, 12F,Uniboot Flexboot, 24In-79In Length	42	No
<a href="#">1114626</a>	Power Cord, C14 to C15, 14AWG, 15A, 3ft, Black, Rahi ECX-C14C15-G315BK14-P-3F, RoHS, 100-250V	56	No
<a href="#">1115643</a>	Adapter, Modular, DB9 Male to RJ45 Female	42	No
<a href="#">1116190</a>	Power Cord, C14 to C15, 14AWG, 15A, 2ft, Black, Rahi ECX-C14C15-G315BK14-P-2F, RoHS, 100-250V	84	No
<a href="#">1116258</a>	Cable Management, Lace Bar, 10in Offset, 90 Deg Round Bend, Horizontal, Steel,Black Powder Coating, 10D x 0.4H x 19W In	56	No
<a href="#">901264</a>	30' yellow cat5 patch w/ approved rj45	56	No
<a href="#">7039429</a>	Wire, Stranded, Copper, 10 AWG, 600VAC, Nylon-Jacketed PVC Insulation, Type THHN, KS-22641, Red, 100ft Spool, 600V	56	No

GPN	Description	Lead Time	NCNR
<a href="#">7039430</a>	Wire, Stranded, Copper, 10 AWG, 600VAC, Nylon-Jacketed PVC Insulation, Type THHN, KS-22641, Black, 100ft Spool, 600V	56	No
<a href="#">7134073</a>	Power Wire, Class B, Cotton Braided, 600V RHH, 10 AWG, Green, 100ft Spool, RoHS	56	No
<a href="#">7096228</a>	07096228 - Screwdriver Set, 17 Piece, Pouch With 89mm Bits,	56	No
<a href="#">901223</a>	LC Fixed Optical Attenuator; 4db Level	56	No
<a href="#">7001792</a>	Cable Tie 14-1/2" Black 50lb, Qty 100/Pkg	28	No
<a href="#">901225</a>	LC Fixed Optical Attenuator; 6db Level	56	No
<a href="#">1052405</a>	Description: Kit, Includes 1 x FD Panel and 10 x MPO Patchcords, Panel for 1-RU, with 10 singlemode MPO-8 and 40 duplex shuttered LC ports, Method A, Panel 19x11.5x1.75 in., Patchcord 1m , RoHS	56	Yes
<a href="#">7020045</a>	Cable Manager, Horizontal, 19" wire manager, front only, 2U. WMPHF2E	56	No
<a href="#">900555</a>	Cable Manager, Gruber Model 34-208000, 1 U	42	No
<a href="#">901262</a>	30' black cat5 patch w/ approved rj45	42	No
<a href="#">30001354</a>	LC/UPC-LC/UPC JUMPER SM SX 1.6MM JACKETED 0.5M	56	No
<a href="#">1043332</a>	Tap Off Box, Plug-In, E and I Engineering Group Busway, 250VAC, 60A Three Phase iMPB, 2x 3-Pole 50A Bussmann Cubefuses, 2x 3-Pole 4-Wire Connector, 2x 20Ft Drop Cord, 250VAC	112	No
<a href="#">1048811</a>	Power Cord, IEC60320 C14 Male to IEC60320 C15 Female, 3-Wire, 250V, 15Amps, 14AWG, PVC, Black, SJT Jacket, 3 Feet, RoHS, 100-250V	84	No
<a href="#">1049280</a>	6ft 16 AWG 250 Volt Computer Power Extension Cord (IEC320C14 to IEC320C13) (TAA Compliant)	49	No
<a href="#">7076018</a>	Chassis, 2 RU, 2.35in x 19in x 15in, Accommodates 4 Blades, Q3400 Series	77	No
<a href="#">7006513</a>	SUP, VELCRO 3/4" ONE WRAP, 25YD ROLL	56	No
<a href="#">1115541</a>	Visual Fault Identifier (VFL), AFL HiLite, Miniature, 650nm Wavelength, Max Output 5mW, Includes 2.5mm (SC, ST, FC Fiber) & 1.25mm (LC, MU Fiber) Adapters, Key-Chain Mountable, 5mV	56	No
<a href="#">1024040</a>	Tool, Fiber Dust Prevention Cap Removal Tool, Plastic, 24 H x 75 W x 62mm L, NO SPEC	49	No
<a href="#">1122039</a>	Network Rack, BUD INDUSTRIES 28 in x 36 in x 84 in (711 mm x 914 mm x 2133 mm) Imperial Threaded Rack with Top Panel Only	56	Yes
<a href="#">7100688</a>	Description - Kit, Optical Light Source, Kingfisher, w/ 1x KI9812A Light Source (850-1300nm, LED, PC), 1x OPT701 50 & 62.5um Filters, 1x OPT046 SC/SC & 1x OPT076 SC/LC Adapters, 1x Orvac 12FMTPLC- 40G-1.5M MTP-8xLC Fiber Cord, 1x Pouch	49	No
<a href="#">1042384</a>	Assembly, Includes QTY 1 Corning CCH-04U Panel/QTY 12 CCH-CP24-A9 24 Strand LC SMF Bulkheads	42	No
<a href="#">1045587</a>	Kit, FD panel, Includes One (1) FD Panel, 20 (Twenty) MPO Patchcords, 2m	42	Yes
<a href="#">7014467</a>	Sharpie Pro-blk, pack of 12	56	No
<a href="#">1025719</a>	Power Meter, Optical, 850/1300/1310/1490/1550nm Response, Ge Detector, +6 to -60dBm Range, Handheld, 5.5x3.2x1.5in, w/2x AA Batteries, Protective Rubber Boot, Carry Case, NOYES OPM4 Series, OP, 2.4V	49	No
<a href="#">1020861</a>	Tool, Heat Gun, Dual Temperature, 570 & 1000 deg F, 11.6A, 120VAC, 7.25x10.5x3 in, 100V	56	No
<a href="#">7004112</a>	CIRCUIT BREAKER, 80 AMP, 240V	42	No
<a href="#">1042193</a>	Corning Cable -Assembly, Includes QTY 1 Corning PCH-04U Panel/QTY 12 CCH-CP24-A9 24 Strand LC SMF Bulkheads	49	No
<a href="#">1053630</a>	Cord, Power, 250V, 20A, C20 to C19, 20ft, Black, 100-250V	56	No
<a href="#">1045576</a>	Kit, FD panel, Includes One (1) FD Panel, 20 (Twenty) MPO Patchcords, 2.5m'	49	Yes
<a href="#">1051119</a>	Tool, Screwdriver, 6-1/16in, Slotted/Phillips, Insulated, Multi-Bit 6 in 1, Bit Storage in Handle, w/ Pouch, RoHS	56	No
<a href="#">7005237</a>	Wrench 6" - Chrome	56	No
<a href="#">1119130</a>	Decorative screws with washer ( black) M6 (100 pieces)	49	No
<a href="#">7115590</a>	Module, Controller, Galaxy Pulsar Edge, Model CP841A_3C3R_S, w/ Security Features Update, 10/100BASE-T Port, RS232 Port, Monitoring I/Os, LCD Display, For J2007001 Family CPL Shelves, Less than 7V	365	No
<a href="#">1049281</a>	Cord, Power, 16AWG, 250v, C14 to C13, 3ft, Black, 250V	77	No
<a href="#">1052406</a>	Kit, Includes 1 x FD Panel and 10 x MPO Patchcords, Panel for 1-RU, with 10 singlemode MPO-8 and 40 duplex shuttered LC ports, Method A, Panel 19x11.5x1.75 in., Patchcord 5 foot , RoHS	42	Yes
<a href="#">7004108</a>	Micro BDFB Circuit Breaker Panel, 48V	168	No
<a href="#">7076017</a>	Chassis, 1 RU, 1.75in x 19in x 15in, Accommodates 2 Blades, Q3200 Series	84	No
<a href="#">1113385</a>	Lugs, 600V, 150C, Kynar Insulated, Yellow Stripe, Tin Plated, 600V	49	No
<a href="#">1033926</a>	Kit, Tester, Optical Loss Test Set, Ge Detector Range +26 to -55dBm, Visual Fault Locator, Adapters, Soft Carrying Case, AC Charger, Rechargeable Battery, Shoulder Strap, 2V	63	Yes

GPN	Description	Lead Time	NCNR
<a href="#">7100303</a>	Cable Tester, Network Continuity, Tests Cat5e or Cat6 Cable, Coax Cable & Phone Cable Connections, Includes 2 tests units, 2 BNC/F Coax Adapters,1 Coax Terminator, Carry Pouch	42	No
<a href="#">7013757</a>	Pretium® Connector Housing, 1 RU	42	No
<a href="#">16000894-01</a>	Cable, DC Pair, 2AWG, 5ft, 600 V	42	No
<a href="#">7005275</a>	Cord, Power, 14/3 SJT-B-I C14 To C19, 6', 100-250V	42	No
<a href="#">7009012</a>	Pretium Connector Housing, 12 Panel Capacity, 4 Units High	42	No
<a href="#">7082330</a>	Power Wire, Class B, Cotton Braided, 600V RHH, 2 AWG, Green, 100ft Spool, 600V	56	No
<a href="#">30001239-002</a>	Cable, Fiber, Cord, SM, BIF, LC-LC-DX, UPC, 1.6mm Zipcord, OFNR, 2m	56	Yes
<a href="#">30001239-020</a>	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord,Yellow OFNR,20m(Supplier Item:71-112960013-020)	56	Yes
<a href="#">30001239-040</a>	Cable, Fiber, Cord, SM, BIF, LC-LC-DX, UPC, 1.6mm Zipcord, OFNR, 40m	56	Yes
<a href="#">30001455-002</a>	Cable, Fiber, SM, BIF, QSFP 8-Fiber, MTP12-Elite, APC Polish, F-Key Up to 4-LC-DX, 0.75M Fanout, 3.0mm round OFNP to 1.6mm Zipcord, OFNR MTP12 yellow connector to 4xLC-DX blue connector yellow fiber	56	Yes
<a href="#">30002446-005</a>	Cable, Fiber, Cord, SM, BIF, LC-LC-DX, UPC, 1.6mm dia, Zipcord, Blue OFNR, 5m	56	Yes
<a href="#">30001066-001</a>	Cable, Patch, Fiber, SM, LC-LC-SX, 1.6mm, 1m(Supplier Item:71-111960165-001)	56	Yes
<a href="#">30001066-002</a>	Cable, Patch, Fiber, SM, LC-LC-SX, 1.6mm, 2m(Supplier Item:71-111960165-002)	56	Yes
<a href="#">30001239-001</a>	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord,Yellow OFNR,1m(Supplier Item:71-112960013-001)	56	Yes
<a href="#">30001239-003</a>	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord,Yellow OFNR,3m(Supplier Item:71-112960013-003)	56	Yes
<a href="#">30001239-004</a>	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord,Yellow OFNR,4m(Supplier Item:71-112960013-004)	56	Yes
<a href="#">30001239-005</a>	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord,Yellow OFNR,5m(Supplier Item:71-112960013-005)	56	Yes
<a href="#">30001239-006</a>	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord,Yellow OFNR,6m(Supplier Item:71-112960013-006)	56	Yes
<a href="#">30001239-007</a>	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord,Yellow OFNR,7m(Supplier Item:71-112960013-007)	56	Yes
<a href="#">30001239-008</a>	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord,Yellow OFNR,8m(Supplier Item:71-112960013-008)	56	Yes
<a href="#">30001239-009</a>	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord,Yellow OFNR,9m(Supplier Item:71-112960013-009)	56	Yes
<a href="#">30001239-010</a>	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord,Yellow OFNR,10m(Supplier Item:71-112960013-010)	56	Yes
<a href="#">30001239-011</a>	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord,Yellow OFNR,11m(Supplier Item:71-112960013-011)	56	Yes
<a href="#">30001239-012</a>	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord,Yellow OFNR,12m(Supplier Item:71-112960013-012)	56	Yes
<a href="#">30001239-013</a>	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord,Yellow OFNR,13m(Supplier Item:71-112960013-013)	56	Yes
<a href="#">30001239-014</a>	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord,Yellow OFNR,14m(Supplier Item:71-112960013-014)	56	Yes
<a href="#">30001239-015</a>	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord,Yellow OFNR,15m(Supplier Item:71-112960013-015)	56	Yes
<a href="#">30001239-016</a>	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord,Yellow OFNR,16m(Supplier Item:71-112960013-016)	56	Yes
<a href="#">30001239-017</a>	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord,Yellow OFNR,17m(Supplier Item:71-112960013-017)	56	Yes
<a href="#">30001239-018</a>	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord,Yellow OFNR,18m(Supplier Item:71-112960013-018)	56	Yes
<a href="#">30001239-019</a>	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord,Yellow OFNR,19m(Supplier Item:71-112960013-019)	56	Yes
<a href="#">30001239-021</a>	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord,Yellow OFNR,21m(Supplier Item:71-112960013-021)	56	Yes

<b>GPN</b>	<b>Description</b>	<b>Lead Time</b>	<b>NCNR</b>
<a href="#"><u>30001239-022</u></a>	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord,Yellow OFNR,22m(Supplier Item:71-112960013-022)	56	Yes
<a href="#"><u>30001239-023</u></a>	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord,Yellow OFNR,23m(Supplier Item:71-112960013-023)	56	Yes
<a href="#"><u>30001239-024</u></a>	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord,Yellow OFNR,24m(Supplier Item:71-112960013-024)	56	Yes
<a href="#"><u>30001239-025</u></a>	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord,Yellow OFNR,25m(Supplier Item:71-112960013-025)	56	Yes
<a href="#"><u>30001239-026</u></a>	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord,Yellow OFNR,26m(Supplier Item:71-112960013-026)	56	Yes
<a href="#"><u>30001239-027</u></a>	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord,Yellow OFNR,27m(Supplier Item:71-112960013-027)	56	Yes
<a href="#"><u>30001239-028</u></a>	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord,Yellow OFNR,28m(Supplier Item:71-112960013-028)	56	Yes
<a href="#"><u>30001239-030</u></a>	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord,Yellow OFNR,30m(Supplier Item:71-112960013-030)	56	Yes
<a href="#"><u>30001239-032</u></a>	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord,Yellow OFNR,32m(Supplier Item:71-112960013-032)	56	Yes
<a href="#"><u>30001239-033</u></a>	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord,Yellow OFNR,33m(Supplier Item:71-112960013-033)	56	Yes
<a href="#"><u>30001239-034</u></a>	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord,Yellow OFNR,34m(Supplier Item:71-112960013-034)	56	Yes
<a href="#"><u>30001239-036</u></a>	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord,Yellow OFNR,36m(Supplier Item:71-112960013-036)	56	Yes
<a href="#"><u>30001240-004</u></a>	Cable,Fiber,Cord,SM,BIF,LC-SC-DX,UPC,1.6mm Zipcord,OFNR,4m(Supplier Item:71-122960128-004)	56	Yes
<a href="#"><u>30001240-005</u></a>	Cable,Fiber,Cord,SM,BIF,LC-SC-DX,UPC,1.6mm Zipcord,OFNR,5m(Supplier Item:71-122960128-005)	56	Yes
<a href="#"><u>30001240-006</u></a>	Cable,Fiber,Cord,SM,BIF,LC-SC-DX,UPC,1.6mm Zipcord,OFNR,6m(Supplier Item:71-122960128-006)	56	Yes
<a href="#"><u>30001240-007</u></a>	Cable,Fiber,Cord,SM,BIF,LC-SC-DX,UPC,1.6mm Zipcord,OFNR,7m(Supplier Item:71-122960128-007)	56	Yes
<a href="#"><u>30001240-008</u></a>	Cable,Fiber,Cord,SM,BIF,LC-SC-DX,UPC,1.6mm Zipcord,OFNR,8m(Supplier Item:71-122960128-008)	56	Yes
<a href="#"><u>30001240-009</u></a>	Cable,Fiber,Cord,SM,BIF,LC-SC-DX,UPC,1.6mm Zipcord,OFNR,9m(Supplier Item:71-122960128-009)	56	Yes
<a href="#"><u>30001240-010</u></a>	Cable,Fiber,Cord,SM,BIF,LC-SC-DX,UPC,1.6mm Zipcord,OFNR,10m(Supplier Item:71-122960128-010)	56	Yes
<a href="#"><u>30001240-012</u></a>	Cable,Fiber,Cord,SM,BIF,LC-SC-DX,UPC,1.6mm Zipcord,OFNR,12m(Supplier Item:71-122960128-012)	56	Yes
<a href="#"><u>30001240-014</u></a>	Cable,Fiber,Cord,SM,BIF,LC-SC-DX,UPC,1.6mm Zipcord,OFNR,14m(Supplier Item:71-122960128-014)	56	Yes
<a href="#"><u>30001240-015</u></a>	Cable,Fiber,Cord,SM,BIF,LC-SC-DX,UPC,1.6mm Zipcord,OFNR,15m(Supplier Item:71-122960128-015)	56	Yes
<a href="#"><u>30001240-016</u></a>	Cable,Fiber,Cord,SM,BIF,LC-SC-DX,UPC,1.6mm Zipcord,OFNR,16m(Supplier Item:71-122960128-016)	56	Yes
<a href="#"><u>30001240-018</u></a>	Cable,Fiber,Cord,SM,BIF,LC-SC-DX,UPC,1.6mm Zipcord,OFNR,18m(Supplier Item:71-122960128-018)	56	Yes
<a href="#"><u>30001240-020</u></a>	Cable,Fiber,Cord,SM,BIF,LC-SC-DX,UPC,1.6mm Zipcord,OFNR,20m(Supplier Item:71-122960128-020)	56	Yes
<a href="#"><u>30001240-022</u></a>	Cable,Fiber,Cord,SM,BIF,LC-SC-DX,UPC,1.6mm Zipcord,OFNR,22m(Supplier Item:71-122960128-022)	56	Yes
<a href="#"><u>30001240-024</u></a>	Cable,Fiber,Cord,SM,BIF,LC-SC-DX,UPC,1.6mm Zipcord,OFNR,24m(Supplier Item:71-122960128-024)	56	Yes
<a href="#"><u>30001240-026</u></a>	Cable,Fiber,Cord,SM,BIF,LC-SC-DX,UPC,1.6mm Zipcord,OFNR,26m(Supplier Item:71-122960128-026)	56	Yes
<a href="#"><u>30002416-002</u></a>	Cable, Fiber, Cord, SM, BIF, LC-LC-SX, UPC, 1.6mm dia, Blue OFNR, 2m(Supplier Item:71-111960166-002)	56	Yes
<a href="#"><u>30002446-003</u></a>	Cable, Fiber, Cord, SM, BIF, LC-LC-DX, UPC, 1.6mm dia, Zipcord, Blue OFNR, 3m	56	Yes
<a href="#"><u>30002446-010</u></a>	Cable, Fiber, Cord, SM, BIF, LC-LC-DX, UPC, 1.6mm dia, Zipcord, Blue OFNR, 10m	56	Yes



GPN	Description	Lead Time	NCNR
<a href="#">30001239-031</a>	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord,Yellow OFNR,31m(Supplier Item:71-112960013-031)	56	Yes
<a href="#">30001239-035</a>	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord,Yellow OFNR,35m(Supplier Item:71-112960013-035)	56	Yes
<a href="#">30001239-038</a>	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord,Yellow OFNR,38m(Supplier Item:71-112960013-038)	56	Yes
<a href="#">30002446-007</a>	Cable, Fiber, Cord, SM, BIF, LC-LC-DX, UPC, 1.6mm dia, Zipcord, Blue OFNR, 7m(Supplier Item:71-112960158-007)	56	Yes
<a href="#">30001239-029</a>	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord,Yellow OFNR,29m(Supplier Item:71-112960013-029)	56	Yes
<a href="#">30001240-002</a>	Cable,Fiber,Cord,SM,BIF,LC-SC-DX,UPC,1.6mm Zipcord,OFNR,2m(Supplier Item:71-122960128-002)	56	Yes
<a href="#">30001240-003</a>	Cable,Fiber,Cord,SM,BIF,LC-SC-DX,UPC,1.6mm Zipcord,OFNR,3m(Supplier Item:71-122960128-003)	56	Yes
<a href="#">30001240-028</a>	Cable,Fiber,Cord,SM,BIF,LC-SC-DX,UPC,1.6mm Zipcord,OFNR,28m(Supplier Item:71-122960128-028)	56	Yes
<a href="#">30001240-030</a>	Cable,Fiber,Cord,SM,BIF,LC-SC-DX,UPC,1.6mm Zipcord,OFNR,30m(Supplier Item:71-122960128-030)	56	Yes
<a href="#">30002446-002</a>	Cable, Fiber, Cord, SM, BIF, LC-LC-DX, UPC, 1.6mm dia, Zipcord, Blue OFNR, 2m(Supplier Item:71-112960158-002)	56	Yes
<a href="#">30002446-012</a>	Cable, Fiber, Cord, SM, BIF, LC-LC-DX, UPC, 1.6mm dia, Zipcord, Blue OFNR, 12m(Supplier Item:71-112960158-012)	56	Yes
<a href="#">30002446-015</a>	Cable, Fiber, Cord, SM, BIF, LC-LC-DX, UPC, 1.6mm dia, Zipcord, Blue OFNR, 15m(Supplier Item:71-112960158-015)	56	Yes
<a href="#">30002446-025</a>	Cable, Fiber, Cord, SM, BIF, LC-LC-DX, UPC, 1.6mm dia, Zipcord, Blue OFNR, 25m(Supplier Item:71-112960158-025)	56	Yes
<a href="#">30002446-020</a>	Cable, Fiber, Cord, SM, BIF, LC-LC-DX, UPC, 1.6mm dia, Zipcord, Blue OFNR, 20m	56	Yes
<a href="#">30002446-030</a>	Cable, Fiber, Cord, SM, BIF, LC-LC-DX, UPC, 1.6mm dia, Zipcord, Blue OFNR, 30m	56	Yes
<a href="#">30001066-005</a>	Cable, Patch, Fiber, SM, LC-LC-SX, 1.6mm, 5m(Supplier Item:71-111960165-005)	56	Yes
<a href="#">30001066-008</a>	Cable, Patch, Fiber, SM, LC-LC-SX, 1.6mm, 8m(Supplier Item:71-111960165-008)	56	Yes
<a href="#">30001066-012</a>	Cable, Patch, Fiber, SM, LC-LC-SX, 1.6mm, 12m(Supplier Item:71-111960165-012)	56	Yes
<a href="#">30001239-042</a>	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord,Yellow OFNR,42m(Supplier Item:71-112960013-042)	56	Yes
<a href="#">30001239-044</a>	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord,Yellow OFNR,44m(Supplier Item:71-112960013-044)	56	Yes
<a href="#">30001239-046</a>	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord,Yellow OFNR,46m(Supplier Item:71-112960013-046)	56	Yes
<a href="#">30001239-050</a>	Cable, Fiber, Cord, SM, BIF, LC-LC-DX, UPC, 1.6mm Zipcord, OFNR, 50m	56	Yes
<a href="#">30001239-045</a>	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord,Yellow OFNR,45m(Supplier Item:71-112960013-045)	56	Yes
<a href="#">30001239-048</a>	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord,Yellow OFNR,48m(Supplier Item:71-112960013-048)	56	Yes
<a href="#">30001239-052</a>	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord,Yellow OFNR,52m(Supplier Item:71-112960013-052)	56	Yes
<a href="#">30001239-054</a>	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord,Yellow OFNR,54m(Supplier Item:71-112960013-054)	56	Yes
<a href="#">30001239-056</a>	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord,Yellow OFNR,56m(Supplier Item:71-112960013-056)	56	Yes
<a href="#">30001240-001</a>	Cable,Fiber,Cord,SM,BIF,LC-SC-DX,UPC,1.6mm Zipcord,OFNR,1m(Supplier Item:71-122960128-001)	56	Yes
<a href="#">30001239-060</a>	Cable, Fiber, Cord, SM, BIF, LC-LC-DX, UPC, 1.6mm Zipcord, OFNR, 60m	56	Yes
<a href="#">30001239-080</a>	Cable, Fiber, Cord, SM, BIF, LC-LC-DX, UPC, 1.6mm Zipcord, OFNR, 80m	56	Yes
<a href="#">30001239-037</a>	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord,Yellow OFNR,37m(Supplier Item:71-112960013-037)	56	Yes

GPN	Description	Lead Time	NCNR
<a href="#">30001239-064</a>	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord,Yellow OFNR,64m(Supplier Item:71-112960013-064)	56	Yes
<a href="#">30001239-072</a>	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord,Yellow OFNR,72m(Supplier Item:71-112960013-072)	56	Yes
<a href="#">30001239-076</a>	Cable,Fiber,SM,BIF,LC-LC-DX,UPC,1.6mm dia, Zipcord,Yellow OFNR,76m(Supplier Item:71-112960013-076)	56	Yes
<a href="#">30001240-032</a>	Cable,Fiber,Cord,SM,BIF,LC-SC-DX,UPC,1.6mm Zipcord,OFNR,32m(Supplier Item:71-122960128-032)	56	Yes
<a href="#">30001240-034</a>	Cable,Fiber,Cord,SM,BIF,LC-SC-DX,UPC,1.6mm Zipcord,OFNR,34m(Supplier Item:71-122960128-034)	56	Yes
<a href="#">30002446-004</a>	Cable, Fiber, Cord, SM, BIF, LC-LC-DX, UPC, 1.6mm dia, Zipcord, Blue OFNR, 4m(Supplier Item:71-112960158-004)	56	Yes
<a href="#">30002449-008</a>	Cable, Fiber, Cord, SM, BIF, LC-SC-DX, UPC, 1.6mm dia, Zipcord, Blue OFNR, 8m(Supplier Item:71-122960168-008)	56	Yes
<a href="#">30002449-010</a>	Cable, Fiber, Cord, SM, BIF, LC-SC-DX, UPC, 1.6mm dia, Zipcord, Blue OFNR, 8m(Supplier Item:71-122960168-010)	56	Yes
<a href="#">30002449-015</a>	Cable, Fiber, Cord, SM, BIF, LC-SC-DX, UPC, 1.6mm dia, Zipcord, Blue OFNR, 8m(Supplier Item:71-122960168-015)	56	Yes
<a href="#">30002449-020</a>	Cable, Fiber, Cord, SM, BIF, LC-SC-DX, UPC, 1.6mm dia, Zipcord, Blue OFNR, 8m(Supplier Item:71-122960168-020)	56	Yes
<a href="#">30002449-030</a>	Cable, Fiber, Cord, SM, BIF, LC-SC-DX, UPC, 1.6mm dia, Zipcord, Blue OFNR, 8m(Supplier Item:71-122960168-030)	56	Yes
<a href="#">1121181</a>	Bundle, ServerTech BDL-STV-GO3003G-GN - 230/400 32A and 240/415V Wye 30A IEC 60309 3P+N+G / (3) x IEC 330R6 Global Rating: ? 32A @230V L-N ; North America Rating: ? 24A @240V L-N - Includes (1, 230V	126	No
<a href="#">30001239-039</a>	Cable, Fiber, Cord, SM, BIF, LC-LC-DX, UPC, 1.6mm Zipcord, OFNR, 39m	56	Yes
<a href="#">30001239-070</a>	Cable, Fiber, Cord, SM, BIF, LC-LC-DX, UPC, 1.6mm Zipcord, OFNR, 70m	56	Yes
<a href="#">30002617-112</a>	Cable, Fiber, 16-Bundle, 32-Fiber, SM, BIF, LC-LC-DX/UPC, Expando/Self Closing Wrap, ZipCord, Fanout (3.33m, 2xOD1.6mm), Yellow OFNR, 112m	56	Yes
<a href="#">901224</a>	754-1104-4SE00 Line Description: SC Fixed Optical Attenuator; 4db Level Full Description: SC Fixed Optical Attenuator; 4db Level	56	No
<a href="#">901226</a>	SC Fixed Optical Attenuator; 6db Level	56	No
<a href="#">1070095</a>	n/a	56	No
<a href="#">1025021</a>	BRACKET, GROUND, ESD (FORMERLY 07130852)	56	No
<a href="#">1032489</a>	Tap Off Box, Plug-In, E and I Engineering Group Busway, 208V, 20A Single Phase 3 Wire iMPB, 4 - Hubbell L6-20 Receptacles w/ 4 No. 2 Pole Non-Indicating Bussmann Cube Fuses, Phasing AB-BC-CA-A, 208V	56	No
<a href="#">1032494</a>	Tap Off Box, Plug-In, E and I Engineering Group Busway, 208V, 20A Single Phase 3 Wire iMPB, 4 - Hubbell L6-20 Receptacles w/ 4 No. 2 Pole Non-Indicating Bussmann Cube Fuses, Phasing BC-CA-AB-B, 208V	56	No
<a href="#">1032497</a>	Tap Off Box, Plug-In, E and I Engineering Group Busway, 208V, 20A Single Phase 3 Wire iMPB, 4 - Hubbell L6-20 Receptacles w/ 4 No. 2 Pole Non-Indicating Bussmann Cube Fuses, Phasing CA-AB-BC-C, 208V	56	No
<a href="#">1032816</a>	Tap-Off Box, Busway, iMPB, 3 No, 3-Pole, 80A Rating, V2 5Bar, Case Earth Interlock, 1x 100A Bussman Cubefuse, 1x Hubbell 3ft Drop Cord, 4-Wire Receptacle + HBL4100C9W Connector, 9.15in W x 11., 250V	77	No
<a href="#">1033489</a>	Printer Ribbon, Resin, Thermal Transfer, Black, 4.33in x 1476ft, 1in Core ID, 6.2 Microns Thk, For Industrial Printers & Polyester Labels	56	No
<a href="#">1039964</a>	Tool, Kit, Screwdriver, Cordless, w/ Charger/2x 8V max. Li-ion Battery/Kit Bag, Variable speed 0-430, 8V	56	No
<a href="#">1045573</a>	Commscope FD panel kit. Includes One (1) FD panel and 20 (twenty), 1.0 meter MPO patchcords	56	Yes
<a href="#">1045577</a>	Commscope - Kit, FD panel, Includes One (1) FD Panel, 20 (Twenty) MPO Patchcords, 3m	56	Yes
<a href="#">1047211</a>	Tap Off Box, Plug-In, E and I Engineering Group Busway, 250VAC, 60A Three Phase iMPB, 3x 3-Pole, w/ Non-indicating Bussmann Cube Fuse, 4ft 4-Wire Type W Drop Cord with Hubbell Connector	56	No
<a href="#">1047269</a>	RACK-INSIDE-RACK 10U OUTSIDE, 8U INSIDE SPACE, BLACK	56	No
<a href="#">1050249</a>	Cord, Power, 16AWG, 250v, C14 to NEMA 5-15, 2ft, Black, 250V	56	No
<a href="#">1052407</a>	Kit, Includes 1x FD Panel and 10 x MPO Patchcords, Panel for 1-RU, with 10 singlemode MPO-8 and 40 duplex shuttered LC ports, Method A, Panel 19x11.5x1.75 in., Patchcord 2m , RoHS	56	Yes

GPN	Description	Lead Time	NCNR
<a href="#">1053999</a>	RACK-INSIDE-RACK, 7U OUTSIDE 5U INSIDE SPACE, BLACK	56	No
<a href="#">1054000</a>	RACK-INSIDE-RACK 12U OUTSIDE, 10U INSIDE SPACE, BLACK	56	No
<a href="#">1064646</a>	Tap Box, Starline, 415Y/240 System Volts, 240 Load Volts, 32A, 532C6S, 6in Cord, 10kAIC, 3-Pole ABB S200M Breaker, Isolated Ground, Pin & Sleeve Spashproof Connector Body, 240V	56	No
<a href="#">1098127</a>	Optic Module, Transceiver, QSFP28, 103.1Gb/s, 100G CWDM4, 4x25Gb/s CWDM transmitter, Gen 3, Duplex LC Receptacles, 0 to 70C, 2KM, RoHS-6, FTLC1157RGPL	56	No
<a href="#">1107122</a>	Fastener, Hook & Loop, One-Wrap, Velcro, 1/2in W, 25 Yards L, Nylon, Black	56	No
<a href="#">1122271</a>	CBL,BULK CAT5E, BLACK 1000FT (300M)	56	No
<a href="#">1122273</a>	CBL,BULK CAT5E, Green 1000FT (300M)	56	No
<a href="#">1122274</a>	CBL,BULK CAT5E, Yellow, 1000FT (300M)	56	No
<a href="#">7003764</a>	Cord, Power, 16A, 250v, Commando (60309) to C19, 4.5M / 15ft, Black, 100-250V	56	No
<a href="#">7004109</a>	DC BRKR 70 AMP, 48 V	56	No
<a href="#">7004111</a>	CIRCUIT BREAKER, 30 AMP, 240V	56	No
<a href="#">7004329</a>	ATTENUATORS, FIXED OPTICAL, LC, 8DB	56	No
<a href="#">7004330</a>	ATTENUATORS, FIXED OPTICAL, LC, 10DB	56	No
<a href="#">7004331</a>	ATTENUATORS, FIXED OPTICAL, LC, 12DB	56	No
<a href="#">7005356</a>	CIRCUIT BREAKER, 100 AMP, 51-100 V	56	No
<a href="#">7007996</a>	CIRCUIT BREAKER, 10 AMP, 120V	56	No
<a href="#">7010776</a>	60A LOAD BREAKER, 240V	56	No
<a href="#">7010777</a>	50A LOAD BREAKER	56	No
<a href="#">7010779</a>	25A LOAD BREAKER, 150V	56	No
<a href="#">7023071</a>	Cord, Power, 14AWG, 250v, Commando (60309) to C13, 4.5M / 15ft, Black, 250V	56	No
<a href="#">7038158</a>	Washer, Lock, External Tooth, #10, Steel, Zinc Plate w/Gold Chromate, Bag of Qty 100	56	No
<a href="#">7038160</a>	Washer, Lock, External Tooth, 1/4in, Steel, Zinc Plate w/Gold Chromate, Bag of Qty 100	56	No
<a href="#">7043232</a>	Vulcanized Cellulose Fiber, Fish Paper, Electrical Insulation, .01Thk x 10 x 24in, Black, RoHS	56	No
<a href="#">7048145</a>	Wire, Conductor Stranding 19/.0372, Copper, 6AWG, Max Temp 90 Deg C, 75A, 600V, Red, 100ft Spool, 600V	56	No
<a href="#">7048146</a>	Wire, Conductor Stranding 19/.0372, Copper, 6AWG, Max Temp 90 Deg C, 75A, 600V, Black, 100ft Spool , 600V	56	No
<a href="#">7054474</a>	Terminal Lug, 300VAC, 12-10 AWG, #6 Stud, PIDG Rectangular Tongue, Yellow Ring, Closed Barrel, 100/PK, 300 VAC	56	No
<a href="#">7073717</a>	Cover, Duct, Wire, PVC 2.5in W x 6ft L, Snap On, Blk, Panduit	56	No
<a href="#">7076026</a>	Chassis Blade, Singlemode, MPO to MPO, 16 MPO Ports w/ 12 Fibers, Compatible Q3000/Q4000 Chassis, Quareo	56	No
<a href="#">7076027</a>	Chassis Blade, Singlemode, LC to MPO, 24 Duplex LC Ports, 48 Fibers Distributed from 2ea 12 Fiber MPO Connectors, Compatible Q3000/Q4000 Chassis, Quareo	56	No
<a href="#">7078242</a>	Kit, Cable Support Bar, 1RU, 12in, Blk	56	No
<a href="#">7078904</a>	Heat Shrink, 1/4In x 6In, 18-10 AWG, Adhesive Lined, Black, 1-Piece	56	No
<a href="#">7081476</a>	Circuit Breaker, 40A Load, 240V	56	No
<a href="#">7082331</a>	Power Wire, Class B, Cotton Braided, 600V RHH, 6 AWG, Red, 100ft Spool, 600V	56	No
<a href="#">7082332</a>	Power Wire, Class B, Cotton Braided, 600V RHH, 6 AWG, Black, 100ft Spool, 600V	56	No
<a href="#">7082333</a>	Power Wire, Class B, Cotton Braided, 600V RHH, 6 AWG, Green, 100ft Spool, 100V	56	No
<a href="#">7091136</a>	Cable, Power, 16AWG SJT, 100-250V, 13A, Extension Cord, IEC 60320 C13 to C14, w/ 3 Conductor PC/Mon, Black, 3ft	56	No
<a href="#">7100687</a>	Kit, Optical Power Meter, Kingfisher, w/ 1x KI9600XL-Ge5 Power Meter w/ 5mm Ge Detector (600-1650nm), Includes Adapters: 1x OPT224 Univ 1.25mm, 1x OPT225 Univ 2.5mm, 1x OPT226A LC, 1x OPT227 MTP/MPO	56	No
<a href="#">7103490</a>	Adapter, LC Simplex, 740 Series, Ceramic Sleeve, Standard Cutout, Blue Body, 100pcs per Box	56	No

GPN	Description	Lead Time	NCNR
<a href="#">7116065</a>	Cable, SM Standard Y-Cable, 24-Fiber MTP To two 12-fiber MTP, Custom Routing, 2ft FANOUT, 7M 1xMTP24-2xMTP12 yellow jacket green connector	56	Yes
<a href="#">7117408</a>	Kit, Assy, Shield, EMI, Front, Pegasus, UTP, US non-YAWN only	56	Yes
<a href="#">7125236</a>	Kit, U-Shelf, Installation, Rack, UTP	56	Yes
<a href="#">7126931</a>	Bracket, Support, Rear, Rack, UTP	56	Yes
<a href="#">7134078</a>	Power Wire, Class B, Cotton Braided, 600V RHH, 8 AWG, Green, 100ft Spool, RoHS	56	No
<a href="#">7138777</a>	Modular Plug, CAT 5e, RJ45, 26-23 AWG, 8-Position, Unshielded, Round Solid Stranded, MP-5EU-1, Thermoplastic Housing w/ Au-plated, RoHS, Box of 100 pc..	56	No
<a href="#">7141520</a>	Transceiver, 100 Gb/s, CFP-2 Port Adapter to QSFP-28, Compatible with MSA Standard QSFP28 transceivers, 0 to +70C, RoHS	56	No
<a href="#">7141543</a>	ptical Module, Transceiver, SFP+ MSA Compliant, 10Gbps, Multi-Protocol, 1550nm, SM, LC, 80km, 0 to 70 Tc, RoHS, GR-253/T1.105.03 ANSI, Sumitomo SPP5110ZR-GL	56	No
<a href="#">16000361-01</a>	Assy, Cable, Power, DC Output, 4AWG, 600V, Stranded MTW, Terminated, 2 Hole Lug, 1/4in Hole Dia on 5/8in Centers, 1x Cable w/Red Jacket, 1x Cable w/Black Jacket, 3ft, 600V	365	No
<a href="#">16000897-01</a>	Cable, DC Output, 2AWG, 5/8in C-C, 10ft, 100-250V	56	No
<a href="#">1126544</a>	Wire, Cable, Bulk, CAT5E, Horizontal, Orange, 1000FT (300M), RLX, 24-4P, UTP-CMR, SOL BC, PO/PVC, NonBonded-Pair	56	No
<a href="#">1123669</a>	Tool, 4 Compartment, Plano, Tackle Organizer, Clear, 4.63 x 2.88 x 1Inch Exterior	56	No
<a href="#">7099455</a>	PWR CORD, C19 to L6-20, 10FT, 100-250V	56	No
<a href="#">7004157</a>	TUBING, HEAT-SHRINK, 1/2", 150ft	56	No
<a href="#">7082330</a>	Power Wire, Class B, Cotton Braided, 600V RHH, 2 AWG, Green, 100ft Spool, 600V	56	No
<a href="#">30001161-020</a>	Cable, Fiber, Cord, SM, BIF, LC-SC-DX, UPC, 2.0mm Zipcord, OFNP, 20m	56	Yes
<a href="#">30001239-041</a>	Cable, Fiber, Cord, SM, BIF, LC-LC-DX, UPC, 1.6mm Zipcord, OFNR, 41m	56	Yes
<a href="#">30001240-025</a>	Cable, Fiber, Cord, SM, BIF, LC-SC-DX, UPC, 1.6mm Zipcord, OFNR, 25m	56	Yes
<a href="#">30001240-036</a>	Cable, Fiber, Cord, SM, BIF, LC-SC-DX, UPC, 1.6mm Zipcord, OFNR, 36m	56	Yes
<a href="#">30001240-040</a>	Cable, Fiber, Cord, SM, BIF, LC-SC-DX, UPC, 1.6mm Zipcord, OFNR, 40m	56	Yes
<a href="#">30001241-005</a>	Cable,Fiber,Cord,SM,BIF,SC-SC-DX,UPC,1.6mm Zipcord,OFNR,5m duplex SCSC yellow jacket blue connector	56	Yes
<a href="#">1024825</a>	PDU, Servertech, PRO2, Horizontal, 100-240V, C20 Inlet, 12x C13, No Cord, Switched POPS/PIPS, CWG12H1-NC, 100V-240V	126	No
<a href="#">1085148</a>	Senko Network, Adapter, LC Simplex, Blue, 50pcs Per Box	49	No
<a href="#">1092994</a>	Guide, Fiber, Raceway Drop Section, Without Cover, Spool Bracket, Yellow, 6 x 2 Inch, Engineering Thermoplastic	70	No
<a href="#">1099295</a>	Lug, Standard Barrel, Two-Hole, 0.25in Stud Hole, 6AWG, 0.75in Spacing, Copper, Electro-Tin Plating, Panduit Color Code Blue, RoHS	56	No
<a href="#">1106763</a>	Screw, Thumb, 10/32 Threaded, White 100/PK	56	No



GPN	Description	Lead Time	NCNR
<a href="#">1114490</a>	Inverter, 40~60Vdc, 50/60Hz, 2000W, Pure Sine Wave, Forced Air Cooling, 2xIEC320-C13, 360x440x43.6mm, 60VDC	56	No
<a href="#">1110410</a>	Cord, Power, 14AWG, 250v, Commando (6030 Full Description: Cord, Power, 14AWG, 250v, Commando (60309) to C15, 4.5M / 15ft, Black	56	No
<a href="#">1121164</a>	Bundle, Servertech BDL-STV-GO3003D-GN - 208V Delta 60A IEC 60309 3P+G / (3) x IEC 330R6 North America Rating: 24A @240V L-N PDU BUNDLE - Includes (1) STV-GO3003D/GA (Primary) and (1) SEV-GO300, 240V	126	No
<a href="#">1122539</a>	Rack, Cabinet, Google Nexpan, 800x1000x Full Description: Rack, Cabinet, Google Nexpan, 800x1000x47U (2200mm), Front-to-Rear Airflow, Free Standing	63	No
<a href="#">1126099</a>	1038736 - Label, Cable Tag, Flame Resistant, FR4 epoxy resin	56	No
<a href="#">7009060</a>	Velcro, 1/2", One-wrap, 25yd, Black	56	No
<a href="#">7010485</a>	EC-60309 16A Blue>IEC-60320-C13 1Outlet Full Description: IEC-60309 16A Blue>IEC-60320-C13 1Outlet ~15', 100-250V	56	No
<a href="#">30002459</a>	Line Description: Cables, Fiber Cables, MCS to MVAC ToR, 3 Full Description: Cables, Fiber Cables, MCS to MVAC ToR, 32x Fiber Cables, SM, BIF, LC-LC-DX UPC, 2mm Uniboot, Yellow OFNR, 17 to 35in	56	Yes
<a href="#">1099033-01</a>	NSC 48-port unit, Dual DC, Switchable Pinouts, 2-Cores, 4GB RAM, 32GB SSD, Back-to-Front fans (air out), Single or Dual AC: 100-240 VAC, 50/60 Hz	126	No
<a href="#">30001455-004</a>	Cable, Fiber, SM, BIF, QSFP 8-Fiber, MTP12-Elite, APC Polish, F-Key Up to 4-LC-DX, 0.75M Fanout, 3.0mm round OFNP to 1.6mm Zipcord, OFNR, 4M	56	Yes
<a href="#">30001954-019</a>	Cable, 192-Fiber, SM, MTP12 to MTP12, Fa Full Description: Cable, 192-Fiber, SM, MTP12 to MTP12, Fanout: [(Q3000 MPO/ LC Side: 8@30in + 8@33in) to (NGF Side: 16@32in)], OFNR, TR Mfg FB-33-SMTP 192NQR019, 19m	56	Yes
<a href="#">7139772</a>	Sleeve, EZip, HD-13, for C14 plugs, IEC 60320, HDOT C13 Receptacle	70	No
<a href="#">1029223</a>	n/a	56	Yes
<a href="#">1037443</a>	IEC320 C14 Male Plug to C15 Connector 0.6 meters / 2 feet 15A/250V 14/3 SJT Black - Power Cord	56	No
<a href="#">1045575</a>	Kit, FD panel, Includes One (1) FD Panel, 20 (Twenty) MPO Patchcords, 1.5m (Supplier Item: FD-8-2U-A-1.5M)	56	No
<a href="#">1050075</a>	Kit, Panel, 2RU, 4x Cartridges, 8x MTP Cables, 1m Length	56	Yes
<a href="#">1050076</a>	Kit, Panel, 2RU, 4x Cartridges, 8x MTP Cables, 1.5m Length	56	Yes
<a href="#">1050081</a>	Kit, Panel, 2RU, 4x Cartridges, 8x MTP Cables, 6m Length	56	Yes
<a href="#">1068755</a>	EHD Series, Fiber Patch Panel, 144-Port, 2 RU, 250 m Cable Stub, Black, 3.5 H x 19 W x 18.34 D in.	56	No
<a href="#">1087934</a>	Cartridge, 1x Modular Cartridge, 5x SM Elite MTP to 20x LC/DX Routing Enclosure, Shuttered LC Adapters	56	Yes
<a href="#">1087976</a>	Kit, Assembly, Panel 2RU, 4x Cartridge - 5x MTP, 20x MTP cables, 2m	56	Yes
<a href="#">1087980</a>	Kit, Assembly, Panel 2RU, 4x Cartridge - 5x MTP, 20x MTP cables, 6m	56	Yes
<a href="#">7004290</a>	LC/UPC-SC/UPC JUMPER 8/125 DUPLEX 1.6MM ZIPCORD 2.5M	56	No
<a href="#">7017739</a>	n/a	49	No
<a href="#">7054543</a>	n/a	56	No
<a href="#">7056116</a>	Cbl, DC, 2/0 AWG, w/ Straight Dual-Hole Lugs, Tin-Plated, BLACK, Rectifier Shelf to MicroBDFB Panel, 40", 600V	56	Yes
<a href="#">30001122</a>	Cable, Fiber, Cord, SM, LC-SC-SX, 1.6mm, .5m	56	No
<a href="#">30001123</a>	Cable, Fiber, Cord, SM, SC-SC-SX, 1.6mm, .5m	56	Yes
<a href="#">30002444</a>	Cable, Fiber, Cord, Short Boot, SM, Short Boot, 9/125, BIF, LC/UPC-LC/UPC DX, UPC, 1.6mm Patchcord, OFNR, 6in	56	Yes
<a href="#">30003047</a>	Cable, Fiber Patch, SMF-28e+ 250 Micron Fiber Pigtail, LC Duplex, 3M MPN# 000201R4131003M	56	No

<b>GPN</b>	<b>Description</b>	<b>Lead Time</b>	<b>NCNR</b>
<a href="#">30001161-076</a>	Cable, Fiber, Cord, SM, BIF, LC-SC-DX, UPC, 2.0mm Zipcord, OFNP, 76m	56	Yes
<a href="#">30002543-004</a>	Cable, Fiber, Cord, SM, BIF, miniLC-miniLC-DX, UPC, 2.0mm Uniboot, OFNR, 004m	56	Yes
<a href="#">30002543-008</a>	Cable, Fiber, Cord, SM, BIF, miniLC-miniLC-DX, UPC, 2.0mm Uniboot, OFNR, 008m	56	Yes
<a href="#">30002543-012</a>	Cable, Fiber, Cord, SM, BIF, miniLC-miniLC-DX, UPC, 2.0mm Uniboot, OFNR, 012m	56	Yes
<a href="#">30002543-020</a>	Cable, Fiber, Cord, SM, BIF, miniLC-miniLC-DX, UPC, 2.0mm Uniboot, OFNR, 020m	56	Yes
<a href="#">30002543-024</a>	Cable, Fiber, Cord, SM, BIF, miniLC-miniLC-DX, UPC, 2.0mm Uniboot, OFNR, 024m	56	Yes
<a href="#">30002543-028</a>	Cable, Fiber, Cord, SM, BIF, miniLC-miniLC-DX, UPC, 2.0mm Uniboot, OFNR, 028m	56	Yes
<a href="#">30002543-032</a>	Cable, Fiber, Cord, SM, BIF, miniLC-miniLC-DX, UPC, 2.0mm Uniboot, OFNR, 032m	56	Yes
<a href="#">30002543-036</a>	Cable, Fiber, Cord, SM, BIF, miniLC-miniLC-DX, UPC, 2.0mm Uniboot, OFNR, 036m	56	Yes
<a href="#">30002543-040</a>	Cable, Fiber, Cord, SM, BIF, miniLC-miniLC-DX, UPC, 2.0mm Uniboot, OFNR, 040m	56	Yes
<a href="#">30002543-044</a>	Cable, Fiber, Cord, SM, BIF, miniLC-miniLC-DX, UPC, 2.0mm Uniboot, OFNR, 044m	56	Yes
<a href="#">30002543-052</a>	Cable, Fiber, Cord, SM, BIF, miniLC-miniLC-DX, UPC, 2.0mm Uniboot, OFNR, 052m	56	Yes
<a href="#">30002543-056</a>	Cable, Fiber, Cord, SM, BIF, miniLC-miniLC-DX, UPC, 2.0mm Uniboot, OFNR, 056m	56	Yes
<a href="#">30002543-060</a>	Cable, Fiber, Cord, SM, BIF, miniLC-miniLC-DX, UPC, 2.0mm Uniboot, OFNR, 060m	56	Yes
<a href="#">30002543-068</a>	Cable, Fiber, Cord, SM, BIF, miniLC-miniLC-DX, UPC, 2.0mm Uniboot, OFNR, 068m	56	Yes
<a href="#">30002543-072</a>	Cable, Fiber, Cord, SM, BIF, miniLC-miniLC-DX, UPC, 2.0mm Uniboot, OFNR, 072m	56	Yes
<a href="#">30002543-080</a>	Cable, Fiber, Cord, SM, BIF, miniLC-miniLC-DX, UPC, 2.0mm Uniboot, OFNR, 080m	56	Yes
<a href="#">30002543-084</a>	Cable, Fiber, Cord, SM, BIF, miniLC-miniLC-DX, UPC, 2.0mm Uniboot, OFNR, 084m	56	Yes
<a href="#">30002543-088</a>	Cable, Fiber, Cord, SM, BIF, miniLC-miniLC-DX, UPC, 2.0mm Uniboot, OFNR, 088m	56	Yes
<a href="#">30002543-092</a>	Cable, Fiber, Cord, SM, BIF, miniLC-miniLC-DX, UPC, 2.0mm Uniboot, OFNR, 092m	56	Yes
<a href="#">30002543-096</a>	Cable, Fiber, Cord, SM, BIF, miniLC-miniLC-DX, UPC, 2.0mm Uniboot, OFNR, 096m	56	Yes
<a href="#">30002543-100</a>	Cable, Fiber, Cord, SM, BIF, miniLC-miniLC-DX, UPC, 2.0mm Uniboot, OFNR, 100m	56	Yes
<a href="#">30002543-104</a>	Cable, Fiber, Cord, SM, BIF, miniLC-miniLC-DX, UPC, 2.0mm Uniboot, OFNR, 104m	56	Yes
<a href="#">30002543-108</a>	Cable, Fiber, Cord, SM, BIF, miniLC-miniLC-DX, UPC, 2.0mm Uniboot, OFNR, 108m	56	Yes
<a href="#">30002543-112</a>	Cable, Fiber, Cord, SM, BIF, miniLC-miniLC-DX, UPC, 2.0mm Uniboot, OFNR, 112m	56	Yes
<a href="#">30002543-116</a>	Cable, Fiber, Cord, SM, BIF, miniLC-miniLC-DX, UPC, 2.0mm Uniboot, OFNR, 116m	56	Yes
<a href="#">30002543-120</a>	Cable, Fiber, Cord, SM, BIF, miniLC-miniLC-DX, UPC, 2.0mm Uniboot, OFNR, 120m	56	Yes
<a href="#">30002543-124</a>	Cable, Fiber, Cord, SM, BIF, miniLC-miniLC-DX, UPC, 2.0mm Uniboot, OFNR, 124m	56	Yes
<a href="#">30002543-128</a>	Cable, Fiber, Cord, SM, BIF, miniLC-miniLC-DX, UPC, 2.0mm Uniboot, OFNR, 128m	56	Yes
<a href="#">30002543-132</a>	Cable, Fiber, Cord, SM, BIF, miniLC-miniLC-DX, UPC, 2.0mm Uniboot, OFNR, 132m	56	Yes
<a href="#">30002543-140</a>	Cable, Fiber, Cord, SM, BIF, miniLC-miniLC-DX, UPC, 2.0mm Uniboot, OFNR, 140m	56	Yes

GPN	Description	Lead Time	NCNR
<a href="#">30002543-144</a>	Cable, Fiber, Cord, SM, BIF, miniLC-miniLC-DX, UPC, 2.0mm Uniboot, OFNR, 144m	56	Yes
<a href="#">30002543-148</a>	Cable, Fiber, Cord, SM, BIF, miniLC-miniLC-DX, UPC, 2.0mm Uniboot, OFNR, 148m	56	Yes
<a href="#">30002543-152</a>	Cable, Fiber, Cord, SM, BIF, miniLC-miniLC-DX, UPC, 2.0mm Uniboot, OFNR, 152m	56	Yes
<a href="#">30002543-156</a>	Cable, Fiber, Cord, SM, BIF, miniLC-miniLC-DX, UPC, 2.0mm Uniboot, OFNR, 156m	56	Yes
<a href="#">30002543-160</a>	Cable, Fiber, Cord, SM, BIF, miniLC-miniLC-DX, UPC, 2.0mm Uniboot, OFNR, 160m	56	Yes
<a href="#">30002543-164</a>	Cable, Fiber, Cord, SM, BIF, miniLC-miniLC-DX, UPC, 2.0mm Uniboot, OFNR, 164m	56	Yes
<a href="#">30002543-168</a>	Cable, Fiber, Cord, SM, BIF, miniLC-miniLC-DX, UPC, 2.0mm Uniboot, OFNR, 168m	56	Yes
<a href="#">30002543-172</a>	Cable, Fiber, Cord, SM, BIF, miniLC-miniLC-DX, UPC, 2.0mm Uniboot, OFNR, 172m	56	Yes
<a href="#">30002543-184</a>	Cable, Fiber, Cord, SM, BIF, miniLC-miniLC-DX, UPC, 2.0mm Uniboot, OFNR, 184m	56	Yes
<a href="#">30002543-188</a>	Cable, Fiber, Cord, SM, BIF, miniLC-miniLC-DX, UPC, 2.0mm Uniboot, OFNR, 188m	56	Yes
<a href="#">30002543-192</a>	Cable, Fiber, Cord, SM, BIF, miniLC-miniLC-DX, UPC, 2.0mm Uniboot, OFNR, 192m	56	Yes
<a href="#">30002543-200</a>	Cable, Fiber, Cord, SM, BIF, miniLC-miniLC-DX, UPC, 2.0mm Uniboot, OFNR, 200m	56	Yes
<a href="#">30002870-003</a>	Cable, Fiber, LC/PC-LC/PC Jumper SM BIF Duplex, 1.6mm Zipcord, OFNR, Blue Jacket, 3m	56	Yes
<a href="#">7133791</a>	Test Module, Exfo FTB-88200NGE, Power Blazer, Multi-Service, EtherSAM, 10M-to-100G, SFP, SFP+, CFP, QSFP28, QSFP+, 100G CFP4, SONET+SDH Software Mapping Package	70	Yes
<a href="#">7076691</a>	Fiber Termination Block, NGF, 192-Position, SM, MPO-LC, 16 Pigtails, Right Block Orientation, MPO Facing Back	49	No
<a href="#">7076693</a>	Fiber Termination Block, NGF, 192-Position, SM, MPO-LC, 16 Pigtails, Right Block Orientation, MPO Facing Back	49	No
<a href="#">1049186</a>	Assy, Cable, Power, DC Output, 4AWG, 600V, Stranded MTW, Terminated, 2 Hole Lug, 1/4in Hole Dia on 5/8in Centers, 1x Cable w/Red Jacket, 1x Cable w/Black Jacket, 3ft	56	No
<a href="#">1117551</a>	Nonslip rubber feet, Slip-resistant 3" steps, Reinforced edge bracing, Holster-Top® platform holds tools and paint cans, 300 lb. capacity	49	No
<a href="#">1030178-APAC</a>	Storage Cabinet, Turn Handle, Height 183 cm, Width 91.50 cm, Depth 46 cm, Grey	70	No
<a href="#">7087975-APAC</a>	"Part Number: 16888FY8002 LOUISVILLE HD INDUSTRIAL FIBERGLASS STEP STOOL 2-FOOT, 375Lbs. FY8002"	70	No
<a href="#">1050569</a>	Pallet truck, Hand, Heavy duty steel frame, 3 Position lever (lift, neutral, lowering), Coated Rubber, Tapered fork tips and Twin wheels, Fork length	70	No
<a href="#">1030178-EMEA</a>	BASIC Hinged door wardrobe with shelves (195 cm high)	70	No
<a href="#">1129638</a>	Cabinet, Transparent Storage Bins, 1690MM High x , 700MM Wide with Doors	77	Yes
<a href="#">1125252</a>	QSFP28 MPO Dummy Optics without PCB, MPO-12 with Gray tab.	70	No
<a href="#">1055879</a>	Partially sized QSFP28 dummy optic, RoHS6 Compliant	77	No
<a href="#">1040053</a>	Cabinet, Storage, Keyless Electronic Lock Handle, 36 x 24 x 72 in, Emergency Key, 230 lbs per Shelf, Steel, Grey	77	Yes

GPN	Description	Lead Time	NCNR
<a href="#">1113008</a>	Multi Tool, Plier, 21 Functions, Surge(R) Series, Silver Handle Color, Stainless Steel, Butterfly Opening, Locking, Clip Point, Nylon Sheath Material	56	No
<a href="#">1057432</a>	Measuring Device, Laser, Measuring Accuracy +/- 1.5mm, up to 165 ft. range, 2 AAA Batter, 1.5V	56	No
<a href="#">30002223</a>	Cable, Fiber, Cord, SM, BIF, LC-LC-DX, UPC, 1.6mm Zipcord, OFNR, 0.5m	56	Yes
<a href="#">1123668</a>	PowerBlazer High-Speed Multi-Service Kit	77	Yes
<a href="#">7001608</a>	Stainless Steel Electrician Scissors, CUTTER SHEARS TPRD CROSS 5.13"	56	No
<a href="#">1134875</a>	Aluminum RV Step with Adjustable Height, 1000-LB Capacity, 19in. L x 14.5in. W x 2.75in. H	42	No
<a href="#">1134783</a>	Stainless Steel Square Swing Top Trash Can, 36 Gallon, 19" x 19" x 39" dimensions	56	No
<a href="#">1135133</a>	PLASTIC STACKABLE BINS - 18 X 16 1/2 X 11", RED	56	No
<a href="#">1135135</a>	PLASTIC STACKABLE BINS - 18 X 16 1/2 X 11", WHITE	56	No
<a href="#">1135136</a>	PLASTIC STACKABLE BINS - 18 X 16 1/2 X 11", BLUE	56	No
<a href="#">1135137</a>	PLASTIC STACKABLE BINS - 18 X 16 1/2 X 11", YELLOW	35	No
<a href="#">1135138</a>	PLASTIC STACKABLE BINS - 18 X 16 1/2 X 11", GREEN	56	No
<a href="#">1135139</a>	PLASTIC STACKABLE BINS - 18 X 16 1/2 X 11", CLEAR	56	No
<a href="#">1135140</a>	PLASTIC STACKABLE BINS - 18 X 16 1/2 X 11", BLACK	56	No
<a href="#">30003002</a>	Cable, Fiber, Singlemode MPO12 (Female) to MPO12 (Female), Fiber Patch Cord, 12-Fiber, Method A, Plenum, Stranded Construction, Yellow Jacket, Standard, Black Boot, Green Connector, -10 to 60C	126	No
<a href="#">7103490</a>	Adapter, LC Simplex, 740 Series, Ceramic Sleeve, Standard Cutout, Blue Body, 10pcs	56	No
<a href="#">1137102</a>	Storage, Box, 9.75X13.313X2 inch, 20 compartments	56	No
<a href="#">1033624</a>	Seal Kit, Side Skirt, Cold Air Prevention, for Bayed Cabinets, 46U, Foam	95	No
<a href="#">1024603</a>	Cable entry plate with brush, 2U	56	No
<a href="#">7021662</a>	Quick knobs, with mounting clasps, set of 10	56	No
<a href="#">1052660</a>	Plug, Parking, Transceiver, OSFP Footprint, LC or MPO Campatibility, UL94 V0, Neutral Color, w/ Dust Cap,12-Pk, RoHS	42	No
<a href="#">1022682</a>	PDU, Horizontal Mounting, Non Metered, 3 Phase, 32A, 6x IEC C19 Outlets, 5m Length, EMEA/APAC only, 220/230/240V	52	No
<a href="#">1138583</a>	Admiral Locks Combination Cam Lock (3/4 Inch, Silver Pack of 1).	56	No
<a href="#">1046442</a>	Admiral Locks Combination Cam Lock (3/4 Inch, Silver Pack of 1).	80	No
<a href="#">1139562</a>	Scanner, Barcode, 1D/2D, Optical Character Recognition (OCR), USB, RS232, TGCS (IBM) 46XX over RS48	80	No



GPN	Description	Lead Time	NCNR
<a href="#">1129913</a>	Storage, Lockable Cupboard, 27 Trays, 1830x1120x457 mm, Blue	80	No
<a href="#">1024694</a>	Work Bench, ESD Protection, Dual Wrist Strap Ground Point, 30 to 38in Height, 72in W x 30in L	84	No
<a href="#">1024692</a>	Work Bench, ESD Protection, Dual Wrist Strap Ground Point, 30 to 38in Height, 72in W x 30in L	74	No
<a href="#">1024695</a>	Work Bench, ESD Protection, Dual Wrist Strap Ground Point, 30 to 38in Height, 96in W x 30in L	74	No
<a href="#">1131273</a>	Heavy Duty Shelf with Adjustable Depth Rear Mounting Brackets, Steel, Vented, 20.73 in. D, Black	150	No
<a href="#">1127655</a>	Rack Mount, For Galaxy Tab S5e, Fixed Floor Stand Display, Black, 12.6x12.6x42.2Inch(lxbxh)	56	No
<a href="#">1127658</a>	Sets includes: (2) sets of screws and (2) bits  VIDAMOUNT VESA 100 PATTERN SECURITY SCREWS  VIDAMOUNT VESA ENCLOSURE SECURITY SCREWS  VESA 100 PATTERN, FIXED TILTED SURFACE MOUNTS, TILTING WALL  MOUNT SCREWS : TAMPER RESISTANT BIT  TAMPER RESISTANT PIN-IN-SOCKET HEX INSERT BIT	28	Yes
<a href="#">30003383</a>	Cable, Fiber, Cord, SM, BIF, CS-Duplex UPC to LC-Duplex UPC, 1.5M, Singlemode A1 9/125	56	No
<a href="#">1134957</a>	Power Cord, Black, C19/L630P, 20A, 12AWG, 15ft	56	No
<a href="#">1144409</a>	Samsung - Galaxy Tab S6 Lite (2022 Edition) SM-P613 Tablet - 10.4" WUXGA+ - Octa-core (Kryo 465 Gold Dual-core (2 Core) 2.30 GHz + Kryo 465 Silver Hexa-core (6 Core) 1.80 GHz) - 4 GB RAM - 128 GB Storage - Android 12 - Oxford Gray - Qualcomm SM7125 Snapdragon 720G SoC - Upto 1 TB microSD, microSDXC Supported - 2000 x 1200 - 5 Megapixel Front Camera	52	Yes
<a href="#">1094767-1</a>	ANSI Approved First Aid Kit - Class B, 50 person	52	No